



## Region: France

## How to order

### Distributors

For ordering our high-quality products please contact your local distributor. **ITW Reagents** has distributors in the countries as follows:

Algeria	Egypt	Lithuania	Slovenia
Argentina	Finland	Mexico	South Korea
Armenia	France	Montenegro	Spain
Australia	Germany	Morocco	Sweden
Austria	Greece	Netherlands	Switzerland
Bangladesh	Hong Kong-China	New Zealand	Taiwan
Belarus	Hungary	Norway	Thailand
Belgium	Iceland	Pakistan	Tunisia
Bosnia and Herzegovina	India	Paraguay	Turkey
Brazil	Indonesia	Peru	Ukraine
Bulgaria	Ireland	Poland	United Kingdom
Chile	Israel	Portugal	Uruguay
China	Italy	Romania	United States
Colombia	Ivory Coast	Russia	Vietnam
Croatia	Japan	Saudi Arabia	
Czech Republic	Jordan	Senegal	
Denmark	Kazakhstan	Serbia	
Ecuador	Kuwait	Slovakia	

For further contact details of our distributors please visit

<https://www.itwreagents.com/france/fr/distributeurs-fr>

or contact our Customer Service at

[customerservice.de@itwreagents.com](mailto:customerservice.de@itwreagents.com)

[customerservice.es@itwreagents.com](mailto:customerservice.es@itwreagents.com)

### Customers - Webshop

Authorized customers from Spain, Portugal, Austria, France and Germany can order via our webshop on [itwreagents.com](https://www.itwreagents.com).

Product number	Product name	CAS number	Pack sizes
<a href="#">145300</a>	<a href="#">1,1,1-Trichloro-2-Methyl-2-Propanol 1/2-hydrate (BP, Ph. Eur.) pure, pharma grade</a>	6001-64-5	5 kg
<a href="#">131321</a>	<a href="#">1,10-Phenanthroline 1-hydrate for analysis, ACS</a>	5144-89-8	5 g, 25 g
<a href="#">133534</a>	<a href="#">1,2-Diaminocyclohexane-N,N,N',N',-Tetraacetic Acid 1-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	125572-95-4	100 g
<a href="#">161892</a>	<a href="#">1,2-Dichlorobenzene, 98% for synthesis</a>	95-50-1	2.5 L
<a href="#">141545</a>	<a href="#">1,2-Propanediol (USP, BP, Ph. Eur., JP) pure, pharma grade</a>	57-55-6	1 L, 5 L, 25 L, 60 L
<a href="#">15A597</a>	<a href="#">1,4-Butanediol, 99% for synthesis</a>	110-63-4	2.5 L
<a href="#">131296</a>	<a href="#">1,4-Dioxan stabilized with ~ 25 ppm of BHT (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	123-91-1	1 L, 25 L
<a href="#">141296</a>	<a href="#">1,4-Dioxan stabilized with ~ 25 ppm of BHT pure</a>	123-91-1	1 L
<a href="#">123577</a>	<a href="#">1,5-Diphenylcarbazine (Reag. Ph. Eur.) for analysis</a>	140-22-7	25 g
<a href="#">15A603</a>	<a href="#">1-Bromonaphthalene, 96% for synthesis</a>	90-11-9	500 mL, 2.5 L
<a href="#">365769</a>	<a href="#">1-Butane Sulfonic Acid Sodium Salt for HPLC</a>	2386-54-1	25 g
<a href="#">131082</a>	<a href="#">1-Butanol (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	71-36-3	1 L, 2.5 L, 5 L
<a href="#">141082</a>	<a href="#">1-Butanol (USP-NF) pure, pharma grade</a>	71-36-3	25 L
<a href="#">361082</a>	<a href="#">1-Butanol for UV, IR, HPLC</a>	71-36-3	1 L
<a href="#">161082</a>	<a href="#">1-Butanol, 99.5% for synthesis</a>	71-36-3	1 L, 5 L
<a href="#">367127</a>	<a href="#">1-Decane Sulfonic Acid Sodium Salt for HPLC</a>	13419-61-9	25 g, 100 g
<a href="#">367128</a>	<a href="#">1-Heptane Sulfonic Acid Sodium Salt 1-hydrate for HPLC</a>	207300-90-1	25 g
<a href="#">364897</a>	<a href="#">1-Heptane Sulfonic Acid Sodium Salt for HPLC</a>	22767-50-6	25 g
<a href="#">367129</a>	<a href="#">1-Hexane Sulfonic Acid Sodium Salt 1-hydrate for HPLC</a>	207300-91-2	25 g
<a href="#">363428</a>	<a href="#">1-Hexane Sulfonic Acid Sodium Salt for HPLC</a>	2832-45-3	25 g, 100 g
<a href="#">155494</a>	<a href="#">1H-Indole-3-Butyric Acid, 99% for synthesis</a>	133-32-4	25 g
<a href="#">143080</a>	<a href="#">1-Methyl-2-Pyrrolidone (BP, Ph. Eur., USP-NF) pure, pharma grade</a>	872-50-4	200 L
<a href="#">133080</a>	<a href="#">1-Methyl-2-Pyrrolidone for analysis, ACS</a>	872-50-4	1 L
<a href="#">753080</a>	<a href="#">1-Methyl-2-Pyrrolidone for Headspace GC</a>	872-50-4	1 L
<a href="#">163080</a>	<a href="#">1-Methyl-2-Pyrrolidone, 99% for synthesis</a>	872-50-4	1 L
<a href="#">363995</a>	<a href="#">1-Octane Sulfonic Acid Sodium Salt for HPLC</a>	5324-84-5	10 g, 25 g, 100 g
<a href="#">163386</a>	<a href="#">1-Octanol, 99% for synthesis</a>	111-87-5	1 L, 5 L
<a href="#">364896</a>	<a href="#">1-Pentane Sulfonic Acid Sodium Salt for HPLC</a>	22767-49-3	25 g
<a href="#">141884</a>	<a href="#">1-Pentanol pure</a>	71-41-0	1 L
<a href="#">131885</a>	<a href="#">1-Propanol (Reag. USP, Ph. Eur.) for analysis, ACS</a>	71-23-8	1 L, 2.5 L, 25 L
<a href="#">361885</a>	<a href="#">1-Propanol for UV, IR, HPLC</a>	71-23-8	1 L, 2.5 L
<a href="#">161885</a>	<a href="#">1-Propanol, 99.5% for synthesis</a>	71-23-8	1 L
<a href="#">A3195</a>	<a href="#">2,3-Dimercapto-1-Propanol solution 20 % in ethanol</a>		10 mL, 50 mL
<a href="#">122325</a>	<a href="#">2,4-Dinitrophenylhydrazine moistened with ~ 33% of H2O (Reag. Ph. Eur.) for analysis</a>	119-26-6	25 g
<a href="#">162325</a>	<a href="#">2,4-Dinitrophenylhydrazine, 99% moistened with ~ 33% of H2O for synthesis</a>	119-26-6	100 g
<a href="#">132056</a>	<a href="#">2,6-Dichlorophenol Indophenol Sodium Salt 2-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	620-45-1	5 g
<a href="#">144747</a>	<a href="#">2-Bromo-2-Nitro-1,3-Propanediol (BP) pure, pharma grade</a>	52-51-7	100 g, 1 kg
<a href="#">123851</a>	<a href="#">2-Butanol (Reag. Ph. Eur.) for analysis</a>	78-92-2	1 L
<a href="#">A2150</a>	<a href="#">2'-Deoxyadenosine 1-hydrate BioChemica</a>	16373-93-6	25 g
<a href="#">A2151</a>	<a href="#">2'-Deoxycytidine Hydrochloride BioChemica</a>	3992-42-5	25 g
<a href="#">A2152</a>	<a href="#">2'-Deoxyguanosine 1-hydrate BioChemica</a>	961-07-9	25 g
<a href="#">A0367</a>	<a href="#">2-Hydroxypropyl-β-Cyclodextrin</a>	128446-35-5	25 g, 100 g

Product number	Product name	CAS number	Pack sizes
<a href="#">141348</a>	<a href="#">2-Methyl-2,4-Pentanediol (USP-NF) pure, pharma grade</a>	107-41-5	25 L
<a href="#">131903</a>	<a href="#">2-Methyl-2-Propanol (Reag. Ph. Eur.) for analysis, ACS</a>	75-65-0	1 L, 5 L
<a href="#">161903</a>	<a href="#">2-Methyl-2-Propanol, 99.7% for synthesis</a>	75-65-0	1 L
<a href="#">15C074</a>	<a href="#">2-Methylfuran, 99% stabilized with ~ 0,01% of BHT for synthesis</a>	534-22-5	197 L
<a href="#">A1272</a>	<a href="#">2-Nitrophenyl-β-D-Galactopyranoside BioChemica</a>	369-07-3	5 g, 25 g
<a href="#">15A631</a>	<a href="#">2-Phenoxyethanol, 99% for synthesis</a>	122-99-6	5 L
<a href="#">631090</a>	<a href="#">2-Propanol (Ph. Eur, BP, USP-NF) GMP - IPEC grade</a>	67-63-0	25 L
<a href="#">131090</a>	<a href="#">2-Propanol (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	67-63-0	1 L, 2.5 L, 5 L, 10 L, 25 L
<a href="#">141090</a>	<a href="#">2-Propanol (USP, BP, Ph. Eur.) pure, pharma grade</a>	67-63-0	1 L, 2.5 L, 5 L, 25 L, 200 L, 1000 L
<a href="#">145618</a>	<a href="#">2-Propanol 70% v/v pure</a>	67-63-0	1 L, 5 L
<a href="#">A3465</a>	<a href="#">2-Propanol BioChemica</a>	67-63-0	1 L, 2.5 L, 5 L
<a href="#">361090</a>	<a href="#">2-Propanol for HPLC</a>	67-63-0	1 L, 2.5 L, 4 L
<a href="#">221090</a>	<a href="#">2-Propanol for HPLC gradient</a>	67-63-0	1 L, 2.5 L
<a href="#">A3928</a>	<a href="#">2-Propanol for molecular biology</a>	67-63-0	500 mL, 1 L, 2.5 L
<a href="#">211090</a>	<a href="#">2-Propanol technical grade</a>	67-63-0	1 L, 5 L, 10 L
<a href="#">161090</a>	<a href="#">2-Propanol, 99.7% for synthesis</a>	67-63-0	1 L, 5 L, 25 L
<a href="#">A3840</a>	<a href="#">3,3',5,5'-Tetramethylbenzidine BioChemica</a>	54827-17-7	1 g, 5 g, 25 g
<a href="#">162837</a>	<a href="#">3,5-Dinitrosalicylic Acid, 98% for synthesis</a>	609-99-4	100 g
<a href="#">A0695</a>	<a href="#">3-Isobutyl-1-Methylxanthine BioChemica</a>	28822-58-4	1 g
<a href="#">131293</a>	<a href="#">4-(Dimethylamino) Benzaldehyde (Reag. Ph. Eur.) for analysis, ACS</a>	100-10-7	100 g
<a href="#">A1523</a>	<a href="#">4-Aminoantipyrine BioChemica</a>	83-07-8	100 g
<a href="#">15A371</a>	<a href="#">4-Aminoantipyrine, 98% for synthesis</a>	83-07-8	100 g
<a href="#">145226</a>	<a href="#">4-Chloro-3-Methylphenol (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	59-50-7	1 kg
<a href="#">131430</a>	<a href="#">4-Methyl-2-Pentanone (Reag. Ph. Eur.) for analysis, ACS</a>	108-10-1	1 L, 25 L
<a href="#">161430</a>	<a href="#">4-Methyl-2-Pentanone, 99% for synthesis</a>	108-10-1	1 L
<a href="#">A1442</a>	<a href="#">4-Nitrophenyl Phosphate Disodium Salt 6-hydrate BioChemica</a>	4264-83-9	25 g
<a href="#">A1028</a>	<a href="#">4-Nitrophenyl-β-D-Glucuronide BioChemica</a>	10344-94-2	1 g, 5 g
<a href="#">A3378</a>	<a href="#">5,5'-Dithio-bis(2-Nitrobenzoic Acid) BioChemica</a>	69-78-3	25 g
<a href="#">A1731</a>	<a href="#">5-Aminolevulinic Acid Hydrochloride BioChemica</a>	5451-09-2	5 g
<a href="#">153856</a>	<a href="#">5-Chlorcarvacrol, 97% for synthesis</a>	5665-94-1	500 g
<a href="#">122838</a>	<a href="#">5-Sulphosalicylic Acid 2-hydrate (Reag. Ph. Eur.) for analysis</a>	5965-83-3	250 g
<a href="#">63B764</a>	<a href="#">6-Aminohexanoic Acid (Ph. Eur., BP, USP) GMP - IPEC grade</a>	60-32-2	5 kg
<a href="#">A2266</a>	<a href="#">6-Aminohexanoic Acid BioChemica</a>	60-32-2	500 g
<a href="#">A1088</a>	<a href="#">ABTS® BioChemica</a>	30931-67-0	1 g, 5 g, 10 g
<a href="#">A1060</a>	<a href="#">ACES for buffer solutions</a>	7365-82-4	1 kg, 10 kg
<a href="#">165323</a>	<a href="#">Acetaldehyde, 99% (Flavoring) for synthesis</a>	75-07-0	25 L
<a href="#">15A656</a>	<a href="#">Acetaldehyde, 99% for synthesis</a>	75-07-0	1 L
<a href="#">145365</a>	<a href="#">Acetic Acid : Chloroform 3 : 2 - Mixture v/v pure</a>		2.5 L
<a href="#">181009</a>	<a href="#">Acetic Acid 1 mol/l (1N) volumetric solution</a>	64-19-7	1 L
<a href="#">A3701</a>	<a href="#">Acetic Acid 100 % BioChemica</a>	64-19-7	1 L, 2.5 L
<a href="#">127136</a>	<a href="#">Acetic Acid 30 % for analysis</a>	64-19-7	10 L
<a href="#">196358</a>	<a href="#">Acetic Acid 36% (USP-NF) pharma grade</a>	64-19-7	25 L
<a href="#">121556</a>	<a href="#">Acetic Acid 80% for analysis</a>	64-19-7	1 L
<a href="#">122703</a>	<a href="#">Acetic Acid 96% for analysis</a>	64-19-7	1 L, 2.5 L
<a href="#">131008</a>	<a href="#">Acetic Acid glacial (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	64-19-7	1 L, 2.5 L, 5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">141008</a>	<a href="#">Acetic Acid glacial (USP, BP, Ph. Eur.) pure, pharma grade</a>	64-19-7	1 L, 2.5 L, 5 L, 25 L
<a href="#">361008</a>	<a href="#">Acetic Acid glacial for HPLC</a>	64-19-7	1 L, 2.5 L
<a href="#">721008</a>	<a href="#">Acetic Acid glacial for trace metal analysis (ppb)</a>	64-19-7	1 L
<a href="#">211008</a>	<a href="#">Acetic Acid glacial technical grade</a>	64-19-7	1 L, 5 L
<a href="#">161008</a>	<a href="#">Acetic Acid glacial, 99.5% for synthesis</a>	64-19-7	1 L, 2.5 L
<a href="#">131147</a>	<a href="#">Acetic Anhydride (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	108-24-7	1 L, 25 L
<a href="#">161147</a>	<a href="#">Acetic Anhydride, 98% for synthesis</a>	108-24-7	1 L
<a href="#">131007</a>	<a href="#">Acetone (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	67-64-1	1 L, 2.5 L, 5 L, 10 L, 25 L, 30 L
<a href="#">141007</a>	<a href="#">Acetone (USP, BP, Ph. Eur.) pure, pharma grade</a>	67-64-1	1 L, 2.5 L, 5 L, 25 L, 190 L
<a href="#">287184</a>	<a href="#">Acetone + Bromophenol blue 4,5 mg/L for determination of soap content in oils and fats</a>		5 L
<a href="#">481007</a>	<a href="#">Acetone dry (max. 0.01% water)</a>	67-64-1	1 L
<a href="#">321007</a>	<a href="#">Acetone for pesticide analysis</a>	67-64-1	2.5 L, 25 L
<a href="#">361007</a>	<a href="#">Acetone for UV, IR, HPLC, GPC, ACS</a>	67-64-1	1 L, 2.5 L, 4 L, 30 L
<a href="#">211007</a>	<a href="#">Acetone technical grade</a>	67-64-1	1 L, 2.5 L, 5 L, 10 L, 25 L
<a href="#">381007</a>	<a href="#">Acetone ultrapure</a>	67-64-1	1 L
<a href="#">161007</a>	<a href="#">Acetone, 99.5% for synthesis</a>	67-64-1	1 L, 2.5 L, 5 L
<a href="#">131881</a>	<a href="#">Acetonitrile (Reag. Ph. Eur.) for analysis, ACS</a>	75-05-8	2.5 L, 200 L
<a href="#">221881</a>	<a href="#">Acetonitrile (Reag. Ph. Eur.) for UHPLC Supergradient, ACS</a>	75-05-8	1 L, 2.5 L, 4 L, 5 L, 10 L, 25 L, 30 L, 200 L
<a href="#">731881</a>	<a href="#">Acetonitrile BioChemica</a>	75-05-8	2.5 L
<a href="#">481881</a>	<a href="#">Acetonitrile dry (max. 0.005% water) , ACS</a>	75-05-8	1 L, 2.5 L
<a href="#">701881</a>	<a href="#">Acetonitrile for LC-MS</a>	75-05-8	1 L, 2.5 L
<a href="#">321881</a>	<a href="#">Acetonitrile for pesticide analysis, ACS</a>	75-05-8	2.5 L
<a href="#">721881</a>	<a href="#">Acetonitrile for UHPLC Hypergradient</a>	75-05-8	2.5 L
<a href="#">361881</a>	<a href="#">Acetonitrile for UV, IR, HPLC, ACS</a>	75-05-8	1 L, 2.5 L, 25 L
<a href="#">367170</a>	<a href="#">Acetonitrile with 0.1% (v/v) of Trifluoroacetic Acid for HPLC</a>		30 L
<a href="#">A2051</a>	<a href="#">Acetoxy Valerenic Acid for HPLC</a>	81397-67-3	25 mg
<a href="#">A3753</a>	<a href="#">Acetyl-Coenzyme A Trilithium Salt BioChemica</a>	75520-41-1	50 mg, 100 mg
<a href="#">281380</a>	<a href="#">Acidimetric Liquor titrated for volumetric analysis</a>		1 L
<a href="#">281381</a>	<a href="#">Acidimetric Liquor titrated for volumetric analysis</a>		1 L
<a href="#">281384</a>	<a href="#">Acidimetric Liquor titrated for volumetric analysis</a>		1 L, 2.5 L, 5 L
<a href="#">A1089</a>	<a href="#">Acrylamide 2K Standard grade, extrapure</a>	79-06-1	500 g, 1 kg
<a href="#">A0951</a>	<a href="#">Acrylamide 4K solution (30 %) - Mix 29 : 1</a>		500 mL, 1 L
<a href="#">A1672</a>	<a href="#">Acrylamide 4K solution (30 %) - Mix 37.5 : 1</a>		500 mL, 1 L
<a href="#">A0962</a>	<a href="#">Acrylamide 4K solution (40 %)</a>		1 L
<a href="#">A0950</a>	<a href="#">Acrylamide 4K solution (40 %) - Mix 29 : 1</a>		500 mL, 1 L
<a href="#">A0946</a>	<a href="#">Acrylamide 4K solution (40 %) - Mix 32 : 1</a>		1 L
<a href="#">A1577</a>	<a href="#">Acrylamide 4K solution (40 %) - Mix 37.5 : 1</a>		500 mL, 1 L
<a href="#">A1090</a>	<a href="#">Acrylamide 4K ultrapure</a>	79-06-1	500 g
<a href="#">A3812</a>	<a href="#">Acrylamide for molecular biology</a>	79-06-1	500 g, 1 kg



Product number	Product name	CAS number	Pack sizes
<a href="#">A4983</a>	<a href="#">Acrylamide solution (30 %) - Mix 29 : 1 for molecular biology</a>		250 mL, 500 mL, 1 L
<a href="#">A3626</a>	<a href="#">Acrylamide solution (30 %) - Mix 37.5 : 1 for molecular biology</a>		250 mL, 500 mL, 1 L
<a href="#">A3658</a>	<a href="#">Acrylamide solution (40 %) - Mix 19 : 1 for molecular biology</a>		500 mL, 1 L
<a href="#">A0385</a>	<a href="#">Acrylamide solution (40 %) - Mix 29 : 1 for molecular biology</a>		500 mL, 1 L
<a href="#">A4989</a>	<a href="#">Acrylamide solution (40 %) - Mix 37.5 : 1 for molecular biology</a>		500 mL, 1 L
<a href="#">A1489</a>	<a href="#">Actinomycin D BioChemica</a>	50-76-0	5 mg
<a href="#">ADAPT51RF</a>	<a href="#">Adapter to GL32 for 5 L PE canisters except for sulfuric, hydrochloric and nitric concentrated acids</a>		1 un.
<a href="#">ADAPT50RF</a>	<a href="#">Adapter to GL32 for 5 L PE canisters for sulfuric, hydrochloric and nitric concentrated acids</a>		1 un.
<a href="#">ADAPTPLRF</a>	<a href="#">Adapter to GL32 for Liquid Pepsin 5 L PE canister</a>		1 un.
<a href="#">ADAPT51-45RF</a>	<a href="#">Adapter to GL45 for 5 L PE canisters except for sulfuric, hydrochloric and nitric concentrated acids</a>		1 un.
<a href="#">A0939</a>	<a href="#">Adenine BioChemica</a>	73-24-5	100 g
<a href="#">A1348</a>	<a href="#">Adenosine 5'-Triphosphoric Acid Disodium Salt BioChemica</a>	987-65-5	5 g, 10 g, 25 g, 100 g
<a href="#">A1421</a>	<a href="#">AEBSF Hydrochloride BioChemica</a>	30827-99-7	100 mg, 250 mg, 500 mg, 1 g
<a href="#">141792</a>	<a href="#">Agar (USP-NF) pure, pharma grade</a>	9002-18-0	1 kg
<a href="#">A0949</a>	<a href="#">Agar Bacteriology grade</a>	9002-18-0	500 g, 1 kg, 5 kg
<a href="#">A3477</a>	<a href="#">Agar for molecular biology</a>	9002-18-0	500 g
<a href="#">A2113</a>	<a href="#">Agar Kobe I</a>	9002-18-0	1 kg
<a href="#">A2111</a>	<a href="#">Agar Plant tissue culture grade</a>	9002-18-0	500 g, 1 kg
<a href="#">A0917</a>	<a href="#">Agar powdered pure, Food grade</a>	9002-18-0	500 g, 1 kg, 5 kg
<a href="#">402303</a>	<a href="#">Agar, Bacteriological American Type (Ingredient) for microbiology</a>	9002-18-0	500 g
<a href="#">402302</a>	<a href="#">Agar, Bacteriological European Type (Ingredient) for microbiology</a>	9002-18-0	500 g, 5 kg
<a href="#">401792</a>	<a href="#">Agar, Technical (Ingredient) for microbiology</a>	9002-18-0	500 g, 5 kg
<a href="#">A8963</a>	<a href="#">Agarose Basic</a>	9012-36-6	100 g, 250 g, 500 g, 1 kg
<a href="#">A2114</a>	<a href="#">Agarose low EEO (Agarose Standard)</a>	9012-36-6	100 g, 250 g, 500 g
<a href="#">A2116</a>	<a href="#">Agarose medium EEO</a>	9012-36-6	100 g, 500 g
<a href="#">A1091</a>	<a href="#">Agarose MP</a>	9012-36-6	100 g, 250 g, 500 g
<a href="#">A0850</a>	<a href="#">Albumin (BSA) EIA and RIA grade</a>	9048-46-8	50 g, 500 g
<a href="#">A0849</a>	<a href="#">Albumin (BSA) for microbiology</a>	9048-46-8	50 g
<a href="#">A2244</a>	<a href="#">Albumin (BSA) Fraction V (pH 5.2)</a>	9048-46-8	50 g
<a href="#">A1391</a>	<a href="#">Albumin (BSA) Fraction V (pH 7.0)</a>	9048-46-8	25 g, 50 g, 100 g, 250 g, 500 g, 1 kg
<a href="#">A6588</a>	<a href="#">Albumin (BSA) Fraction V (pH 7.0) for Western blotting</a>	9048-46-8	50 g, 100 g
<a href="#">A4344</a>	<a href="#">Albumin crude from chicken egg</a>	9006-59-1	250 g, 500 g, 1 kg
<a href="#">A2124</a>	<a href="#">Alcian Blue 8 GS (C.I. 74240)</a>	33864-99-2	10 g, 5 kg
<a href="#">254584</a>	<a href="#">Alcian Blue 8 GX (C.I. 74240) for clinical diagnosis</a>	33864-99-2	5 g, 25 g
<a href="#">251803</a>	<a href="#">Alcohol-Acetone 7:3 for clinical diagnosis</a>		1 L
<a href="#">251804</a>	<a href="#">Alcohol-Hydrochloric 8:2 for clinical diagnosis</a>		500 mL
<a href="#">287101</a>	<a href="#">Alkali Blue 6B solution for volumetric analysis</a>		500 mL

Product number	Product name	CAS number	Pack sizes
<a href="#">141959</a>	<a href="#">Alkylbenzyltrimethylammonium Chloride pure</a>	8001-54-5	1 kg
<a href="#">177137</a>	<a href="#">Allylthiourea solution (1 g/L) for BOD determination</a>		250 mL
<a href="#">15A585</a>	<a href="#">alpha-Terpineol, 70% for synthesis</a>	98-55-5	1 L
<a href="#">281366</a>	<a href="#">Alum Iron Ammonium saturated solution for volumetric analysis</a>	7783-83-7	250 mL
<a href="#">141102</a>	<a href="#">Aluminium Ammonium Sulfate 12-hydrate (USP) pure, pharma grade</a>	7784-26-1	25 kg
<a href="#">141097</a>	<a href="#">Aluminium Chloride 6-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	7784-13-6	25 kg, 500 g
<a href="#">141103</a>	<a href="#">Aluminium Potassium Sulfate 12-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	7784-24-9	1 kg, 25 kg
<a href="#">131103</a>	<a href="#">Aluminium Potassium Sulfate 12-hydrate for analysis, ACS</a>	7784-24-9	25 kg
<a href="#">313170</a>	<a href="#">Aluminium standard solution Al=1.000 g/l for AAS</a>		100 mL, 500 mL
<a href="#">766034</a>	<a href="#">Aluminium standard solution Al=1.000 g/l for ICP</a>		100 mL
<a href="#">191101</a>	<a href="#">Aluminium Sulfate 18-hydrate (BP, Ph. Eur.) pharma grade</a>	7784-31-8	25 kg
<a href="#">141101</a>	<a href="#">Aluminium Sulfate 18-hydrate pure</a>	7784-31-8	1 kg
<a href="#">126352</a>	<a href="#">Amido Black 10B solution for the determination of protein content in milk for analysis</a>		5 L
<a href="#">131056</a>	<a href="#">Amidosulfuric Acid (Reag. USP, Ph. Eur.) for analysis, ACS</a>	5329-14-6	500 g, 1 kg
<a href="#">A2616</a>	<a href="#">Ammonia - Solution 10 % for analysis</a>	1336-21-6	5 L
<a href="#">121128</a>	<a href="#">Ammonia 20% (as NH3) for analysis</a>	1336-21-6	1 L
<a href="#">141129</a>	<a href="#">Ammonia 25% (as NH3) (BP, Ph. Eur.) pure, pharma grade</a>	1336-21-6	1 L, 25 L, 5 L
<a href="#">121129</a>	<a href="#">Ammonia 25% (as NH3) (Reag. USP, Ph. Eur.) for analysis</a>	1336-21-6	1 L, 2.5 L, 25 L, 5 L
<a href="#">141130</a>	<a href="#">Ammonia 30% (as NH3) (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	1336-21-6	1 L, 2.5 L, 200 L, 5 L
<a href="#">131130</a>	<a href="#">Ammonia 30% (as NH3) for analysis, ACS</a>	1336-21-6	25 L, 200 L, 1 L, 2.5 L
<a href="#">283334</a>	<a href="#">Ammonia Fixative solution 1% for volumetric analysis</a>		5 L
<a href="#">131114</a>	<a href="#">Ammonium Acetate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	631-61-8	500 g, 25 kg, 1 kg, 5 kg
<a href="#">141115</a>	<a href="#">Ammonium Benzoate pure</a>	1863-63-4	25 kg
<a href="#">131119</a>	<a href="#">Ammonium Carbonate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	10361-29-2	500 g
<a href="#">141119</a>	<a href="#">Ammonium Carbonate (USP-NF) pure, pharma grade</a>	10361-29-2	1 kg
<a href="#">132748</a>	<a href="#">Ammonium Cerium(IV) Sulfate 2-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	10378-47-9	250 g
<a href="#">131121</a>	<a href="#">Ammonium Chloride (Reag. USP) for analysis, ACS, ISO</a>	12125-02-9	5 kg, 500 g, 1 kg, 25 kg
<a href="#">141121</a>	<a href="#">Ammonium Chloride (USP, BP, Ph. Eur.) pure, pharma grade</a>	12125-02-9	5 kg, 25 kg, 500 g, 1 kg
<a href="#">131126</a>	<a href="#">Ammonium di-Hydrogen Phosphate (Reag. Ph. Eur.) for analysis, ACS</a>	7722-76-1	1 kg, 25 kg
<a href="#">141126</a>	<a href="#">Ammonium di-Hydrogen Phosphate pure</a>	7722-76-1	25 kg
<a href="#">141116</a>	<a href="#">Ammonium Hydrogen Carbonate (BP, Ph. Eur.) pure, pharma grade</a>	1066-33-7	25 kg
<a href="#">141911</a>	<a href="#">Ammonium Hydrogen di-Fluoride pure</a>	1341-49-7	1 kg
<a href="#">181369</a>	<a href="#">Ammonium Iron(II) Sulfate 0.1 mol/l (0.1N) volumetric solution</a>	7783-85-9	1 L
<a href="#">185227</a>	<a href="#">Ammonium Iron(II) Sulfate 0.12 mol/l (0.12N) volumetric solution</a>	7783-85-9	1 L
<a href="#">131368</a>	<a href="#">Ammonium Iron(II) Sulfate 6-hydrate (Reag. Ph. Eur.) for analysis, ISO</a>	7783-85-9	500 g, 1 kg, 25 kg
<a href="#">141368</a>	<a href="#">Ammonium Iron(II) Sulfate 6-hydrate pure</a>	7783-85-9	25 kg
<a href="#">131365</a>	<a href="#">Ammonium Iron(III) Sulfate 12-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	7783-83-7	25 kg, 500 g
<a href="#">132352</a>	<a href="#">Ammonium meta-Vanadate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	7803-55-6	250 g

Product number	Product name	CAS number	Pack sizes
<a href="#">131134</a>	<a href="#">Ammonium Molybdate 4-hydrate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	12054-85-2	100 g, 250 g, 1 kg
<a href="#">A2246</a>	<a href="#">Ammonium Molybdate 4-hydrate BioChemica</a>	12054-85-2	500 g, 100 g
<a href="#">A1142</a>	<a href="#">Ammonium Peroxodisulfate (APS) BioChemica</a>	7727-54-0	250 g
<a href="#">A2941</a>	<a href="#">Ammonium Peroxodisulfate (APS) for molecular biology</a>	7727-54-0	100 g
<a href="#">131138</a>	<a href="#">Ammonium Peroxodisulphate (APS) (Reag. Ph. Eur.) for analysis, ACS</a>	7727-54-0	1 kg, 25 kg, 500 g
<a href="#">784241</a>	<a href="#">Ammonium standard solution NH<sub>4</sub>=1.000 g/l for IC</a>		500 mL
<a href="#">131140</a>	<a href="#">Ammonium Sulfate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	7783-20-2	1 kg, 5 kg, 25 kg, 500 g
<a href="#">A1032</a>	<a href="#">Ammonium Sulfate BioChemica</a>	7783-20-2	1 kg, 5 kg
<a href="#">A3485</a>	<a href="#">Ammonium Sulfate for molecular biology</a>	7783-20-2	1 kg, 5 kg
<a href="#">141140</a>	<a href="#">Ammonium Sulfate pure</a>	7783-20-2	25 kg, 1 kg
<a href="#">143299</a>	<a href="#">Ammonium Sulfide solution 20% w/w pure</a>	12135-76-1	1 L
<a href="#">131143</a>	<a href="#">Ammonium Thiocyanate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	1762-95-4	1 kg, 25 kg, 500 g
<a href="#">181144</a>	<a href="#">Ammonium Thiocyanate 0.1 mol/l (0.1N) (Reag. Ph.Eur.) volumetric solution</a>	1762-95-4	1 L
<a href="#">A1907</a>	<a href="#">Amphotericin B BioChemica</a>	1397-89-3	1 g, 50 mg, 60 g
<a href="#">A6352</a>	<a href="#">Ampicillin Sodium Salt (Ph. Eur.) pure, pharma grade</a>	69-52-3	100 g, 250 g, 25 g
<a href="#">A0839</a>	<a href="#">Ampicillin Sodium Salt BioChemica</a>	69-52-3	100 g, 10 g, 25 g
<a href="#">125715</a>	<a href="#">Amyl Alcohol according to NF V 04-210 for analysis</a>	123-51-3	1 L
<a href="#">AFW-045MC</a>	<a href="#">Analytical Funnel White 0,45 um</a>		1x50
<a href="#">253708</a>	<a href="#">Aniline Blue WS (C.I. 42755) for clinical diagnosis</a>	28631-66-5	25 g
<a href="#">766035</a>	<a href="#">Antimony standard solution Sb=1.000 g/l for ICP</a>		100 mL
<a href="#">A7004</a>	<a href="#">AppliClear-Water</a>		100 mL, 250 mL
<a href="#">A7708</a>	<a href="#">AppliCoat Plate Stabilizer</a>		500 mL
<a href="#">A2132</a>	<a href="#">Aprotinin BioChemica</a>	9087-70-1	10 mg, 25 mg, 100 mg
<a href="#">A9390</a>	<a href="#">Aquabator-Clean™ (100X)</a>		250 mL
<a href="#">285813</a>	<a href="#">AQUAMETRIC Composite 2 for Karl Fischer volumetric analysis</a>		1 L
<a href="#">285812</a>	<a href="#">AQUAMETRIC Composite 5 for Karl Fischer volumetric analysis</a>		2.5 L, 500 mL, 1 L
<a href="#">285814</a>	<a href="#">AQUAMETRIC Composite 5K for Karl Fischer volumetric analysis</a>		1 L
<a href="#">286181</a>	<a href="#">AQUAMETRIC Coulomat A for Karl Fischer coulometric analysis</a>		500 mL
<a href="#">286180</a>	<a href="#">AQUAMETRIC Coulomat AG for Karl Fischer coulometric analysis</a>		500 mL
<a href="#">287192</a>	<a href="#">AQUAMETRIC Coulomat CG for Karl Fischer coulometric analysis</a>		10x5mL
<a href="#">285819</a>	<a href="#">AQUAMETRIC Solvent CM for Karl Fischer volumetric analysis</a>		1 L, 2.5 L
<a href="#">285817</a>	<a href="#">AQUAMETRIC Solvent for Karl Fischer volumetric analysis</a>		2.5 L, 1 L
<a href="#">286154</a>	<a href="#">AQUAMETRIC Solvent Oil B for Karl Fischer volumetric analysis</a>		1 L
<a href="#">285816</a>	<a href="#">AQUAMETRIC Titrant 2 for Karl Fischer volumetric analysis</a>		1 L
<a href="#">285815</a>	<a href="#">AQUAMETRIC Titrant 5 for Karl Fischer volumetric analysis</a>		1 L, 2.5 L
<a href="#">285821</a>	<a href="#">AQUAMETRIC Working Medium for Karl Fischer volumetric analysis</a>		1 L
<a href="#">313171</a>	<a href="#">Arsenic standard solution As=1.000 g/l for AAS</a>		100 mL
<a href="#">766036</a>	<a href="#">Arsenic standard solution As=1.000 g/l for ICP</a>		100 mL
<a href="#">A7600</a>	<a href="#">Autoclave-ExitusPlus™</a>		6 x 1 L
<a href="#">A2568</a>	<a href="#">Avidin BioChemica</a>	1405-69-2	10 mg
<a href="#">176131</a>	<a href="#">Azidiol</a>		1 L
<a href="#">123581</a>	<a href="#">Azomethine H for analysis</a>	32266-60-7	10 g
<a href="#">251338</a>	<a href="#">Azur-Eosin-Methylene Blue solution according to Giemsa (slow) for clinical diagnosis</a>		1 L, 2.5 L, 100 mL, 500 mL



Product number	Product name	CAS number	Pack sizes
A0623	<u>Bacitracin BioChemica</u>	1405-87-4	25 g
453744	<u>Baird-Parker Agar (ISO 6888) (Prepared Plate (@ 90 mm)) for microbiology</u>		20 plates
413744	<u>Baird-Parker Agar Base (Dehydrated Culture Media) for microbiology</u>		500 g
131182	<u>Barium Chloride 2-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</u>	10326-27-9	500 g, 1 kg, 5 kg, 25 kg
171183	<u>Barium Chloride solution 10% w/v</u>	10361-37-2	500 mL
131188	<u>Barium Hydroxide 8-hydrate (Reag. Ph. Eur.) for analysis, ISO</u>	12230-71-6	1 kg, 500 g
766037	<u>Barium standard solution Ba=1.000 g/l for ICP</u>		100 mL
A1117	<u>BCIP BioChemica</u>	6578-06-9	500 mg, 1 g, 5 g
131192	<u>Benzene (Reag. Ph. Eur.) for analysis, ACS, ISO</u>	71-43-2	2.5 L, 25 L, 1 L
361192	<u>Benzene for UV, IR, HPLC, GPC, ACS</u>	71-43-2	1 L
143083	<u>Benzethonium Chloride (BP, Ph. Eur.) pure, pharma grade</u>	121-54-0	250 g, 1 kg
183141	<u>Benzethonium Chloride 0.004 mol/l (0.004M) volumetric solution</u>	121-54-0	1 L
141014	<u>Benzoic Acid (USP, BP, Ph. Eur.) pure, pharma grade</u>	65-85-0	25 kg, 1 kg
162720	<u>Benzoyl Chloride, 99% for synthesis</u>	98-88-4	25 L, 1 L
142357	<u>Benzoyl Peroxide humidified with ~ 25% of H2O (USP, BP, Ph. Eur.) pure, pharma grade</u>	94-36-0	500 g
191081	<u>Benzyl Alcohol (Ph. Eur.) pharma grade</u>	100-51-6	200 L, 60 L
141081	<u>Benzyl Alcohol (USP-NF, BP, Ph. Eur.) pure, pharma grade</u>	100-51-6	5 L, 1 L, 200 L, 25 L
131081	<u>Benzyl Alcohol for analysis, ACS</u>	100-51-6	1 L
A1062	<u>BES for buffer solutions</u>	10191-18-1	1 kg
A1024	<u>Bicine for buffer solutions</u>	150-25-4	250 g
415523	<u>Bile Esculin Azide Agar (ISO 7899-2:2000) (Dehydrated Culture Media) for microbiology</u>		500 g
455523	<u>Bile Esculin Azide Agar (ISO 7899-2:2000) (Prepared Plate (@ 90 mm)) for microbiology</u>		20 plates
A1096	<u>Bisacrylamide 2K Standard, pure</u>	110-26-9	100 g, 1 kg
A3636	<u>Bisacrylamide Molecular biology grade</u>	110-26-9	1 kg, 100 g, 250 g
A1025	<u>Bis-Tris for buffer solutions</u>	6976-37-0	500 g, 1 kg, 250 g
A3992	<u>Bis-Tris for molecular biology</u>	6976-37-0	250 g
251820	<u>Biuret's Reagent for clinical diagnosis</u>		100 mL
A3784	<u>Blasticidin S Hydrochloride BioChemica</u>	3513-03-9	25 mg, 10 mg
A7099	<u>Blocking Buffer I</u>		125 mL, 500 mL
253998	<u>Blue for fast staining (Panoptic No. 3) for clinical diagnosis</u>		500 mL, 2.5 L
125417	<u>Blue Primary Solution (BP, Ph. Eur.) for analysis</u>		100 mL
141015	<u>Boric Acid (USP-NF, BP, Ph. Eur.) pure, pharma grade</u>	10043-35-3	500 g, 1 kg, 25 kg, 5 kg
131015	<u>Boric Acid for analysis, ACS, ISO</u>	10043-35-3	500 g, 1 kg, 5 kg
A2940	<u>Boric Acid for molecular biology</u>	10043-35-3	1 kg
282972	<u>Boric Acid solution 1 % for volumetric analysis</u>	10043-35-3	5 L
287096	<u>Boric Acid solution 2 % for volumetric analysis</u>	10043-35-3	5 L, 25 L
282928	<u>Boric Acid solution 3 % for volumetric analysis</u>	10043-35-3	1 L
282222	<u>Boric Acid solution 4 % for volumetric analysis</u>	10043-35-3	1 L, 5 L
765900	<u>Boron standard solution B=1.000 g/l for ICP</u>	10043-35-3	100 mL
15A734	<u>Boron Trifluoride 12% in methanol for synthesis</u>	16045-88-8	500 mL
254102	<u>Bouin Liquor for clinical diagnosis</u>		1 L

Product number	Product name	CAS number	Pack sizes
<a href="#">A6932</a>	<a href="#">Bradford - Solution for Protein Determination</a>		500 mL, 100 mL, 250 mL
<a href="#">413777</a>	<a href="#">Brain Heart Infusion (BHI) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">413772</a>	<a href="#">Brain Heart Infusion Agar (BHI) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">252317</a>	<a href="#">Brij® 35 aqueous solution 30% w/v for clinical diagnosis</a>	9002-92-0	1 L
<a href="#">A1286</a>	<a href="#">Brij® 35 solution 10 % peroxide-free</a>		100 mL
<a href="#">251758</a>	<a href="#">Brilliant Green (C.I. 42040) for clinical diagnosis</a>	633-03-4	100 g
<a href="#">A1548</a>	<a href="#">Bromelain from pineapple stem BioChemica</a>	37189-34-7	500 g, 10 Kg, 25 g
<a href="#">784239</a>	<a href="#">Bromide standard solution Br=1.000 g/l for IC</a>		500 mL
<a href="#">182000</a>	<a href="#">Bromine (Bromate-Bromide) 0.05 mol/l (0.1N) (Reag. USP) volumetric solution</a>		1 L
<a href="#">131199</a>	<a href="#">Bromine (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	7726-95-6	100 mL
<a href="#">125535</a>	<a href="#">Bromine Index AMDS solution for analysis</a>		2.5 L
<a href="#">141199</a>	<a href="#">Bromine pure</a>	7726-95-6	250 mL
<a href="#">126294</a>	<a href="#">Bromine solution 1%, in hydrobromic acid for analysis</a>		1 L
<a href="#">171072</a>	<a href="#">Bromine Water saturated solution (Reag. Ph. Eur.)</a>	7726-95-6	500 mL
<a href="#">131759</a>	<a href="#">Bromocresol Green for analysis, ACS</a>	76-60-8	25 g, 5 g
<a href="#">281760</a>	<a href="#">Bromocresol Green solution 0.04% for volumetric analysis</a>	76-60-8	100 mL
<a href="#">121546</a>	<a href="#">Bromocresol Purple (Reag. USP) for analysis</a>	115-40-2	25 g
<a href="#">A2331</a>	<a href="#">Bromophenol blue</a>	115-39-9	25 g
<a href="#">131165</a>	<a href="#">Bromophenol Blue (Reag. USP, Ph. Eur.) for analysis, ACS</a>	115-39-9	25 g, 5 g
<a href="#">281166</a>	<a href="#">Bromophenol Blue solution 0.04% for volumetric analysis</a>	115-39-9	100 mL
<a href="#">131167</a>	<a href="#">Bromothymol Blue (Reag. USP) for analysis, ACS</a>	76-59-5	5 g, 25 g
<a href="#">281168</a>	<a href="#">Bromothymol Blue solution 0.04% for volumetric analysis</a>	76-59-5	100 mL
<a href="#">624566</a>	<a href="#">Bromothymol Blue solution 0.4% VINIKIT, for wine analysis</a>	76-59-5	250 mL
<a href="#">176168</a>	<a href="#">Buffer Solution Cesium Chloride/Lanthanum Chloride</a>		1 L
<a href="#">272580</a>	<a href="#">Buffer Solution pH 1.00 (20°C)</a>		1 L
<a href="#">281730</a>	<a href="#">Buffer Solution pH 10 for volumetric analysis</a>		250 mL, 1 L, 5 L
<a href="#">272584</a>	<a href="#">Buffer Solution pH 10.00 (20°C)</a>		250 mL, 1 L
<a href="#">273618</a>	<a href="#">Buffer Solution pH 10.00 (20°C) (blue colour)</a>		1 L
<a href="#">272585</a>	<a href="#">Buffer Solution pH 11.00 (20°C)</a>		1 L
<a href="#">272586</a>	<a href="#">Buffer Solution pH 12.00 (20°C)</a>		250 mL, 1 L
<a href="#">277089</a>	<a href="#">Buffer Solution pH 12.454</a>		250 mL
<a href="#">272587</a>	<a href="#">Buffer Solution pH 13.00 (20°C)</a>		1 L
<a href="#">272581</a>	<a href="#">Buffer Solution pH 2.00 (20°C)</a>		250 mL, 1 L
<a href="#">272537</a>	<a href="#">Buffer Solution pH 3.00 (20°C)</a>		250 mL, 1 L
<a href="#">275653</a>	<a href="#">Buffer Solution pH 3.2</a>		5 L
<a href="#">272168</a>	<a href="#">Buffer Solution pH 4.00 (20°C)</a>		250 mL, 1 L, 10 L
<a href="#">273616</a>	<a href="#">Buffer Solution pH 4.00 (20°C) (red colour)</a>		1 L, 10 L, 250 mL
<a href="#">277125</a>	<a href="#">Buffer Solution pH 4.006</a>		1 L
<a href="#">177177</a>	<a href="#">Buffer Solution pH 5,5 (20°C) for determination of aluminium</a>		5 L
<a href="#">272582</a>	<a href="#">Buffer Solution pH 5.00 (20°C)</a>		1 L
<a href="#">272549</a>	<a href="#">Buffer Solution pH 6.00 (20°C)</a>		1 L
<a href="#">277124</a>	<a href="#">Buffer Solution pH 6.865</a>		1 L
<a href="#">272170</a>	<a href="#">Buffer Solution pH 7.00 (20°C)</a>		1 L, 10 L, 250 mL

Product number	Product name	CAS number	Pack sizes
<a href="#">273617</a>	<a href="#">Buffer Solution pH 7.00 (20°C) (yellow colour)</a>		1 L, 10 L, 250 mL, 500 mL
<a href="#">273108</a>	<a href="#">Buffer Solution pH 7.02 (20°C)</a>		1 L
<a href="#">252164</a>	<a href="#">Buffer Solution pH 7.2 for clinical diagnosis</a>		1 L
<a href="#">272583</a>	<a href="#">Buffer Solution pH 8.00 (20°C)</a>		1 L
<a href="#">272172</a>	<a href="#">Buffer Solution pH 9.00 (20°C)</a>		1 L
<a href="#">277123</a>	<a href="#">Buffer Solution pH 9.180</a>		1 L
<a href="#">273107</a>	<a href="#">Buffer Solution pH 9.23 (20°C)</a>		250 mL, 1 L
<a href="#">413795</a>	<a href="#">Buffered Peptone Water (ISO 6579, ISO 22964, ISO 6887, DIN 10181, 10160) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">493795</a>	<a href="#">Buffered Peptone Water (ISO 6579, ISO 22964, ISO 6887, DIN 10181, 10160) (Prepared Bottles) for microbiology</a>		3 x 3 L
<a href="#">414944</a>	<a href="#">Buffered Sodium Chloride-Peptone solution (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		5 kg, 500 g
<a href="#">131429</a>	<a href="#">Butanone (Methylethylketone) (Reag. USP, Ph. Eur.) for analysis, ACS</a>	78-93-3	1 L, 2.5 L, 200 L, 5 L
<a href="#">141429</a>	<a href="#">Butanone (Methylethylketone) pure</a>	78-93-3	1 L, 2.5 L, 5 L
<a href="#">144233</a>	<a href="#">Butylhydroxyanisole (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	25013-16-5	5 kg, 1 kg
<a href="#">244233</a>	<a href="#">Butylhydroxylanisole (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	25013-16-5	5 kg
<a href="#">142825</a>	<a href="#">Butylhydroxytoluene (BP, Ph. Eur.) pure, pharma grade</a>	128-37-0	1 kg
<a href="#">242825</a>	<a href="#">Butylhydroxytoluene (BP, Ph. Eur.) pure, pharma grade</a>	128-37-0	16 kg
<a href="#">A2140</a>	<a href="#">Cacodylic Acid Sodium Salt 3-hydrate BioChemica</a>	6131-99-3	100 g, 250 g
<a href="#">313175</a>	<a href="#">Cadmium standard solution Cd=1.000 g/l for AAS</a>		500 mL
<a href="#">766038</a>	<a href="#">Cadmium standard solution Cd=1.000 g/l for ICP</a>		100 mL
<a href="#">142833</a>	<a href="#">Caffeine anhydrous (BP, Ph. Eur.) pure, pharma grade</a>	58-08-2	100 g, 5 kg, 1 kg
<a href="#">141211</a>	<a href="#">Calcium Acetate x-hydrate (USP) pure, pharma grade</a>	62-54-4	25 kg, 1 kg
<a href="#">201212</a>	<a href="#">Calcium Carbonate precipitated (E-170i, F.C.C.) food grade</a>	471-34-1	25 kg
<a href="#">141212</a>	<a href="#">Calcium Carbonate precipitated (USP, BP, Ph. Eur.) pure, pharma grade</a>	471-34-1	500 g, 1 kg
<a href="#">121212</a>	<a href="#">Calcium Carbonate precipitated for analysis</a>	471-34-1	500 g, 1 kg
<a href="#">204954</a>	<a href="#">Calcium Chloride 2-hydrate flakes (E-509, F.C.C.) food grade</a>	10035-04-8	25 kg
<a href="#">A4689</a>	<a href="#">Calcium Chloride 2-hydrate for molecular biology</a>	10035-04-8	250 g
<a href="#">201232</a>	<a href="#">Calcium Chloride 2-hydrate powder (E-509, F.C.C.) food grade</a>	10035-04-8	25 kg
<a href="#">131232</a>	<a href="#">Calcium Chloride 2-hydrate powder (Reag. USP) for analysis, ACS</a>	10035-04-8	25 kg, 500 g, 1 kg, 5 kg
<a href="#">191232</a>	<a href="#">Calcium Chloride 2-hydrate powder (USP, BP, Ph. Eur.) pharma grade</a>	10035-04-8	25 kg
<a href="#">121214</a>	<a href="#">Calcium Chloride 6-hydrate for analysis</a>	7774-34-7	1 kg, 25 kg
<a href="#">141221</a>	<a href="#">Calcium Chloride anhydrous, granulated pure</a>	10043-52-4	500 g, 1 kg, 25 kg
<a href="#">625409</a>	<a href="#">Calcium Hydroxide 2 mol/l (suspension) VINIKIT, for wine analysis</a>	1305-62-0	250 mL
<a href="#">202400</a>	<a href="#">Calcium Hydroxide, powder (E-526, F.C.C.) food grade</a>	1305-62-0	25 kg
<a href="#">142400</a>	<a href="#">Calcium Hydroxide, powder (USP, BP, Ph. Eur., JP) pure, pharma grade</a>	1305-62-0	5 kg, 1 kg
<a href="#">171230</a>	<a href="#">Calcium Lactate 5-hydrate for soil testing</a>	28305-25-1	5 kg, 1 kg
<a href="#">131231</a>	<a href="#">Calcium Nitrate 4-hydrate for analysis, ACS</a>	13477-34-4	25 kg, 1 kg, 5 kg
<a href="#">313176</a>	<a href="#">Calcium standard solution Ca=1.000 g/l for AAS</a>		500 mL, 100 mL
<a href="#">786345</a>	<a href="#">Calcium standard solution Ca=1.000 g/l for IC</a>		500 mL
<a href="#">766040</a>	<a href="#">Calcium standard solution Ca=1.000 g/l for ICP</a>		100 mL
<a href="#">775950</a>	<a href="#">Calcium standard solution Ca=10.00 g/l for ICP</a>		100 mL
<a href="#">131235</a>	<a href="#">Calcium Sulfate 2-hydrate for analysis, ACS</a>	10101-41-4	500 g

Product number	Product name	CAS number	Pack sizes
<a href="#">123575</a>	<a href="#">Calconcarboxylic Acid (Reag. Ph. Eur.) for analysis</a>	3737-95-9	25 g
<a href="#">251179</a>	<a href="#">Canada Balsam for clinical diagnosis</a>	8007-47-4	100 mL, 1 L
<a href="#">255298</a>	<a href="#">Carazzi's Hematoxylin solution for clinical diagnosis</a>		2.5 L, 500 mL
<a href="#">A1491</a>	<a href="#">Carbenicillin Disodium Salt BioChemica</a>	4800-94-6	1 g, 5 g, 10 g
<a href="#">131244</a>	<a href="#">Carbon Disulfide for analysis, ACS</a>	75-15-0	1 L
<a href="#">361244</a>	<a href="#">Carbon Disulfide for UV, IR, HPLC</a>	75-15-0	1 L
<a href="#">161244</a>	<a href="#">Carbon Disulfide, 99.5% for synthesis</a>	75-15-0	1 L
<a href="#">173355</a>	<a href="#">Carrez's Reagent I</a>		1 L
<a href="#">173356</a>	<a href="#">Carrez's Reagent II</a>		1 L, 5 L
<a href="#">403898</a>	<a href="#">Casein Peptone (Ingredient) for microbiology</a>		500 g
<a href="#">144564</a>	<a href="#">Castor Oil (BP, Ph. Eur.) pure, pharma grade</a>	8001-79-4	5 L
<a href="#">417153</a>	<a href="#">CCA Coliforms Chromogenic Agar (ISO 9308-1) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">447153</a>	<a href="#">CCA Coliforms Chromogenic Agar (ISO 9308-1) (Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">446910</a>	<a href="#">CCA Coliforms, Chromogenic Agar (Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">A8088</a>	<a href="#">Cell Proliferation Kit XTT</a>		1000 Tests
<a href="#">A8906</a>	<a href="#">CellCultureGuard</a>		50 mL
<a href="#">181249</a>	<a href="#">Cerium(IV) Sulfate 0.1 mol/l (0.1N) (Reag. USP) volumetric solution</a>	10294-42-5	1 L, 2.5L
<a href="#">121248</a>	<a href="#">Cerium(IV) Sulfate 4-hydrate (Reag. USP, Ph. Eur.) for analysis</a>	10294-42-5	100 g, 250 g, 5 kg
<a href="#">A1126</a>	<a href="#">Cesium Chloride 99.9 % BioChemica</a>	7647-17-8	100 g, 1 kg
<a href="#">A1098</a>	<a href="#">Cesium Chloride 99.999 % for molecular biology</a>	7647-17-8	1 kg
<a href="#">122509</a>	<a href="#">Cesium Chloride for analysis</a>	7647-17-8	100 g, 25 g
<a href="#">416256</a>	<a href="#">Cetrimide Agar (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A0805</a>	<a href="#">Cetyltrimethylammonium Bromide (CTAB) BioChemica</a>	57-09-0	100 g, 500 g
<a href="#">A6284</a>	<a href="#">Cetyltrimethylammonium Bromide (CTAB) for molecular biology</a>	57-09-0	100 g, 500 g
<a href="#">122054</a>	<a href="#">Cetyltrimethylammonium Bromide for analysis</a>	57-09-0	250 g
<a href="#">414955</a>	<a href="#">Chapman TTC (Tergitol 7) Agar (ISO 9308-1:2000) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A1099</a>	<a href="#">CHAPS BioChemica</a>	75621-03-3	5 g, 25 g, 50 g
<a href="#">211239</a>	<a href="#">Charcoal Activated granulated n° 2 technical grade</a>	7440-44-0	500 g, 1 kg
<a href="#">211240</a>	<a href="#">Charcoal Activated granulated n° 3 technical grade</a>	7440-44-0	5 kg
<a href="#">121237</a>	<a href="#">Charcoal Activated powder for analysis</a>	7440-44-0	25 kg, 500 g
<a href="#">211237</a>	<a href="#">Charcoal Activated powder technical grade</a>	7440-44-0	500 g
<a href="#">A3417</a>	<a href="#">CheLuminate-HRP PicoDetect</a>		1 Kit, 1 Kit
<a href="#">A1690</a>	<a href="#">Chenodeoxycholic Acid BioChemica</a>	474-25-9	5 g
<a href="#">A1065</a>	<a href="#">CHES for buffer solutions</a>	103-47-9	250 g
<a href="#">141975</a>	<a href="#">Chloral Hydrate (BP, Ph. Eur.) pure, pharma grade</a>	302-17-0	5 kg, 500 g, 1 kg
<a href="#">142323</a>	<a href="#">Chloramine T 3-hydrate (BP, Ph. Eur.) pure, pharma grade</a>	7080-50-4	250 g
<a href="#">A1806</a>	<a href="#">Chloramphenicol BioChemica</a>	56-75-7	50 g, 5 kg, 25 g
<a href="#">784238</a>	<a href="#">Chloride standard solution Cl=1.000 g/l for IC</a>		500 mL
<a href="#">765903</a>	<a href="#">Chloride standard solution Cl=1.000 g/l for ICP</a>		100 mL
<a href="#">124856</a>	<a href="#">Chlorobenzene / Acetic Acid 2:1 (Mixture TBN) (ASTM D2896) for analysis</a>		2.5 L, 1 L
<a href="#">141953</a>	<a href="#">Chlorobenzene pure</a>	108-90-7	1 L, 2.5 L
<a href="#">161953</a>	<a href="#">Chlorobenzene, 99.5% for synthesis</a>	108-90-7	5 L
<a href="#">A1935</a>	<a href="#">Chloroform : Isoamyl Alcohol 24 : 1 BioChemica</a>		500 mL

Product number	Product name	CAS number	Pack sizes
<a href="#">A3691</a>	<a href="#">Chloroform BioChemica</a>	67-66-3	1 L
<a href="#">363101</a>	<a href="#">Chloroform stabilized with ~ 150 ppm of amylene for HPLC, GPC</a>	67-66-3	2.5 L
<a href="#">133101</a>	<a href="#">Chloroform stabilized with ~ 50 ppm of amylene (Reag. USP, Ph. Eur.) for analysis, ACS</a>	67-66-3	2.5 L, 1 L
<a href="#">131252</a>	<a href="#">Chloroform stabilized with ethanol (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	67-66-3	30 L, 1 L, 2.5 L
<a href="#">321252</a>	<a href="#">Chloroform stabilized with ethanol for pesticide analysis</a>	67-66-3	2.5 L
<a href="#">361252</a>	<a href="#">Chloroform stabilized with ethanol for UV, IR, HPLC</a>	67-66-3	2.5 L, 1 L
<a href="#">141252</a>	<a href="#">Chloroform stabilized with ethanol pure</a>	67-66-3	1 L, 2.5 L, 5 L
<a href="#">15A676</a>	<a href="#">Chlorosulfonic Acid, 98% for synthesis</a>	7790-94-5	188 L
<a href="#">A0807</a>	<a href="#">Cholesterol BioChemica</a>	57-88-5	100 g
<a href="#">A0785</a>	<a href="#">Choline Chloride BioChemica</a>	67-48-1	1 kg
<a href="#">313179</a>	<a href="#">Chromium standard solution Cr=1.000 g/l for AAS</a>		500 mL
<a href="#">766043</a>	<a href="#">Chromium standard solution Cr=1.000 g/l for ICP</a>		100 mL
<a href="#">AT2014</a>	<a href="#">Chromium(III) Chloride 6-hydrate pure</a>	10060-12-5	1 kg
<a href="#">121275</a>	<a href="#">Chromium(III) Nitrate 9-hydrate for analysis</a>	7789-02-8	25 kg
<a href="#">416109</a>	<a href="#">Chromogenic E. coli Agar (Dehydrated Culture Media) for microbiology</a>		500 g, 100 g
<a href="#">416110</a>	<a href="#">Chromogenic Salmonella Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A2144</a>	<a href="#">Chymostatin</a>	9076-44-2	10 mg
<a href="#">A3975</a>	<a href="#">Chymotrypsinogen A</a>	9035-75-0	5 g
<a href="#">A4556</a>	<a href="#">Ciprofloxacin Hydrochloride (Ph. Eur.) pure, pharma grade</a>	86393-32-0	5 g
<a href="#">131018</a>	<a href="#">Citric Acid 1-hydrate (Reag. USP) for analysis, ACS, ISO</a>	5949-29-1	25 kg, 5 kg, 500 g, 1 kg
<a href="#">141018</a>	<a href="#">Citric Acid 1-hydrate (USP, BP, Ph. Eur., JP) pure, pharma grade</a>	5949-29-1	1 kg, 5 kg, 25 kg
<a href="#">211018</a>	<a href="#">Citric Acid 1-hydrate technical grade</a>	5949-29-1	10 kg, 5 kg
<a href="#">201808</a>	<a href="#">Citric Acid anhydrous (E-330, F.C.C.) food grade</a>	77-92-9	25 kg
<a href="#">141808</a>	<a href="#">Citric Acid anhydrous (USP, BP, Ph. Eur., JP) pure, pharma grade</a>	77-92-9	5 kg, 25 kg, 1 kg
<a href="#">131808</a>	<a href="#">Citric Acid anhydrous for analysis, ACS</a>	77-92-9	500 g, 1 kg, 25 kg
<a href="#">217062</a>	<a href="#">Citric Acid solution 50 % technical grade</a>		5 L
<a href="#">253139</a>	<a href="#">Citrosol (Substitute of Xylene) for clinical diagnosis</a>	5989-27-5	5 L, 2.5 L
<a href="#">417206</a>	<a href="#">Clostridium perfringens TSC (Supplement) for microbiology</a>	68-41-7	10 vials
<a href="#">313177</a>	<a href="#">Cobalt standard solution Co=1.000 g/l for AAS</a>		500 mL
<a href="#">766041</a>	<a href="#">Cobalt standard solution Co=1.000 g/l for ICP</a>		100 mL
<a href="#">131257</a>	<a href="#">Cobalt(II) Chloride 6-hydrate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	7791-13-1	5 kg, 250 g
<a href="#">141257</a>	<a href="#">Cobalt(II) Chloride 6-hydrate pure</a>	7791-13-1	1 kg, 100 g, 250 g
<a href="#">131258</a>	<a href="#">Cobalt(II) Nitrate 6-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	10026-22-9	100 g
<a href="#">141259</a>	<a href="#">Cobalt(II) Sulfate 7-hydrate pure</a>	10026-24-1	25 kg, 500 g
<a href="#">394546</a>	<a href="#">COD Standard (1000 ppm)</a>		25 mL
<a href="#">394547</a>	<a href="#">COD Standard (150 ppm)</a>		25 mL
<a href="#">394641</a>	<a href="#">COD Standard (3000 ppm)</a>		25 mL
<a href="#">394642</a>	<a href="#">COD Standard (50 ppm)</a>		25 mL
<a href="#">394640</a>	<a href="#">COD Standard (500 ppm)</a>		25 mL
<a href="#">A0812</a>	<a href="#">Coenzyme A free acid BioChemica</a>	85-61-0	25 mg, 10 g
<a href="#">A0813</a>	<a href="#">Coenzyme A Trilithium Salt 2-hydrate BioChemica</a>	18439-24-2	100 mg
<a href="#">A4082</a>	<a href="#">Colchicine BioChemica</a>	64-86-8	5 g, 1 g
<a href="#">A2922</a>	<a href="#">Colistin Sulfate BioChemica</a>	1264-72-8	1 g
<a href="#">196073</a>	<a href="#">Collodion Castor (Ph. Fr.) pharma grade</a>		154 L



Product number	Product name	CAS number	Pack sizes
<a href="#">197175</a>	<a href="#">Collodion flexible (BP) pharma grade</a>		25 L, 200 L
<a href="#">211279</a>	<a href="#">Collodion flexible technical grade</a>		200 L, 250 mL, 1 L
<a href="#">141278</a>	<a href="#">Collodion solution 4% w/v (USP) pure, pharma grade</a>		25 L, 250 mL, 1 L
<a href="#">211278</a>	<a href="#">Collodion solution 4-8% technical grade</a>		1 L
<a href="#">395508</a>	<a href="#">Colour Standard Pt-Co, 500 APHA</a>		500 mL
<a href="#">281280</a>	<a href="#">Complexon-Magnesium 0.1 mol/l for volumetric analysis</a>		1 L
<a href="#">173655</a>	<a href="#">Concentrated solution for the sand equivalent determination</a>		125 mL
<a href="#">394658</a>	<a href="#">Conductivity Standard 12.88 mS/cm (25°C)</a>		250 mL
<a href="#">394659</a>	<a href="#">Conductivity Standard 1413 µS/cm (25°C)</a>		250 mL
<a href="#">396881</a>	<a href="#">Conductivity Standard 147 µS/cm (25°C)</a>		250 mL
<a href="#">394657</a>	<a href="#">Conductivity Standard 5446 µS/cm (25°C)</a>		250 mL
<a href="#">396882</a>	<a href="#">Conductivity Standard 84 µS/cm (25°C)</a>		250 mL
<a href="#">A3480</a>	<a href="#">Coomassie® Brilliant blue G-250 (C.I. 42655)</a>	6104-58-1	25 g
<a href="#">A1092</a>	<a href="#">Coomassie® Brilliant Blue R-250 (C.I. 42660)</a>	6104-59-2	100 g, 25 g
<a href="#">313178</a>	<a href="#">Copper standard solution Cu=1.000 g/l for AAS</a>		500 mL, 100 mL
<a href="#">766042</a>	<a href="#">Copper standard solution Cu=1.000 g/l for ICP</a>		100 mL
<a href="#">131264</a>	<a href="#">Copper(II) Chloride 2-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	10125-13-0	500 g, 1 kg
<a href="#">172308</a>	<a href="#">Copper(II) Ethylenediamine Reagent</a>	14552-35-3	2.5 L, 1 L
<a href="#">131267</a>	<a href="#">Copper(II) Nitrate 3-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	10031-43-3	500 g
<a href="#">216164</a>	<a href="#">Copper(II) Nitrate solution 45% w/w technical grade</a>	10031-43-3	958 L
<a href="#">181271</a>	<a href="#">Copper(II) Sulfate 0.1 mol/l (0.1M) volumetric solution</a>	7758-98-7	1 L
<a href="#">141270</a>	<a href="#">Copper(II) Sulfate 5-hydrate (BP, Ph. Eur.) pure, pharma grade</a>	7758-99-8	25 kg, 1 kg
<a href="#">131270</a>	<a href="#">Copper(II) Sulfate 5-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	7758-99-8	1 kg, 5 kg, 25 kg, 500 g
<a href="#">142726</a>	<a href="#">Copper(II) Sulfate anhydrous (BP, Ph. Eur.) pure, pharma grade</a>	7758-98-7	250 g, 1 kg, 5 kg
<a href="#">122726</a>	<a href="#">Copper(II) Sulfate anhydrous (Reag. USP) for analysis</a>	7758-98-7	250 g
<a href="#">253296</a>	<a href="#">Copper(II) Sulfate solution d.1.053 for clinical diagnosis</a>	7758-98-7	1 L
<a href="#">253295</a>	<a href="#">Copper(II) Sulfate solution d.1.055 for clinical diagnosis</a>	7758-98-7	1 L
<a href="#">A6485</a>	<a href="#">CrossDown Buffer</a>		500 mL, 125 mL
<a href="#">251762</a>	<a href="#">Crystal Violet (C.I. 42555) for clinical diagnosis</a>	548-62-9	25 g
<a href="#">131762</a>	<a href="#">Crystal Violet (C.I. 42555)(Reag. Ph. Eur.) for analysis, ACS</a>	548-62-9	100 g
<a href="#">A4150</a>	<a href="#">CTAB - Lysis buffer BioChemica</a>		500 mL, 1 L
<a href="#">131250</a>	<a href="#">Cyclohexane (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	110-82-7	25 L, 30 L, 1 L, 5 L, 2.5 L
<a href="#">321250</a>	<a href="#">Cyclohexane for pesticide analysis</a>	110-82-7	1 L, 2.5 L, 4 L
<a href="#">361250</a>	<a href="#">Cyclohexane for UV, IR, HPLC, ACS</a>	110-82-7	1 L, 2.5 L, 30 L
<a href="#">161250</a>	<a href="#">Cyclohexane, 99.5% for synthesis</a>	110-82-7	5 L, 10 L, 1 L
<a href="#">161890</a>	<a href="#">Cyclohexanone, 99.5% for synthesis</a>	108-94-1	5 L, 1 L
<a href="#">A0879</a>	<a href="#">Cycloheximide BioChemica</a>	66-81-9	5 g, 25 g, 100 g, 1 g
<a href="#">A7657</a>	<a href="#">Cytochalasin B BioChemica</a>	14930-96-2	10 mg, 5 mg
<a href="#">A7674</a>	<a href="#">Cytochrome C from porcine heart BioChemica</a>	9007-43-6	100 mg
<a href="#">142728</a>	<a href="#">D(-)-Fructose (USP, BP, Ph. Eur.) pure, pharma grade</a>	57-48-7	500 g, 5 kg, 25 kg
<a href="#">A3688</a>	<a href="#">D(-)-Fructose BioChemica</a>	57-48-7	1 kg
<a href="#">142067</a>	<a href="#">D(-)-Mannitol (USP, BP, Ph. Eur.) pure, pharma grade</a>	69-65-8	500 g, 1 kg, 25 kg, 5 kg
<a href="#">132067</a>	<a href="#">D(-)-Mannitol for analysis, ACS</a>	69-65-8	500 g, 1 kg

Product number	Product name	CAS number	Pack sizes
<a href="#">A4831</a>	<a href="#">D(-)-Mannitol low endotoxin, (Ph. Eur., BP, USP, JP) pure, pharma grade</a>	69-65-8	1 kg
<a href="#">A2222</a>	<a href="#">D(-)-Sorbitol (Ph. Eur., USP-NF) pure, pharma grade</a>	50-70-4	1 kg
<a href="#">A4992</a>	<a href="#">D(-)-Sorbitol for molecular biology</a>	50-70-4	1 kg
<a href="#">143977</a>	<a href="#">D(+)-Biotin (USP) pure, pharma grade</a>	58-85-5	1 g, 50 g
<a href="#">A0969</a>	<a href="#">D(+)-Biotin BioChemica</a>	58-85-5	1 g
<a href="#">142173</a>	<a href="#">D(+)-Galactose (Ph. Eur.) pure, pharma grade</a>	59-23-4	5 kg, 1 kg
<a href="#">A1131</a>	<a href="#">D(+)-Galactose BioChemica</a>	59-23-4	500 g, 1 kg, 100 g
<a href="#">Z42173</a>	<a href="#">D(+)-Galactose low endotoxin (Ph. Eur.) pure, pharma grade</a>	59-23-4	5 kg
<a href="#">633140</a>	<a href="#">D(+)-Glucose 1-hydrate (Ph. Eur, BP, USP) GMP - IPEC grade</a>	77938-63-7	20 kg
<a href="#">143140</a>	<a href="#">D(+)-Glucose 1-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	77938-63-7	25 kg, 5 kg, 1 kg
<a href="#">A1349</a>	<a href="#">D(+)-Glucose 1-hydrate BioChemica</a>	77938-63-7	25 kg, 1 kg, 5 kg
<a href="#">201341</a>	<a href="#">D(+)-Glucose anhydrous (F.C.C.) food grade</a>	50-99-7	25 kg
<a href="#">141341</a>	<a href="#">D(+)-Glucose anhydrous (USP, BP, Ph. Eur.) pure, pharma grade</a>	50-99-7	500 g, 1 kg, 25 kg, 5 kg
<a href="#">A1422</a>	<a href="#">D(+)-Glucose anhydrous BioChemica</a>	50-99-7	1 kg, 5 kg
<a href="#">131341</a>	<a href="#">D(+)-Glucose anhydrous for analysis, ACS</a>	50-99-7	25 kg, 500 g, 1 kg
<a href="#">141375</a>	<a href="#">D(+)-Lactose 1-hydrate (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	10039-26-6	5 kg, 500 g, 1 kg
<a href="#">A3891</a>	<a href="#">D(+)-Maltose 1-hydrate BioChemica</a>	6363-53-7	500 g, 1 kg
<a href="#">141797</a>	<a href="#">D(+)-Maltose 1-hydrate pure</a>	6363-53-7	100 g, 5 kg
<a href="#">A6882</a>	<a href="#">D(+)-Raffinose 5-hydrate BioChemica</a>	17629-30-0	100 g
<a href="#">631621</a>	<a href="#">D(+)-Sucrose (USP-NF, BP, Ph. Eur.) low in endotoxins, GMP - IPEC grade</a>	57-50-1	25 kg
<a href="#">141621</a>	<a href="#">D(+)-Sucrose (USP-NF, BP, Ph. Eur., JP) pure, pharma grade</a>	57-50-1	5 kg, 25 kg, 1 kg
<a href="#">A3935</a>	<a href="#">D(+)-Sucrose BioChemica</a>	57-50-1	1 kg, 5 kg
<a href="#">131621</a>	<a href="#">D(+)-Sucrose for analysis, ACS</a>	57-50-1	500 g, 1 kg, 25 kg, 5 kg
<a href="#">A2211</a>	<a href="#">D(+)-Sucrose for molecular biology</a>	57-50-1	1 kg, 5 kg
<a href="#">A1742</a>	<a href="#">D(+)-Trehalose 2-hydrate BioChemica</a>	6138-23-4	1 kg, 100 g, 250 g
<a href="#">142080</a>	<a href="#">D(+)-Xylose (BP, Ph. Eur.) pure, pharma grade</a>	58-86-6	100 g
<a href="#">A2241</a>	<a href="#">D(+)-Xylose BioChemica</a>	58-86-6	100 g, 500 g
<a href="#">A1001</a>	<a href="#">DAPI BioChemica</a>	28718-90-3	10 mg, 25 mg, 100 mg
<a href="#">A4099</a>	<a href="#">DAPI for molecular biology</a>	28718-90-3	5 mg, 10 mg
<a href="#">A3200</a>	<a href="#">Davidson - Solution</a>		1 L
<a href="#">A1943</a>	<a href="#">D-Cycloserine BioChemica</a>	68-41-7	25 g, 1 g, 5 g
<a href="#">A3547</a>	<a href="#">deconex® 11 UNIVERSAL</a>		5 L
<a href="#">A2481</a>	<a href="#">deconex® 21 CLF</a>		5 L
<a href="#">A3565</a>	<a href="#">deconex® 22 LIQ</a>		5 L, 10 L
<a href="#">A3545</a>	<a href="#">deconex® 25 ORGANACID</a>		5 L
<a href="#">A0881</a>	<a href="#">DEPC BioChemica</a>	1609-47-8	50 mL, 100 mL, 20 mL
<a href="#">503574</a>	<a href="#">DERQUIM + Universal Detergent, LIQUID</a>		1 L, 4 L
<a href="#">502603</a>	<a href="#">DERQUIM LA 11 Slightly alkaline SOLID</a>		2 kg, 10 kg
<a href="#">502604</a>	<a href="#">DERQUIM LA 12 Alkaline SOLID</a>		10 kg, 2 kg
<a href="#">502605</a>	<a href="#">DERQUIM LA 13 Alkaline with detergents SOLID</a>		10 kg
<a href="#">502606</a>	<a href="#">DERQUIM LA 14 Slightly alkaline LIQUID</a>		25 L, 4 L
<a href="#">502607</a>	<a href="#">DERQUIM LA 15 Alkaline LIQUID</a>		4 L

Product number	Product name	CAS number	Pack sizes
<a href="#">502608</a>	<a href="#">DERQUIM LA 21 Acid, with phosphoric acid LIQUID</a>		4 L
<a href="#">502609</a>	<a href="#">DERQUIM LA 22 Acid, with citric acid LIQUID</a>		4 L
<a href="#">502600</a>	<a href="#">DERQUIM LM 01 Alkaline LIQUID</a>		4 L
<a href="#">502601</a>	<a href="#">DERQUIM LM 02, phosphates free LIQUID</a>		4 L, 10 L, 25 L
<a href="#">502602</a>	<a href="#">DERQUIM LM 03 Alkaline, Phosphates free LIQUID</a>		4 L
<a href="#">503468</a>	<a href="#">DERQUIM SALT (Sodium Chloride lumps)</a>	7647-14-5	10 kg
<a href="#">175055</a>	<a href="#">Detergent Acid Solution</a>		4 L
<a href="#">175054</a>	<a href="#">Detergent Neutral Solution</a>		4 L
<a href="#">A2249</a>	<a href="#">Dextran 40 BioChemica</a>	9004-54-0	100 g, 500 g, 25 kg
<a href="#">A8479</a>	<a href="#">Dextran 70 (Ph. Eur.) pure, pharma grade</a>	9004-54-0	5 kg
<a href="#">A1847</a>	<a href="#">Dextran 70 BioChemica</a>	9004-54-0	500 g, 100 g
<a href="#">A3261</a>	<a href="#">Dextran Sulfate 40 Sodium Salt BioChemica</a>	9011-18-1	100 g, 250 g
<a href="#">131120</a>	<a href="#">di-Ammonium Hydrogen Citrate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	3012-65-5	25 kg, 500 g, 1 kg
<a href="#">131127</a>	<a href="#">di-Ammonium Hydrogen Phosphate (Reag. Ph. Eur.) for analysis, ACS</a>	7783-28-0	25 kg, 1 kg
<a href="#">131136</a>	<a href="#">di-Ammonium Oxalate 1-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	6009-70-7	500 g, 1 kg
<a href="#">481254</a>	<a href="#">Dichloromethane dry (max. 0.005% water) stabilized with ~ 20 ppm of amylene , ACS, ISO</a>	75-09-2	1 L
<a href="#">131254</a>	<a href="#">Dichloromethane stabilized with ~ 20 ppm of amylene (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	75-09-2	1 L, 10 L, 2.5 L, 30 L, 5 L, 200 L
<a href="#">141254</a>	<a href="#">Dichloromethane stabilized with ~ 20 ppm of amylene (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	75-09-2	200 L, 25 L
<a href="#">321254</a>	<a href="#">Dichloromethane stabilized with ~ 20 ppm of amylene for pesticide analysis</a>	75-09-2	4 L, 1 L, 2.5 L
<a href="#">361254</a>	<a href="#">Dichloromethane stabilized with ~ 20 ppm of amylene for UV, IR, HPLC, GPC, ACS</a>	75-09-2	4 L, 25 L, 1 L, 2.5 L
<a href="#">161254</a>	<a href="#">Dichloromethane, 99.8% stabilized with ~ 20 ppm of amylene for synthesis</a>	75-09-2	30 L, 25 L, 25 L, 1 L, 200 L, 5 L
<a href="#">191287</a>	<a href="#">Diethanolamine (USP-NF) pharma grade</a>	111-42-2	25 L
<a href="#">192770</a>	<a href="#">Diethyl Ether anaesthetic stabilized with ~ 6 ppm of BHT (BP, Ph. Eur.) pharma grade</a>	60-29-7	1 L, 200 L
<a href="#">482770</a>	<a href="#">Diethyl Ether dry (max. 0.0075% water) stabilized with ~ 6ppm of BHT ,ACS, ISO</a>	60-29-7	1 L
<a href="#">132770</a>	<a href="#">Diethyl Ether stabilized with ~ 6 ppm of BHT (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	60-29-7	10 L, 1 L, 30 L, 5 L, 2.5 L, 25 L
<a href="#">142770</a>	<a href="#">Diethyl Ether stabilized with ~ 6 ppm of BHT pure</a>	60-29-7	1 L, 5 L
<a href="#">212770</a>	<a href="#">Diethyl Ether stabilized with ~ 6 ppm of BHT technical grade</a>	60-29-7	25 L, 1 L, 5 L
<a href="#">322551</a>	<a href="#">Diethyl Ether stabilized with ethanol for pesticide analysis</a>	60-29-7	1 L
<a href="#">362551</a>	<a href="#">Diethyl Ether stabilized with ethanol for UV, IR, HPLC</a>	60-29-7	1 L, 30 L
<a href="#">162770</a>	<a href="#">Diethyl Ether, 99.7% stabilized with ~ 6 ppm of BHT for synthesis</a>	60-29-7	5 L, 25 L
<a href="#">131288</a>	<a href="#">Diethylamine (Reag. USP, Ph. Eur.) for analysis, ACS</a>	109-89-7	25 L, 1 L
<a href="#">161288</a>	<a href="#">Diethylamine, 99.5% for synthesis</a>	109-89-7	1 L
<a href="#">A1905</a>	<a href="#">Digitonin (Reagent USP) BioChemica</a>	11024-24-1	1 g, 5 g, 500 mg
<a href="#">131314</a>	<a href="#">Di-Isopropyl Ether stabilized with ~ 50 ppm of BHT for analysis, ACS</a>	108-20-3	1 L, 2.5 L
<a href="#">15A771</a>	<a href="#">Di-Isopropylamine, 99% for synthesis</a>	108-18-9	25 L, 5 L, 1 L
<a href="#">122903</a>	<a href="#">di-Lithium tetra-Borate for analysis</a>	12007-60-2	1 kg
<a href="#">A3672</a>	<a href="#">Dimethyl sulfoxide (DMSO) Cell culture grade</a>	67-68-5	100 mL, 250 mL, 50 mL

Product number	Product name	CAS number	Pack sizes
A7248	<u>Dimethyl Sulfoxide (DMSO), sterile filtered (ampules)</u>	67-68-5	5 x 10 mL
131954	<u>Dimethyl Sulfoxide (Reag. Ph. Eur.) for analysis, ACS</u>	67-68-5	1 L, 2.5 L, 10 L
191954	<u>Dimethyl Sulfoxide (USP, BP, Ph. Eur.) pharma grade</u>	67-68-5	5 L, 1 L, 25 L, 2.5 L, 190 L
751954	<u>Dimethyl Sulfoxide for Headspace GC</u>	67-68-5	1 L, 2.5 L
361954	<u>Dimethyl Sulfoxide for UV, IR, HPLC, GPC</u>	67-68-5	1 L, 2.5 L
161954	<u>Dimethyl Sulfoxide, 99.5% for synthesis</u>	67-68-5	1 L, 2.5 L
122844	<u>Dimidium Bromide (Reag. Ph. Eur.) for analysis</u>	518-67-2	1 g
15A777	<u>Di-n-Butylamine, 99% for synthesis</u>	111-92-2	1 L
131828	<u>Diphenylamine (Reag. Ph. Eur.) for analysis, ACS</u>	122-39-4	100 g
131154	<u>di-Phosphorus Pentoxide (Reag. Ph. Eur.) for analysis, ACS, ISO</u>	1314-56-3	500 g
202333	<u>di-Potassium Hydrogen Phosphate 3-hydrate (E-340ii, F.C.C.) food grade</u>	16788-57-1	25 kg
122333	<u>di-Potassium Hydrogen Phosphate 3-hydrate for analysis</u>	16788-57-1	1 kg
141512	<u>di-Potassium Hydrogen Phosphate anhydrous (BP, Ph. Eur.) pure, pharma grade</u>	7758-11-4	5 kg, 1 kg, 25 kg
131512	<u>di-Potassium Hydrogen Phosphate anhydrous (Reag. Ph. Eur.) for analysis, ACS</u>	7758-11-4	1 kg, 250 g
A1042	<u>di-Potassium Hydrogen Phosphate anhydrous BioChemica</u>	7758-11-4	1 kg, 5 kg
121512	<u>di-Potassium Hydrogen Phosphate anhydrous for analysis</u>	7758-11-4	25 kg, 500 g, 1 kg
121526	<u>di-Potassium Oxalate 1-hydrate for analysis</u>	6487-48-5	1 kg
141678	<u>di-Sodium Hydrogen Phosphate 12-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</u>	10039-32-4	5 kg, 25 kg, 1 kg
131678	<u>di-Sodium Hydrogen Phosphate 12-hydrate for analysis, ISO</u>	10039-32-4	5 kg, 25 kg, 1 kg
142507	<u>di-Sodium Hydrogen Phosphate 2-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</u>	10028-24-7	25 kg, 5 kg, 1 kg
A3905	<u>di-Sodium hydrogen phosphate 2-hydrate BioChemica</u>	10028-24-7	1 kg
122507	<u>di-Sodium Hydrogen Phosphate 2-hydrate for analysis</u>	10028-24-7	500 g, 1 kg, 5 kg
132656	<u>di-Sodium Hydrogen Phosphate 7-hydrate (Reag. USP) for analysis, ACS</u>	7782-85-6	1 kg
131679	<u>di-Sodium Hydrogen Phosphate anhydrous (Reag. Ph. Eur.) for analysis, ACS</u>	7558-79-4	500 g, 1 kg, 25 kg, 5 kg
141679	<u>di-Sodium Hydrogen Phosphate anhydrous (USP, BP, Ph. Eur.) pure, pharma grade</u>	7558-79-4	25 kg, 1 kg, 5 kg
A1046	<u>di-Sodium Hydrogen Phosphate anhydrous BioChemica</u>	7558-79-4	5 kg, 1 kg
131706	<u>di-Sodium Oxalate (Reag. USP, Ph. Eur.) for analysis, ACS</u>	62-76-0	25 kg, 500 g
241706	<u>di-Sodium Oxalate standard for volumetry, ACS</u>	62-76-0	100 g
141644	<u>di-Sodium tetra-Borate 10-hydrate (USP-NF, BP, Ph. Eur.) pure, pharma grade</u>	1303-96-4	25 kg, 1 kg
131644	<u>di-Sodium tetra-Borate 10-hydrate for analysis, ACS, ISO</u>	1303-96-4	500 g, 1 kg
A7822	<u>Disuccinimidyl Glutarate BioChemica</u>	79642-50-5	1 g
A1029	<u>D-Luciferin free acid</u>	2591-17-5	50 mg
A1006	<u>D-Luciferin Sodium Salt</u>	103404-75-7	10 mg
A4065	<u>DL-<math>\alpha</math>-Lipoic Acid BioChemica</u>	1077-28-7	5 g
A1316	<u>DMEM (Dulbecco's mod. Eagle - Medium)</u>		50 L
A9054	<u>DMEM/F12 (1:1) - Medium</u>		20 L
A3418	<u>DNA Isolation reagent for genomic DNA</u>		50 mL
A5207	<u>DNA Ladder 1 kb</u>		250 $\mu$ g, 50 $\mu$ g

Product number	Product name	CAS number	Pack sizes
<a href="#">A5191</a>	<a href="#">DNA Ladder 100 bp</a>		250 µg
<a href="#">A3470</a>	<a href="#">DNA Ladder 100 bp (lyophilised)</a>		50 µg
<a href="#">A5216</a>	<a href="#">DNA Ladder 100 bp plus</a>		50 µg, 250 µg
<a href="#">A3660</a>	<a href="#">DNA Ladder Mix 100 - 5000 (lyophilised)</a>		50 µg
<a href="#">A5187</a>	<a href="#">DNA Phage Lambda</a>		1 mg
<a href="#">A9555</a>	<a href="#">DNA-Dye NonTox</a>		1 mL
<a href="#">A7089</a>	<a href="#">DNA-ExitusPlus™</a>		500 mL, 1 L, 2.5 L, 100 mL
<a href="#">A7409</a>	<a href="#">DNA-ExitusPlus™ IF</a>		500 mL, 1 L, 2.5 L, 100 mL, 5 L
<a href="#">A3778</a>	<a href="#">DNase I</a>	9003-98-9	50 mg, 100 mg, 500 mg, 10 mg
<a href="#">A2951</a>	<a href="#">Doxycycline hyclate BioChemica</a>	24390-14-5	25 g
<a href="#">A2088</a>	<a href="#">D-Pantothenic Acid Calcium Salt BioChemica</a>	137-08-6	100 g
<a href="#">A2645</a>	<a href="#">D-Proline</a>	344-25-2	5 kg
<a href="#">255254</a>	<a href="#">DPX, mounting medium fast (toluene base) for clinical diagnosis</a>		500 mL, 100 mL
<a href="#">A1101</a>	<a href="#">DTT BioChemica</a>	3483-12-3	5 g, 5 kg, 25 g, 10 kg, 100 g, 1 kg
<a href="#">A2948</a>	<a href="#">DTT Molecular biology grade</a>	3483-12-3	5 g, 10 g, 25 g
<a href="#">A3668</a>	<a href="#">DTT solution 1 mol/l (1 M) for molecular biology</a>		50 mL, 100 mL
<a href="#">141026</a>	<a href="#">EDTA (USP-NF, BP, Ph. Eur) pure, pharma grade</a>	60-00-4	1 kg
<a href="#">A1103</a>	<a href="#">EDTA BioChemica</a>	60-00-4	1 kg, 250 g
<a href="#">181671</a>	<a href="#">EDTA Disodium Salt 0.01 mol/l (0.01M) volumetric solution</a>	6381-92-6	1 L, 2.5 L, 10 L
<a href="#">182120</a>	<a href="#">EDTA Disodium Salt 0.05 mol/l (0.05M) volumetric solution</a>	6381-92-6	5 L, 10 L, 1 L
<a href="#">303118</a>	<a href="#">EDTA Disodium Salt 0.1 mol (37.224g C10H14N2Na2O8.2H2O) to prep.1l of 0.1M sol.</a>	6381-92-6	amp110mL
<a href="#">181670</a>	<a href="#">EDTA Disodium Salt 0.1 mol/l (0.1M) volumetric solution</a>	6381-92-6	10 L, 1 L, 5 L
<a href="#">631669</a>	<a href="#">EDTA Disodium Salt 2-hydrate (Ph. Eur, BP, USP) GMP - IPEC grade</a>	6381-92-6	25 kg, 5 kg
<a href="#">131669</a>	<a href="#">EDTA Disodium Salt 2-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	6381-92-6	25 kg, 500 g, 5 kg, 1 kg, 250 g
<a href="#">141669</a>	<a href="#">EDTA Disodium Salt 2-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	6381-92-6	5 kg, 1 kg, 25 kg
<a href="#">A2937</a>	<a href="#">EDTA Disodium Salt 2-hydrate for molecular biology</a>	6381-92-6	250 g, 500 g, 1 kg
<a href="#">131026</a>	<a href="#">EDTA for analysis, ACS</a>	60-00-4	1 kg, 25 kg, 5 kg, 500 g
<a href="#">A5097</a>	<a href="#">EDTA for molecular biology</a>	60-00-4	500 g
<a href="#">A3145</a>	<a href="#">EDTA solution pH 8.0 (0.5 M)</a>		1 L, 500 mL
<a href="#">A4892</a>	<a href="#">EDTA solution pH 8.0 (0.5 M) for molecular biology</a>		500 mL, 1 L, 100 mL
<a href="#">141952</a>	<a href="#">EDTA Tetrasodium Salt 4-hydrate pure</a>	13235-36-4	5 kg, 1 kg
<a href="#">144108</a>	<a href="#">EDTA Tripotassium Salt 2-hydrate pure</a>	65501-24-8	25 kg
<a href="#">414722</a>	<a href="#">Egg Yolk Emulsion (Supplement) for microbiology</a>		100 mL
<a href="#">414723</a>	<a href="#">Egg Yolk Tellurite Emulsion (Supplement) for microbiology</a>		50 mL, 100 mL
<a href="#">A0878</a>	<a href="#">EGTA for molecular biology</a>	67-42-5	25 g, 100 g
<a href="#">214632</a>	<a href="#">Embalming Mixture technical grade</a>		25 L, 5 L
<a href="#">A8907</a>	<a href="#">Englerin A</a>	1094250-15-3	10 mg
<a href="#">253999</a>	<a href="#">Eosin for fast staining (Panoptic No. 2) for clinical diagnosis</a>		500 mL, 2.5 L
<a href="#">131299</a>	<a href="#">Eosin Yellowish (C.I. 45380) for analysis, ACS</a>	17372-87-1	25 g
<a href="#">251299</a>	<a href="#">Eosin Yellowish (C.I. 45380) for clinical diagnosis</a>	17372-87-1	25 g



Product number	Product name	CAS number	Pack sizes
<a href="#">256879</a>	<a href="#">Eosin Yellowish alcoholic solution 1% for clinical diagnosis</a>		500 mL, 2.5 L
<a href="#">251301</a>	<a href="#">Eosin Yellowish hydroalcoholic solution 1% for clinical diagnosis</a>		1 L, 250 mL
<a href="#">176161</a>	<a href="#">Eosin Yellowish hydroalcoholic solution 2%</a>		50 mL
<a href="#">173149</a>	<a href="#">Eosin Yellowish solution 2%</a>	17372-87-1	50 mL
<a href="#">131439</a>	<a href="#">Eriochrome Black T (C.I. 14645)(Reag. Ph. Eur.) for analysis, ACS</a>	1787-61-7	100 g, 25 g
<a href="#">281440</a>	<a href="#">Eriochrome Black T solution 1% for volumetric analysis</a>		100 mL
<a href="#">253982</a>	<a href="#">Erythrosin B (C.I. 45430) for clinical diagnosis</a>	16423-68-0	25 g
<a href="#">A1537</a>	<a href="#">Esculin BioChemica</a>	66778-17-4	100 g
<a href="#">285482</a>	<a href="#">Ethanol / Diethyl Ether 1:1 v/v + Bromophenol Blue 0,2 % for acidity determination in olive oil</a>		30 L
<a href="#">285483</a>	<a href="#">Ethanol / Diethyl Ether 1:1 v/v + Phenolphthalein 0,1 % for acidity determination in olive oil</a>		10 L, 30 L, 5 L
<a href="#">281298</a>	<a href="#">Ethanol / Diethyl Ether 1:1 v/v + Phenolphthalein 15 mg/L for acidity determination in olive oil</a>		5 L, 2.5 L, 10 L, 30 L, 1 L
<a href="#">192695</a>	<a href="#">Ethanol 70% v/v (BP) pharma grade</a>	64-17-5	2.5 L, 5 L, 25 L, 10 L, 1 L
<a href="#">202695</a>	<a href="#">Ethanol 70% v/v food grade</a>	64-17-5	25 L, 5 L
<a href="#">201085</a>	<a href="#">Ethanol 96% v/v (F.C.C.) food grade</a>	64-17-5	5 L
<a href="#">631085</a>	<a href="#">Ethanol 96% v/v (Ph.Eur, BP, USP) GMP - IPEC grade</a>	64-17-5	5 L, 25 L
<a href="#">131085</a>	<a href="#">Ethanol 96% v/v (Reag. USP, Ph. Eur.) for analysis, ACS</a>	64-17-5	25 L, 5 L, 1 L, 10 L, 2.5 L, 1 L, 2.5 L
<a href="#">141085</a>	<a href="#">Ethanol 96% v/v (USP, BP, Ph.Eur.) pure, pharma grade</a>	64-17-5	200 L, 10 L, 1 L, 1000 L, 2.5 L, 25 L, 5 L
<a href="#">251085</a>	<a href="#">Ethanol 96% v/v for clinical diagnosis</a>	64-17-5	5 L, 2.5 L
<a href="#">361085</a>	<a href="#">Ethanol 96% v/v for UV, IR, HPLC</a>	64-17-5	30 L, 1 L
<a href="#">212800</a>	<a href="#">Ethanol 96% v/v partially denatured technical grade</a>	64-17-5	5 L, 10 L, 1000 L, 25 L
<a href="#">631086</a>	<a href="#">Ethanol absolute (Ph. Eur, BP, USP, JP) GMP - IPEC grade</a>	64-17-5	25 L, 200 L
<a href="#">131086</a>	<a href="#">Ethanol absolute (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	64-17-5	1 L, 25 L, 2.5 L, 2.5 L, 200 L, 5 L, 25 L, 10 L, 1 L
<a href="#">191086</a>	<a href="#">Ethanol absolute (USP, BP, Ph.Eur.) pharma grade</a>	64-17-5	2.5 L, 25 L, 5 L, 200 L, 2.5 L, 1 L, 5 L
<a href="#">481086</a>	<a href="#">Ethanol absolute dry (max. 0.02% water)</a>	64-17-5	1 L
<a href="#">251086</a>	<a href="#">Ethanol absolute for clinical diagnosis</a>	64-17-5	5 L, 5 L, 1 L, 10 L, 10 L, 2.5 L
<a href="#">221086</a>	<a href="#">Ethanol absolute for HPLC gradient</a>	64-17-5	1 L, 2.5 L
<a href="#">A8075</a>	<a href="#">Ethanol absolute for molecular biology</a>	64-17-5	1 L, 2.5 L
<a href="#">361086</a>	<a href="#">Ethanol absolute for UV, IR, HPLC</a>	64-17-5	2.5 L, 4 L, 1 L
<a href="#">212801</a>	<a href="#">Ethanol absolute partially denatured technical grade</a>	64-17-5	25 L, 5 L, 1 L, 5 L, 10 L
<a href="#">141086</a>	<a href="#">Ethanol absolute pure</a>	64-17-5	1 L, 2.5 L, 5 L, 25 L, 10 L
<a href="#">161086</a>	<a href="#">Ethanol absolute, 99,5% for synthesis</a>	64-17-5	5 L, 25 L, 1 L
<a href="#">131924</a>	<a href="#">Ethanolamine for analysis, ACS</a>	141-43-5	1 L
<a href="#">A1151</a>	<a href="#">Ethidium Bromide BioChemica</a>	1239-45-8	500 g

Product number	Product name	CAS number	Pack sizes
<a href="#">A2273</a>	<a href="#">Ethidium Bromide solution 0.07 % "dropper-bottle"</a>	1239-45-8	5 mL, 15 mL
<a href="#">A1152</a>	<a href="#">Ethidium Bromide solution 1 % BioChemica</a>	1239-45-8	10 mL, 25 mL, 100 mL
<a href="#">191318</a>	<a href="#">Ethyl Acetate (BP, Ph. Eur.) pharma grade</a>	141-78-6	25 L, 200 L
<a href="#">131318</a>	<a href="#">Ethyl Acetate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	141-78-6	2.5 L, 10 L, 5 L, 25 L, 1 L, 1 L, 2.5 L
<a href="#">321318</a>	<a href="#">Ethyl Acetate for pesticide analysis</a>	141-78-6	10 L, 1 L, 2.5 L, 4 L
<a href="#">361318</a>	<a href="#">Ethyl Acetate for UV, IR, HPLC, ACS</a>	141-78-6	1 L, 2.5 L
<a href="#">161318</a>	<a href="#">Ethyl Acetate, 99.5% for synthesis</a>	141-78-6	2.5 L, 25 L, 5 L, 30 L, 25 L
<a href="#">121316</a>	<a href="#">Ethylene Glycol (Reag. USP, Ph. Eur.) for analysis</a>	107-21-1	2.5 L, 25 L, 5 L, 200 L, 1 L
<a href="#">131897</a>	<a href="#">Ethylene Glycol mono-Methyl Ether for analysis, ACS</a>	109-86-4	1 L
<a href="#">141316</a>	<a href="#">Ethylene Glycol pure</a>	107-21-1	5 L, 25 L, 1 L, 2.5 L
<a href="#">161869</a>	<a href="#">Ethylenediamine, 99% for synthesis</a>	107-15-3	1 L
<a href="#">142085</a>	<a href="#">Eucalyptol (USP) pure, pharma grade</a>	470-82-6	1 L
<a href="#">253681</a>	<a href="#">Eukitt<sup>®</sup>, mounting medium for clinical diagnosis</a>		100 mL, 500 mL
<a href="#">A9411</a>	<a href="#">ExitusPlus™ Activity Test</a>		25 Tests
<a href="#">251563</a>	<a href="#">Fehling's A Reagent for clinical diagnosis</a>		500 mL, 1 L
<a href="#">251564</a>	<a href="#">Fehling's B Reagent for clinical diagnosis</a>		1 L, 500 mL
<a href="#">283462</a>	<a href="#">Ferroin solution 0.025 mol/l (0.025M) for volumetric analysis</a>	14634-91-4	100 mL
<a href="#">A8350</a>	<a href="#">Fibronectin solution for cell culture</a>		1 mL, 5 mL
<a href="#">A2252</a>	<a href="#">Ficoll<sup>®</sup> 400 BioChemica</a>	26873-85-8	100 g, 25 kg
<a href="#">FMW-045MC</a>	<a href="#">Filtration Monitor White 0,45 um</a>		1x50
<a href="#">254101</a>	<a href="#">Fixing for fast staining (Panoptic No. 1) for clinical diagnosis</a>		2.5 L, 500 mL
<a href="#">177035</a>	<a href="#">Florisil<sup>®</sup> for chromatography 60-100 mesh</a>	1343-88-0	500 g
<a href="#">A2164</a>	<a href="#">Fluorescamine BioChemica</a>	38183-12-9	1 g
<a href="#">122389</a>	<a href="#">Fluorescein Sodium (C.I. 45350) for analysis</a>	518-47-8	1 kg, 100 g, 500 g
<a href="#">312682</a>	<a href="#">Fluoride standard solution F=1.000 g/l for AAS</a>	7681-49-4	500 mL
<a href="#">786328</a>	<a href="#">Fluoride standard solution F=1.000 g/l for IC</a>		500 mL
<a href="#">A7092</a>	<a href="#">Folic acid crystalline (Ph. Eur., USP) pure, pharma grade</a>	59-30-3	25 g, 100 g
<a href="#">A2085</a>	<a href="#">Folic Acid crystalline BioChemica</a>	59-30-3	100 g
<a href="#">A5084</a>	<a href="#">Folin-Ciocalteu's Reagent</a>		500 mL
<a href="#">251567</a>	<a href="#">Folin-Ciocalteu's Reagent for clinical diagnosis</a>		250 mL
<a href="#">621567</a>	<a href="#">Folin-Ciocalteu's Reagent VINIKIT, for wine analysis</a>		250 mL
<a href="#">252931</a>	<a href="#">Formaldehyde 3.7-4.0% w/v buffered to pH=7 and stabilized with methanol for clinical diagnosis</a>	50-00-0	2.5 L, 5 L, 10 L, 5 L, 25 L, 10 L, 1 L, 10 L
<a href="#">253572</a>	<a href="#">Formaldehyde 30-36% w/v concentrated buffered to pH=7 stabilized with methanol for clinical diagnosis</a>	50-00-0	1 L, 5 L
<a href="#">211328</a>	<a href="#">Formaldehyde 35-40% w/v stabilized with methanol technical grade</a>	50-00-0	1000 L
<a href="#">131328</a>	<a href="#">Formaldehyde 37-38% w/w stabilized with methanol (Reag. USP) for analysis, ACS</a>	50-00-0	2.5 L, 5 L, 25 L, 1 L
<a href="#">141328</a>	<a href="#">Formaldehyde 37-38% w/w stabilized with methanol (USP, BP, Ph. Eur.) pure, pharma grade</a>	50-00-0	25 L, 5 L, 200 L, 1 L, 2.5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">143091</a>	<a href="#">Formaldehyde solution 10% neutralized, stabilized with methanol pure</a>	50-00-0	10 L, 5 L
<a href="#">A0877</a>	<a href="#">Formaldehyde solution 37 % for molecular biology</a>	50-00-0	250 mL
<a href="#">A2156</a>	<a href="#">Formamide deionized for molecular biology</a>	75-12-7	500 mL, 1 L, 100 mL
<a href="#">131956</a>	<a href="#">Formamide for analysis, ACS</a>	75-12-7	1 L
<a href="#">A0871</a>	<a href="#">Formamide ultrapure</a>	75-12-7	1 L
<a href="#">121029</a>	<a href="#">Formic Acid 85% for analysis</a>	64-18-6	2.5 L, 1 L
<a href="#">141029</a>	<a href="#">Formic Acid 85% pure</a>	64-18-6	5 L, 1 L
<a href="#">131030</a>	<a href="#">Formic Acid 98% for analysis, ACS</a>	64-18-6	25 L, 1 L, 2.5 L
<a href="#">141030</a>	<a href="#">Formic Acid 98% pure</a>	64-18-6	1 L
<a href="#">496269</a>	<a href="#">Fraser 1/2 Listeria Broth (ISO 11290-1) (Prepared Bottles) for microbiology</a>		3 x 3 L, 10 x 225 mL
<a href="#">416114</a>	<a href="#">Fraser 1/2 Listeria Selective Enrichment (Supplement) for microbiology</a>		10 vials
<a href="#">416112</a>	<a href="#">Fraser Listeria Broth Base (ISO 11290-1) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">251331</a>	<a href="#">Fuchsin Acidic Disodium Salt (C.I. 42685) for clinical diagnosis</a>	3244-88-0	10 g
<a href="#">251332</a>	<a href="#">Fuchsin Basic (C.I. 42510) for clinical diagnosis</a>	632-99-5	100 g, 500 g, 25 g
<a href="#">142344</a>	<a href="#">Fumaric Acid (USP-NF) pure, pharma grade</a>	110-17-8	25 kg
<a href="#">Z42344</a>	<a href="#">Fumaric Acid (USP-NF) pure, pharma grade</a>	110-17-8	25 kg
<a href="#">A2167</a>	<a href="#">G418 disulfate BioChemica</a>	108321-42-2	1 g
<a href="#">A6798</a>	<a href="#">G418 Disulfate solution, sterile</a>	108321-42-2	50 mL, 20 mL
<a href="#">147116</a>	<a href="#">Gelatin powdered, (Ph. Eur., USP-NF) pure, pharma grade</a>	9000-70-8	500 g, 2.5 kg
<a href="#">142060</a>	<a href="#">Gelatine 80-100 Blooms (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	9000-70-8	500 g
<a href="#">212520</a>	<a href="#">General Absorbent technical grade</a>		5 kg, 500 g
<a href="#">A1492</a>	<a href="#">Gentamycin sulfate BioChemica</a>	1405-41-0	25 g, 1 kg, 5 g
<a href="#">251765</a>	<a href="#">Gentian Violet (C.I. 42535+42555) for clinical diagnosis</a>	548-62-9	25 g, 250 g
<a href="#">251766</a>	<a href="#">Gentian Violet Phenique for clinical diagnosis</a>		250 mL
<a href="#">A4586</a>	<a href="#">Gibberellic acid BioChemica</a>	77-06-5	50 g, 1 g, 5 g
<a href="#">251337</a>	<a href="#">Giemsa stain for clinical diagnosis</a>	51811-82-6	100 g
<a href="#">A1321</a>	<a href="#">Glasgow - MEM (BHK 21)</a>		10 L
<a href="#">211376</a>	<a href="#">Glass Wool washed technical grade</a>	65997-17-3	1 kg, 250 g
<a href="#">414956</a>	<a href="#">Glucose Chloramphenicol Agar (Dehydrated CultureMedia) for microbiology</a>		500 g
<a href="#">A5300</a>	<a href="#">Glucotropaeolin for HPLC</a>	5115-71-9	20 mg, 50 mg
<a href="#">A0589</a>	<a href="#">Glutaraldehyde solution 25 % for electron microscopy</a>	111-30-8	100 mL
<a href="#">253857</a>	<a href="#">Glutaraldehyde solution 25% for clinical diagnosis</a>	111-30-8	1 L
<a href="#">163857</a>	<a href="#">Glutaraldehyde solution 25% for synthesis</a>	111-30-8	1 L
<a href="#">A3166</a>	<a href="#">Glutaraldehyde solution 50 % for electron microscopy</a>	111-30-8	100 mL
<a href="#">631339</a>	<a href="#">Glycerol (Ph. Eur, BP, USP) GMP - IPEC grade</a>	56-81-5	25 L
<a href="#">141339</a>	<a href="#">Glycerol (USP, BP, Ph. Eur.) pure, pharma grade</a>	56-81-5	2.5 L, 5 L, 25 L, 1 L
<a href="#">A0970</a>	<a href="#">Glycerol 87 % BioChemica</a>	56-81-5	1 L, 5 L
<a href="#">A3739</a>	<a href="#">Glycerol 87 % for molecular biology</a>	56-81-5	1 L
<a href="#">142329</a>	<a href="#">Glycerol 87% (BP, Ph. Eur.) pure, pharma grade</a>	56-81-5	1 L, 5 L
<a href="#">122329</a>	<a href="#">Glycerol 87% for analysis</a>	56-81-5	5 L, 1 L
<a href="#">A1123</a>	<a href="#">Glycerol anhydrous BioChemica</a>	56-81-5	1 L, 2.5 L
<a href="#">A2926</a>	<a href="#">Glycerol anhydrous for molecular biology</a>	56-81-5	500 mL, 1 L, 2.5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">131339</a>	<a href="#">Glycerol for analysis, ACS, ISO</a>	56-81-5	5 L, 1 L, 2.5 L
<a href="#">141922</a>	<a href="#">Glycerol tri-Acetate (BP, Ph. Eur.) pure, pharma grade</a>	102-76-1	25 L
<a href="#">151339</a>	<a href="#">Glycerol, 99% for synthesis</a>	56-81-5	1 L, 5 L
<a href="#">631340</a>	<a href="#">Glycine (Ph. Eur, BP, USP) GMP - IPEC grade</a>	56-40-6	5 kg
<a href="#">131340</a>	<a href="#">Glycine (Reag. USP) for analysis, ACS</a>	56-40-6	5 kg, 250 g, 1 kg
<a href="#">141340</a>	<a href="#">Glycine (USP, BP, Ph. Eur.) pure, pharma grade</a>	56-40-6	5 kg, 1 kg, 25 kg
<a href="#">A1067</a>	<a href="#">Glycine for molecular biology</a>	56-40-6	500 g, 1 kg, 5 kg
<a href="#">167073</a>	<a href="#">Glycolic Acid solution 70 % for synthesis</a>	79-14-1	5 L
<a href="#">313672</a>	<a href="#">Gold standard solution Au=1.000 g/l for AAS</a>		100 mL
<a href="#">252532</a>	<a href="#">Gram-Hucker's Crystal Violet Oxalate solution for clinical diagnosis</a>		1 L, 250 mL
<a href="#">252531</a>	<a href="#">Gram-Hucker's Safranin O solution for clinical diagnosis</a>		1 L, 250 mL
<a href="#">256649</a>	<a href="#">Gram-Hucker's Staining Kit (Droppers) for clinical diagnosis</a>		Kit
<a href="#">171569</a>	<a href="#">Griess-Ilosvay's A Reagent</a>		100 mL
<a href="#">171570</a>	<a href="#">Griess-Ilosvay's B Reagent</a>		100 mL
<a href="#">A1499</a>	<a href="#">Guanidine Hydrochloride BioChemica</a>	50-01-1	5 kg, 25 kg, 1 kg
<a href="#">A1106</a>	<a href="#">Guanidine Hydrochloride for molecular biology</a>	50-01-1	1 kg
<a href="#">144229</a>	<a href="#">Guanidine Hydrochloride pure</a>	50-01-1	25 kg, 1 kg, 5 kg
<a href="#">A0860</a>	<a href="#">Guanidine Hydrochloride solution (8 M) BioChemica</a>		500 mL
<a href="#">A3240</a>	<a href="#">Guanidine Hydrochloride ultrapure</a>	50-01-1	500 g, 1 kg, 5 kg
<a href="#">A4335</a>	<a href="#">Guanidine Thiocyanate BioChemica</a>	593-84-0	1 kg
<a href="#">A1107</a>	<a href="#">Guanidine Thiocyanate for molecular biology</a>	593-84-0	25 kg, 500 g, 1 kg
<a href="#">A0703</a>	<a href="#">Guanidine Thiocyanate solution (6 M in 0.1 M Tris; pH 7.5) for molecular biology</a>		1 L
<a href="#">A9515</a>	<a href="#">Guanidine thiocyanate special grade for biotechnology</a>	593-84-0	2.5 Kg
<a href="#">A1803</a>	<a href="#">Guanosine 5'-Triphosphoric Acid Disodium Salt BioChemica</a>	56001-37-7	1 g
<a href="#">281572</a>	<a href="#">Hanus Reagent 0.1 mol/l (0.2N) for volumetric analysis</a>		1 L, 2.5 L
<a href="#">256991</a>	<a href="#">Harris Hematoxylin modified solution for clinical diagnosis</a>		2.5 L, 500 mL
<a href="#">253949</a>	<a href="#">Harris Hematoxylin solution for clinical diagnosis</a>		2.5 L, 500 mL, 1 L
<a href="#">413768</a>	<a href="#">Hektoen Enteric Agar (ISO 21567)(Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">251344</a>	<a href="#">Hematoxylin 1-hydrate (C.I. 75290) for clinical diagnosis</a>	517-28-2	5 g, 25 g
<a href="#">A3865</a>	<a href="#">Hematoxylin 1-hydrate (C.I. 75290) for microscopy</a>	517-28-2	100 g
<a href="#">A0942</a>	<a href="#">Hemin porcine</a>	16009-13-5	5 g
<a href="#">A3004</a>	<a href="#">Heparin Sodium Salt BioChemica</a>	9041-08-1	1 g, 5 g
<a href="#">A6916</a>	<a href="#">HEPES buffer pH 7.5 (1 M) sterile</a>		125 mL, 250 mL
<a href="#">A6906</a>	<a href="#">HEPES buffer pH 8.0 (1 M) sterile</a>		125 mL, 250 mL
<a href="#">A1069</a>	<a href="#">HEPES for buffer solutions</a>	7365-45-9	5 kg, 250 g, 25 kg, 500 g, 1 kg, 100 g
<a href="#">A3268</a>	<a href="#">HEPES for cell culture</a>	7365-45-9	25 kg
<a href="#">A3724</a>	<a href="#">HEPES for molecular biology</a>	7365-45-9	250 g, 500 g, 1 kg
<a href="#">A1070</a>	<a href="#">HEPES Sodium Salt for buffer solutions</a>	75277-39-3	500 g
<a href="#">A1071</a>	<a href="#">HEPPS for buffer solutions</a>	16052-06-5	25 kg
<a href="#">A1072</a>	<a href="#">HEPPSO for buffer solutions</a>	68399-78-0	100 g
<a href="#">121345</a>	<a href="#">Heptane, alkanes mixture for analysis</a>	142-82-5	2.5 L, 1 L
<a href="#">161345</a>	<a href="#">Heptane, alkanes mixture for synthesis</a>	142-82-5	5 L, 200 L
<a href="#">134433</a>	<a href="#">Hexachloroplatinic(IV) Acid 6-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	18497-13-7	1 g
<a href="#">131346</a>	<a href="#">Hexamethylenetetramine (Reag. Ph. Eur.) for analysis, ACS</a>	100-97-0	25 kg, 500 g, 1 kg

Product number	Product name	CAS number	Pack sizes
<a href="#">161347</a>	<a href="#">Hexane, 95% alkanes mixture for synthesis</a>	92112-69-1	25 L, 25 L, 5 L
<a href="#">121347</a>	<a href="#">Hexane, alkanes mixture for analysis</a>	92112-69-1	1 L, 5 L, 2.5 L, 25 L, 30 L
<a href="#">361347</a>	<a href="#">Hexane, alkanes mixture for HPLC</a>	92112-69-1	2.5 L
<a href="#">256239</a>	<a href="#">Histofix<sup>®</sup> decalcifier 1 for clinical diagnosis</a>		1 L
<a href="#">256238</a>	<a href="#">Histofix<sup>®</sup> decalcifier 2 for clinical diagnosis</a>		1 L
<a href="#">256237</a>	<a href="#">Histofix<sup>®</sup> decalcifier 3 for clinical diagnosis</a>		1 L
<a href="#">256284</a>	<a href="#">Histofix<sup>®</sup> marrow decalcifier for clinical diagnosis</a>		pack
<a href="#">257462</a>	<a href="#">Histofix<sup>®</sup> Preservative ready to use (pink) for clinical diagnosis</a>		45x10 mL, 45x30 mL
<a href="#">256462</a>	<a href="#">Histofix<sup>®</sup> Preservative ready to use for clinical diagnosis</a>	50-00-0	45x30 mL, 10x600 mL, 12x200 mL, 24x75 mL, 44x20 mL, 45x10 mL, 3 L, 45x40 mL, 4x1, 5 L, 16x125 mL
<a href="#">255598</a>	<a href="#">Histofluid<sup>®</sup>, mounting medium for clinical diagnosis</a>		500 mL
<a href="#">A3124</a>	<a href="#">holo-Transferrin, human</a>	11096-37-0	250 mg
<a href="#">A1937</a>	<a href="#">Hyaluronidase Grade I</a>	37326-33-3	1 g
<a href="#">131350</a>	<a href="#">Hydrazinium Sulfate for analysis, ACS</a>	10034-93-2	500 g
<a href="#">132213</a>	<a href="#">Hydriodic Acid 57% for analysis, ACS</a>	10034-85-2	1 L
<a href="#">131017</a>	<a href="#">Hydrobromic Acid 48% for analysis, ACS, ISO</a>	10035-10-6	1 L
<a href="#">182884</a>	<a href="#">Hydrochloric Acid 0.01 mol/l (0.01N) volumetric solution</a>	7647-01-0	1 L
<a href="#">183458</a>	<a href="#">Hydrochloric Acid 0.02 mol/l (0.02N) volumetric solution</a>	7647-01-0	1 L
<a href="#">182107</a>	<a href="#">Hydrochloric Acid 0.05 mol/l (0.05N) volumetric solution</a>	7647-01-0	1 L
<a href="#">303110</a>	<a href="#">Hydrochloric Acid 0.1 mol (3.646g HCl) to prepare 1l of 0.1N solution</a>	7647-01-0	amp54mL
<a href="#">181023</a>	<a href="#">Hydrochloric Acid 0.1 mol/l (0.1N) volumetric solution</a>	7647-01-0	1 L, 2.5 L, 5 L, 10 L, 10 L
<a href="#">182318</a>	<a href="#">Hydrochloric Acid 0.25 mol/l (0.25N) volumetric solution</a>	7647-01-0	1 L
<a href="#">185423</a>	<a href="#">Hydrochloric Acid 0.310 mol/l (1,128% w/v) volumetric solution</a>	7647-01-0	1 L, 5 L
<a href="#">181022</a>	<a href="#">Hydrochloric Acid 0.5 mol/l (0.5N) volumetric solution</a>	7647-01-0	5 L, 10 L, 1 L
<a href="#">303112</a>	<a href="#">Hydrochloric Acid 1 mol (36.461g HCl) to prepare 1l of 1N solution</a>	7647-01-0	amp120mL
<a href="#">186985</a>	<a href="#">Hydrochloric Acid 1 mol/l (1N) (Reag. Ph.Eur.) volumetric solution</a>	7647-01-0	1 L
<a href="#">AL1021</a>	<a href="#">Hydrochloric Acid 1 mol/l (1N) pharma grade</a>	7647-01-0	1 L
<a href="#">181021</a>	<a href="#">Hydrochloric Acid 1 mol/l (1N) volumetric solution</a>	7647-01-0	1 L, 5 L, 10 L, 25 L
<a href="#">123006</a>	<a href="#">Hydrochloric Acid 10 % for analysis</a>	7647-01-0	1 L
<a href="#">213006</a>	<a href="#">Hydrochloric Acid 10 % technical grade</a>	7647-01-0	10 L, 5 L
<a href="#">187051</a>	<a href="#">Hydrochloric Acid 10 mol/l (10N) volumetric solution</a>	7647-01-0	100 x 10 mL, 1 L
<a href="#">143006</a>	<a href="#">Hydrochloric Acid 10% w/w (USP-NF, Ph. Eur.) pure, pharma grade</a>	7647-01-0	10 L, 25 L, 1 L
<a href="#">146316</a>	<a href="#">Hydrochloric Acid 15 % pure</a>	7647-01-0	5 L
<a href="#">182108</a>	<a href="#">Hydrochloric Acid 2 mol/l (2N) volumetric solution</a>	7647-01-0	25 L, 1 L
<a href="#">142523</a>	<a href="#">Hydrochloric Acid 20 % pure</a>	7647-01-0	5 L
<a href="#">143378</a>	<a href="#">Hydrochloric Acid 25 % pure</a>	7647-01-0	2.5 L
<a href="#">213378</a>	<a href="#">Hydrochloric Acid 25 % technical grade</a>	7647-01-0	25 L, 5 L
<a href="#">203378</a>	<a href="#">Hydrochloric Acid 25% (E-507, F.C.C.) food grade</a>	7647-01-0	10 L



Product number	Product name	CAS number	Pack sizes
<a href="#">133378</a>	<a href="#">Hydrochloric Acid 25% for analysis, ISO</a>	7647-01-0	5 L, 1 L, 1 L, 2.5 L, 2.5 L
<a href="#">182057</a>	<a href="#">Hydrochloric Acid 3 mol/l (3N) volumetric solution</a>	7647-01-0	10 L, 1 L
<a href="#">382794</a>	<a href="#">Hydrochloric Acid 30 % for trace metal analysis (ppm)</a>	7647-01-0	1 L
<a href="#">212176</a>	<a href="#">Hydrochloric Acid 32 % technical grade</a>	7647-01-0	10 L, 2.5 L, 5 L
<a href="#">132176</a>	<a href="#">Hydrochloric Acid 32% for analysis, ISO</a>	7647-01-0	5 L, 1 L, 2.5 L
<a href="#">721019</a>	<a href="#">Hydrochloric Acid 35% for trace metal analysis (ppb)</a>	7647-01-0	1 L, 2.5 L, 500 mL
<a href="#">711019</a>	<a href="#">Hydrochloric Acid 35% for trace metal analysis (ppt)</a>	7647-01-0	250 mL, 500 mL
<a href="#">381020</a>	<a href="#">Hydrochloric Acid 37 % for trace metal analysis (ppm)</a>	7647-01-0	1 L, 2.5 L
<a href="#">201020</a>	<a href="#">Hydrochloric Acid 37% (E-507, F.C.C.) food grade</a>	7647-01-0	25 L
<a href="#">471020</a>	<a href="#">Hydrochloric Acid 37% (max. 0.0000005% Hg) (Reag. USP) for analysis, ACS, ISO</a>	7647-01-0	2.5 L, 1 L
<a href="#">131020</a>	<a href="#">Hydrochloric Acid 37% (Reag. USP) for analysis, ACS, ISO</a>	7647-01-0	1000 L, 5 L, 25 L, 1 L, 1 L, 2.5 L, 2.5 L
<a href="#">141020</a>	<a href="#">Hydrochloric Acid 37% (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	7647-01-0	1000 L, 5 L, 1 L, 25 L, 2.5 L, 20 L
<a href="#">211020</a>	<a href="#">Hydrochloric Acid 37% technical grade</a>	7647-01-0	5 L, 1 L, 25 L, 2.5 L
<a href="#">182552</a>	<a href="#">Hydrochloric Acid 4 mol/l (4N) volumetric solution</a>	7647-01-0	1 L, 5 L
<a href="#">192109</a>	<a href="#">Hydrochloric Acid 5 mol/l (5N) pharma grade</a>	7647-01-0	10 L
<a href="#">182109</a>	<a href="#">Hydrochloric Acid 5 mol/l (5N) volumetric solution</a>	7647-01-0	1 L, 5 L, 10 L
<a href="#">257097</a>	<a href="#">Hydrochloric Acid-Alcohol - Mixture (0.75 % HCl) solution for clinical diagnosis</a>		1 L
<a href="#">133070</a>	<a href="#">Hydrofluoric Acid 40% for analysis, ISO</a>	7664-39-3	1 L, 2.5 L
<a href="#">213070</a>	<a href="#">Hydrofluoric Acid 40% technical grade</a>	7664-39-3	1 L, 2.5 L, 5 L
<a href="#">131028</a>	<a href="#">Hydrofluoric Acid 48% for analysis, ACS, ISO</a>	7664-39-3	1 L, 2.5 L
<a href="#">721028</a>	<a href="#">Hydrofluoric Acid 48% for trace metal analysis (ppb)</a>	7664-39-3	500 mL
<a href="#">711028</a>	<a href="#">Hydrofluoric Acid 48% for trace metal analysis (ppt)</a>	7664-39-3	500 mL
<a href="#">624904</a>	<a href="#">Hydrogen Peroxide 0.9% stabilized VINIKIT, for wine analysis</a>	7722-84-1	500 mL
<a href="#">125513</a>	<a href="#">Hydrogen Peroxide 10 % w/w for analysis</a>	7722-84-1	1 L
<a href="#">622772</a>	<a href="#">Hydrogen Peroxide 3% w/v (10 vol.) stabilized VINIKIT, for wine analysis</a>	7722-84-1	500 mL
<a href="#">121076</a>	<a href="#">Hydrogen Peroxide 30% w/v (100 vol.) for analysis</a>	7722-84-1	1 L, 5 L
<a href="#">141076</a>	<a href="#">Hydrogen Peroxide 30% w/v (100 vol.) stabilized pure</a>	7722-84-1	5 L, 1 L
<a href="#">716323</a>	<a href="#">Hydrogen Peroxide 30% w/w for trace metal analysis (ppt)</a>	7722-84-1	500 mL
<a href="#">131077</a>	<a href="#">Hydrogen Peroxide 33% w/v (110 vol.) (Reag. USP) for analysis, ACS, ISO</a>	7722-84-1	1 L, 5 L
<a href="#">141077</a>	<a href="#">Hydrogen Peroxide 33% w/v (110 vol.) stabilized (USP, BP, Ph. Eur.) pure, pharma grade</a>	7722-84-1	5 L, 25 L, 1 L
<a href="#">147145</a>	<a href="#">Hydrogen Peroxide 35 % pure</a>	7722-84-1	1 L, 5 L
<a href="#">217145</a>	<a href="#">Hydrogen Peroxide 35 % technical grade</a>	7722-84-1	25 L
<a href="#">142660</a>	<a href="#">Hydrogen Peroxide 6% w/v (20 vol.) stabilized (BP) pure, pharma grade</a>	7722-84-1	1 L, 5 L
<a href="#">141351</a>	<a href="#">Hydroquinone (USP) pure, pharma grade</a>	123-31-9	5 kg
<a href="#">161351</a>	<a href="#">Hydroquinone, 99% for synthesis</a>	123-31-9	1 kg
<a href="#">471914</a>	<a href="#">Hydroxylammonium Chloride (max. 0.000001% Hg) (Reag. USP) for analysis, ACS, ISO</a>	5470-11-1	250 g

Product number	Product name	CAS number	Pack sizes
<a href="#">131914</a>	<a href="#">Hydroxylammonium Chloride (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	5470-11-1	250 g, 1 kg, 5 kg
<a href="#">141914</a>	<a href="#">Hydroxylammonium Chloride pure</a>	5470-11-1	250 g, 1 kg
<a href="#">A5347</a>	<a href="#">Hygromycin B</a>	31282-04-9	100 mg
<a href="#">A2175</a>	<a href="#">Hygromycin B solution</a>	31282-04-9	25 mL, 5 mL
<a href="#">A1791</a>	<a href="#">Hyperosid pure</a>	482-36-0	100 mg
<a href="#">A0700</a>	<a href="#">Hypoxanthine BioChemica</a>	68-94-0	1 kg
<a href="#">A7729</a>	<a href="#">Hypoxanthine Sodium Salt BioChemica</a>	45738-97-4	1 Kg
<a href="#">132536</a>	<a href="#">Imidazole (Reag. USP, Ph. Eur.) for analysis, ACS</a>	288-32-4	500 g
<a href="#">A1073</a>	<a href="#">Imidazole for buffer solutions</a>	288-32-4	500 g, 1 kg
<a href="#">A1378</a>	<a href="#">Imidazole for molecular biology</a>	288-32-4	50 g, 250 g
<a href="#">A3635</a>	<a href="#">Imidazole ultrapure</a>	288-32-4	100 g, 250 g
<a href="#">162536</a>	<a href="#">Imidazole, 99% for synthesis</a>	288-32-4	1 kg
<a href="#">A3494</a>	<a href="#">Immersion Oil BioChemica</a>	8012-95-1	500 mL
<a href="#">251002</a>	<a href="#">Immersion Oil for clinical diagnosis</a>	8001-79-4	50 mL, 100 mL, 25 L
<a href="#">A6586</a>	<a href="#">Immersion Oil from cedarwood</a>		100 mL
<a href="#">A0699</a>	<a href="#">Immersion Oil, fluorescence-free for microscopy</a>	8012-95-1	100 mL, 250 mL
<a href="#">A5230</a>	<a href="#">Incubator-Clean™</a>		500 mL, 5 L
<a href="#">A5219</a>	<a href="#">Incuwater-Clean™</a>		100 mL
<a href="#">624905</a>	<a href="#">Indicator 4.4, Mixed (Methyl Red-Methylene Blue) VINIKIT, for wine analysis</a>		100 mL
<a href="#">283303</a>	<a href="#">Indicator 4.8, Mixed (Methyl Red-Bromocresol Green) for volumetric analysis</a>		250 mL
<a href="#">285406</a>	<a href="#">Indicator Buffer Tablets for volumetric analysis</a>		100 g
<a href="#">282430</a>	<a href="#">Indicator Tashiro 4.4. Mixed (Methyl Red-Methylene Blue) for volumetric analysis</a>		250 mL
<a href="#">286330</a>	<a href="#">Indicator, Mixed (Dimidium Bromide-Disulfine Blue) for volumetric analysis</a>		2.5 L
<a href="#">251246</a>	<a href="#">Indigo Carmine (C.I. 73015) for clinical diagnosis</a>	860-22-0	10 g
<a href="#">625448</a>	<a href="#">Iodine (Iodate-Iodide) N/128 VINIKIT, for wine analysis</a>		1 L
<a href="#">185733</a>	<a href="#">Iodine (Iodate-Iodide) N/50 volumetric solution</a>		1 L
<a href="#">186880</a>	<a href="#">Iodine (Iodate-Iodide) N/64 volumetric solution</a>		1 L
<a href="#">181969</a>	<a href="#">Iodine 0.01 mol/l (0.02N) volumetric solution</a>	7553-56-2	1 L, 500 mL
<a href="#">182915</a>	<a href="#">Iodine 0.02365 mol/l (0.0473N) (ASTM D 1510) volumetric solution</a>	7553-56-2	2.5 L
<a href="#">182161</a>	<a href="#">Iodine 0.025 mol/l (0.05N) (Reag. USP) volumetric solution</a>	7553-56-2	1 L
<a href="#">303119</a>	<a href="#">Iodine 0.05 mol (12.690g I<sub>2</sub>) to prepare 1l of 0.1N solution</a>	7553-56-2	amp63mL
<a href="#">181772</a>	<a href="#">Iodine 0.05 mol/l (0.1N) (Reag. USP, Ph.Eur.) volumetric solution</a>	7553-56-2	1 L, 2.5 L
<a href="#">182162</a>	<a href="#">Iodine 0.5 mol/l (1N) (Reag. Ph. Eur.) volumetric solution</a>	7553-56-2	1 L
<a href="#">141771</a>	<a href="#">Iodine resublimed pearls (USP, BP, Ph. Eur.) pure, pharma grade</a>	7553-56-2	25 kg, 5 kg, 100 g, 250 g, 1 kg
<a href="#">131771</a>	<a href="#">Iodine resublimed pearls for analysis, ACS</a>	7553-56-2	1 kg, 100 g, 250 g, 500 g
<a href="#">141909</a>	<a href="#">Iodoform pure</a>	75-47-8	2.5 kg
<a href="#">A1964</a>	<a href="#">IPL 41 - Medium, powder</a>		10 L
<a href="#">A1008</a>	<a href="#">IPTG BioChemica</a>	367-93-1	50 g, 100 g, 5 g, 25 g
<a href="#">A4773</a>	<a href="#">IPTG for molecular biology</a>	367-93-1	5 g, 25 g

Product number	Product name	CAS number	Pack sizes
<a href="#">A7211</a>	<a href="#">IPTG from plant origin galactose</a>	367-93-1	25 g, 1 kg
<a href="#">313182</a>	<a href="#">Iron standard solution Fe=1.000 g/l for AAS</a>		500 mL, 100 mL
<a href="#">766049</a>	<a href="#">Iron standard solution Fe=1.000 g/l for ICP</a>		100 mL
<a href="#">201362</a>	<a href="#">Iron(II) Sulfate 7-hydrate (F.C.C.) food grade</a>	7782-63-0	25 kg
<a href="#">131362</a>	<a href="#">Iron(II) Sulfate 7-hydrate (Reag. USP) for analysis, ACS</a>	7782-63-0	25 kg, 500 g, 1 kg
<a href="#">141362</a>	<a href="#">Iron(II) Sulfate 7-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	7782-63-0	1 kg, 5 kg, 25 kg, 500 g
<a href="#">A1035</a>	<a href="#">Iron(II) Sulfate 7-hydrate BioChemica</a>	7782-63-0	1 kg
<a href="#">141358</a>	<a href="#">Iron(III) Chloride 6-hydrate pure</a>	10025-77-1	500 g, 1 kg, 5 kg
<a href="#">15A813</a>	<a href="#">Iron(III) Chloride anhydrous, 97% for synthesis</a>	7705-08-0	250 g
<a href="#">196997</a>	<a href="#">Iron(III) Chloride solution 14% w/w (as Fe) pharma grade</a>	7705-08-0	1000 L
<a href="#">141297</a>	<a href="#">Iron(III) Nitrate 9-hydrate pure</a>	7782-61-8	1 kg, 5 kg
<a href="#">141360</a>	<a href="#">Iron(III) Sulfate x-hydrate ~ 75% pure</a>	10028-22-5	500 g, 5 kg
<a href="#">131079</a>	<a href="#">Isoamyl Alcohol (Reag. Ph. Eur.) for analysis, ACS</a>	123-51-3	1 L
<a href="#">121079</a>	<a href="#">Isoamyl Alcohol according to Gerber for analysis</a>	123-51-3	2.5 L, 25 L, 1 L
<a href="#">131089</a>	<a href="#">Isobutanol (Reag. Ph. Eur.) for analysis, ACS</a>	78-83-1	25 L, 1 L
<a href="#">141089</a>	<a href="#">Isobutanol pure</a>	78-83-1	25 L, 2.5 L
<a href="#">132064</a>	<a href="#">Isooctane (Reag. Ph. Eur.) for analysis, ACS</a>	540-84-1	5 L, 1 L, 2.5 L
<a href="#">322064</a>	<a href="#">Isooctane for pesticide analysis</a>	540-84-1	2.5 L
<a href="#">362064</a>	<a href="#">Isooctane for UV, IR, HPLC, ACS</a>	540-84-1	2.5 L, 4 L, 1 L
<a href="#">162064</a>	<a href="#">Isooctane, 99% for synthesis</a>	540-84-1	5 L, 2.5 L
<a href="#">125273</a>	<a href="#">Isoparaffin G for analysis</a>	90622-57-4	5 L, 2.5 L
<a href="#">255069</a>	<a href="#">Isoparaffin H (Substitute of Xylene) for clinical diagnosis</a>	90622-58-5	5 L, 1 L
<a href="#">123501</a>	<a href="#">Isopentane for analysis</a>	78-78-4	1 L
<a href="#">143501</a>	<a href="#">Isopentane pure</a>	78-78-4	1 L
<a href="#">143712</a>	<a href="#">Isopropyl Myristate (Ph. Eur.) pure, pharma grade</a>	110-27-0	1 L, 2.5 L
<a href="#">163712</a>	<a href="#">Isopropyl Myristate, 98% for synthesis</a>	110-27-0	1 L
<a href="#">A2064</a>	<a href="#">Isoquercitrin for HPLC</a>	21637-25-2	20 mg
<a href="#">A4789</a>	<a href="#">Kanamycin Sulfate (Ph. Eur., BP) pure, pharma grade</a>	5965-95-7	100 g, 10 g, 25 g
<a href="#">A1493</a>	<a href="#">Kanamycin Sulfate BioChemica</a>	5965-95-7	10 g, 25 g, 50 g, 5 g
<a href="#">395459</a>	<a href="#">Karl Fischer Water Standard 1.0 mg/g (Reag. Ph. Eur.)</a>		10 x 10 mL
<a href="#">395458</a>	<a href="#">Karl Fischer Water Standard 10 mg/g (Reag. Ph. Eur.)</a>		10amp10mL
<a href="#">281574</a>	<a href="#">Karl Fischer's Reagent Composite for volumetric analysis</a>		1 L
<a href="#">413775</a>	<a href="#">King B Medium (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">254807</a>	<a href="#">Kit for Fast Staining in Haematology (Fast Panoptic) for clinical diagnosis</a>		pack
<a href="#">173348</a>	<a href="#">Kjeldahl tablets (Catalyst with 0.1 % Se)</a>		1000 x 3, 5 g, 1000 x 5 g
<a href="#">173350</a>	<a href="#">Kjeldahl tablets (Catalyst with 0.3 % CuSO4 · 5H2O)</a>		1000 x 3, 500 g, 1000 x 5 g
<a href="#">172926</a>	<a href="#">Kjeldahl tablets (Catalyst with 1.5 % CuSO4 · 5H2O and 2 % Se)</a>		1000 x 5 g, 1000 x 1 g, 1000 x 3, 500 g
<a href="#">177040</a>	<a href="#">Kjeldahl tablets (Catalyst with 10.26 % CuSO4 · 5H2O)</a>		1000 x 4 g
<a href="#">173349</a>	<a href="#">Kjeldahl tablets (Catalyst with 2.83 % CuSO4 · 5H2O and 2.83 % TiO2)</a>		1000 x 5 g, 1000 x 3, 71 g

Product number	Product name	CAS number	Pack sizes
<a href="#">174428</a>	<a href="#">Kjeldahl tablets (Catalyst with 6.25 % CuSO<sub>4</sub> · 5H<sub>2</sub>O)</a>		1000 x 4 g, 1000 x 1 g
<a href="#">175570</a>	<a href="#">Kjeldahl tablets (Catalyst with 9 % CuSO<sub>4</sub> · 5H<sub>2</sub>O and 0.9 % Se)</a>		1000 x 4 g
<a href="#">175639</a>	<a href="#">Kjeldahl tablets (Catalyst with 9 % CuSO<sub>4</sub> · 5H<sub>2</sub>O)</a>		1000 x 5 g, 1000 x 1, 650 g
<a href="#">252908</a>	<a href="#">Kovacs' Reagent for clinical diagnosis</a>		100 mL
<a href="#">251172</a>	<a href="#">Kühne's Methylene Blue Phenicated solution for clinical diagnosis</a>		250 mL, 1 L
<a href="#">A4365</a>	<a href="#">L(-)-Fucose BioChemica</a>	2438-80-4	100 g
<a href="#">201013</a>	<a href="#">L(+)-Ascorbic Acid (E-300, F.C.C.) food grade</a>	50-81-7	25 kg
<a href="#">141013</a>	<a href="#">L(+)-Ascorbic Acid (USP, BP, Ph. Eur.) pure, pharma grade</a>	50-81-7	1 kg, 5 kg
<a href="#">131013</a>	<a href="#">L(+)-Ascorbic Acid for analysis, ACS</a>	50-81-7	100 g, 250 g, 1 kg
<a href="#">A1052</a>	<a href="#">L(+)-Ascorbic Acid powdered BioChemica</a>	50-81-7	250 g, 1 kg
<a href="#">141034</a>	<a href="#">L(+)-Lactic Acid (BP, Ph. Eur.) pure, pharma grade</a>	79-33-4	1 L, 5 L, 25 L
<a href="#">201034</a>	<a href="#">L(+)-Lactic Acid (F.C.C.) food grade</a>	79-33-4	5 L
<a href="#">121034</a>	<a href="#">L(+)-Lactic Acid for analysis</a>	79-33-4	1 L
<a href="#">A0982</a>	<a href="#">L(+)-Lactic Acid Lithium Salt crystalline BioChemica</a>	27848-80-2	25 kg
<a href="#">A4336</a>	<a href="#">L(+)-Rhamnose 1-hydrate BioChemica</a>	10030-85-0	100 g, 10 g, 50 g
<a href="#">A1004</a>	<a href="#">L(+)-Sodium Lactate crystalline BioChemica</a>	867-56-1	50 g, 100 g
<a href="#">131066</a>	<a href="#">L(+)-Tartaric Acid for analysis, ACS</a>	87-69-4	1 kg
<a href="#">141066</a>	<a href="#">L(+)-Tartaric Acid pure</a>	87-69-4	500 g
<a href="#">253724</a>	<a href="#">Lactophenol Blue solution for clinical diagnosis</a>		100 mL
<a href="#">A0887</a>	<a href="#">Lactulose BioChemica</a>	4618-18-2	25 g
<a href="#">A1688</a>	<a href="#">L-Alanine (Ph. Eur., USP) pure, pharma grade</a>	56-41-7	100 g
<a href="#">A3198</a>	<a href="#">L-Alanyl-L-Glutamine for cell culture</a>	39537-23-0	1 kg, 2 kg
<a href="#">187042</a>	<a href="#">Lanthanum Nitrate 0.1 mol/l (0.1N) volumetric solution</a>		1 L
<a href="#">122848</a>	<a href="#">Lanthanum(III) Chloride 7-hydrate for analysis</a>	10025-84-0	100 g
<a href="#">122669</a>	<a href="#">Lanthanum(III) Nitrate 6-hydrate (Reag. Ph. Eur.) for analysis</a>	10277-43-7	100 g
<a href="#">122705</a>	<a href="#">Lanthanum(III) Oxide for analysis</a>	1312-81-8	50 g, 250 g
<a href="#">A1345</a>	<a href="#">L-Arginine base (Ph. Eur., USP) pure, pharma grade</a>	74-79-3	10 kg, 500 g, 1 kg
<a href="#">A3675</a>	<a href="#">L-Arginine base BioChemica</a>	74-79-3	500 g, 1 kg, 100 g
<a href="#">A1700</a>	<a href="#">L-Arginine Hydrochloride (Ph. Eur., USP) pure, pharma grade</a>	1119-34-2	1 kg
<a href="#">A3709</a>	<a href="#">L-Arginine Hydrochloride BioChemica</a>	1119-34-2	1 kg
<a href="#">A1668</a>	<a href="#">L-Asparagine 1-hydrate (Ph. Eur.) pure, pharma grade</a>	5794-13-8	25 kg, 100 g, 1 kg
<a href="#">A3721</a>	<a href="#">L-Asparagine 1-hydrate BioChemica</a>	5794-13-8	1 kg, 100 g
<a href="#">147755</a>	<a href="#">L-Asparagine anhydrous (USP-NF) pure, pharma grade</a>	70-47-3	5 kg
<a href="#">A1701</a>	<a href="#">L-Aspartic Acid (Ph. Eur., USP) pure, pharma grade</a>	56-84-8	1 kg
<a href="#">A7459</a>	<a href="#">LB-Agar - Powder according to Lennox</a>		500 g, 1 kg
<a href="#">A0927</a>	<a href="#">LB-Agar - Powder according to Miller</a>		1 kg
<a href="#">A6666</a>	<a href="#">LB-Medium - Powder according to Lennox</a>		2.5 kg, 500 g, 1 kg
<a href="#">A0954</a>	<a href="#">LB-Medium - Powder according to Miller</a>		500 g, 1 kg, 2.5 kg, 10 L
<a href="#">A1425</a>	<a href="#">L-Cysteine (DAB) pure, pharma grade</a>	52-90-4	1 kg, 500 g
<a href="#">A3694</a>	<a href="#">L-Cysteine BioChemica</a>	52-90-4	100 g
<a href="#">A1702</a>	<a href="#">L-Cysteine Hydrochloride 1-hydrate (Ph. Eur., USP) pure, pharma grade</a>	7048-04-6	1 kg
<a href="#">A3698</a>	<a href="#">L-Cysteine Hydrochloride 1-hydrate BioChemica</a>	7048-04-6	500 g

Product number	Product name	CAS number	Pack sizes
<a href="#">A1703</a>	<a href="#">L-Cystine (Ph. Eur.) pure, pharma grade</a>	56-89-3	100 g, 500 g, 1 kg, 5 kg
<a href="#">313189</a>	<a href="#">Lead standard solution Pb=1.000 g/l for AAS</a>		100 mL, 500 mL
<a href="#">766063</a>	<a href="#">Lead standard solution Pb=1.000 g/l for ICP</a>		100 mL
<a href="#">131466</a>	<a href="#">Lead(II) Acetate 3-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	6080-56-4	500 g
<a href="#">131473</a>	<a href="#">Lead(II) Nitrate (Reag. Ph. Eur.) for analysis, ACS</a>	10099-74-8	500 g
<a href="#">A0893</a>	<a href="#">Lecithin from egg BioChemica</a>	8002-43-5	500 g, 1 kg, 100 g
<a href="#">A2218</a>	<a href="#">Lecithin from soybean 90 %</a>	8002-43-5	100 g, 250 g
<a href="#">455378</a>	<a href="#">Legionella Selective Agar (ISO 11731) (Prepared Plate (@ 90 mm)) for microbiology</a>		120 plates, 20 plates
<a href="#">415382</a>	<a href="#">Lethen Broth (modified) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A2183</a>	<a href="#">Leupeptin Hemisulfate</a>	103476-89-7	10 mg, 25 mg, 100 mg
<a href="#">A1704</a>	<a href="#">L-Glutamic Acid (Ph. Eur., USP) pure, pharma grade</a>	56-86-0	250 g, 500 g, 1 kg
<a href="#">A1420</a>	<a href="#">L-Glutamine (DAB, USP) pure, pharma grade</a>	56-85-9	250 g, 1 kg
<a href="#">A3704</a>	<a href="#">L-Glutamine for cell culture</a>	56-85-9	1 kg
<a href="#">A2243</a>	<a href="#">L-Glutathione oxidized BioChemica</a>	27025-41-8	25 g, 5 g
<a href="#">A2084</a>	<a href="#">L-Glutathione reduced BioChemica</a>	70-18-8	100 g, 5 g, 25 g
<a href="#">A1341</a>	<a href="#">L-Histidine base (Ph. Eur., USP) pure, pharma grade</a>	71-00-1	5 kg, 100 g, 1 kg
<a href="#">A3738</a>	<a href="#">L-Histidine base BioChemica</a>	71-00-1	100 g, 1 kg
<a href="#">A1591</a>	<a href="#">L-Histidine Hydrochloride 1-hydrate (Ph. Eur.) pure, pharma grade</a>	5934-29-2	500 g, 1 kg, 100 g
<a href="#">A3733</a>	<a href="#">L-Histidine Hydrochloride 1-hydrate BioChemica</a>	5934-29-2	100 g, 500 g
<a href="#">A1705</a>	<a href="#">L-Hydroxyproline pure</a>	51-35-4	250 g
<a href="#">146257</a>	<a href="#">Light liquid Paraffin (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	8042-47-5	1 L, 2.5 L
<a href="#">416893</a>	<a href="#">Lipase C Selective Enrichment (Supplement) for microbiology</a>		10 vials
<a href="#">176408</a>	<a href="#">Liquid Pepsin</a>	9001-75-6	5 L
<a href="#">A1440</a>	<a href="#">L-Isoleucine (Ph. Eur., USP) pure, pharma grade</a>	73-32-5	1 kg
<a href="#">416891</a>	<a href="#">Listeria Chromogenic Agar Base Acc. Ottaviani &amp; Agosti (ALOA)(ISO 11290-1) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">416894</a>	<a href="#">Listeria Selective Enrichment Chromogenic (Supplement) for microbiology</a>		10 vials
<a href="#">121928</a>	<a href="#">Lithium Hydroxide 1-hydrate for analysis</a>	1310-66-3	1 kg
<a href="#">A1426</a>	<a href="#">L-Leucine (Ph. Eur., USP) pure, pharma grade</a>	61-90-5	1 kg
<a href="#">A1342</a>	<a href="#">L-Lysine 1-hydrate (DAB) pure, pharma grade</a>	39665-12-8	100 g, 250 g
<a href="#">A1706</a>	<a href="#">L-Lysine Monohydrochloride (Ph. Eur., USP) pure, pharma grade</a>	657-27-2	1 kg, 25 kg
<a href="#">A1340</a>	<a href="#">L-Methionine (Ph. Eur., USP) pure, pharma grade</a>	63-68-3	1 kg, 100 g
<a href="#">A3144</a>	<a href="#">Loading buffer DNA I</a>		10 mL
<a href="#">A2571</a>	<a href="#">Loading buffer DNA II</a>		25 mL
<a href="#">A3481</a>	<a href="#">Loading buffer DNA IV (for Agarose gels)</a>		10 mL
<a href="#">A1343</a>	<a href="#">L-Ornithine Hydrochloride (DAB) pure, pharma grade</a>	3184-13-2	1 kg
<a href="#">A1344</a>	<a href="#">L-Phenylalanine (Ph. Eur., USP) pure, pharma grade</a>	63-91-2	100 g, 1 kg
<a href="#">A1707</a>	<a href="#">L-Proline (Ph. Eur., USP) pure, pharma grade</a>	147-85-3	1 kg, 20 kg, 100 g
<a href="#">A1708</a>	<a href="#">L-Serine (Ph. Eur., USP) pure, pharma grade</a>	56-45-1	100 g, 1 kg
<a href="#">A1419</a>	<a href="#">L-Threonine (Ph. Eur., USP) pure, pharma grade</a>	72-19-5	1 kg
<a href="#">A1645</a>	<a href="#">L-Tryptophan (Ph. Eur., USP) pure, pharma grade</a>	73-22-3	1 kg, 25 g, 100 g, 500 g
<a href="#">A3445</a>	<a href="#">L-Tryptophan BioChemica</a>	73-22-3	25 g, 100 g



Product number	Product name	CAS number	Pack sizes
<a href="#">A1677</a>	<a href="#">L-Tyrosine (Ph. Eur., USP) pure, pharma grade</a>	60-18-4	1 kg
<a href="#">A3401</a>	<a href="#">L-Tyrosine for cell culture</a>	60-18-4	1 kg
<a href="#">172174</a>	<a href="#">Luff-Schoorl's Reagent</a>		1 L
<a href="#">251774</a>	<a href="#">Lugol's Liquor with 0,4% of Iodine (diluted) for clinical diagnosis</a>		1 L, 100 mL, 250 mL
<a href="#">256977</a>	<a href="#">Lugol's Liquor with 0.33 % of Iodine (diluted) for clinical diagnosis</a>		250 mL
<a href="#">257041</a>	<a href="#">Lugol's Liquor with 5% of Iodine (concentrated) for clinical diagnosis</a>		100 mL, 500 mL, 1 L
<a href="#">A2185</a>	<a href="#">Luminol</a>	521-31-3	5 g, 25 g
<a href="#">414753</a>	<a href="#">Luria Broth Base (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A1637</a>	<a href="#">L-Valine (Ph. Eur., USP) pure, pharma grade</a>	72-18-4	1 kg
<a href="#">A3711</a>	<a href="#">Lysozyme BioChemica</a>	9001-63-2	10 g, 50 g, 1 g
<a href="#">A4972</a>	<a href="#">Lysozyme for molecular biology</a>	9001-63-2	1 g, 10 g
<a href="#">413779</a>	<a href="#">MacConkey Agar (Ph. Eur., ISO 21567) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">413780</a>	<a href="#">MacConkey Broth (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A5076</a>	<a href="#">Magnesium Chloride 25 mmol/l (25 mM) for molecular biology</a>		5 mL
<a href="#">141396</a>	<a href="#">Magnesium Chloride 6-hydrate (BP, Ph. Eur.) pure, pharma grade</a>	7791-18-6	5 kg, 250 g, 1 kg, 25 kg
<a href="#">201396</a>	<a href="#">Magnesium Chloride 6-hydrate (E-511, F.C.C.) food grade</a>	7791-18-6	25 kg
<a href="#">631396</a>	<a href="#">Magnesium Chloride 6-hydrate (Ph. Eur., BP) GMP - IPEC grade</a>	7791-18-6	25 kg
<a href="#">131396</a>	<a href="#">Magnesium Chloride 6-hydrate for analysis, ACS, ISO</a>	7791-18-6	500 g, 1 kg
<a href="#">A5324</a>	<a href="#">Magnesium Chloride solution (100 mM) for molecular biology</a>		1 mL
<a href="#">201927</a>	<a href="#">Magnesium Hydrogen Phosphate 3-hydrate (E-343ii, F.C.C.) food grade</a>	7782-75-4	25 kg
<a href="#">201840</a>	<a href="#">Magnesium Hydroxide (E-528, F.C.C.) food grade</a>	1309-42-8	25 kg
<a href="#">141945</a>	<a href="#">Magnesium metal, filings pure</a>	7439-95-4	25 kg, 5 kg
<a href="#">211841</a>	<a href="#">Magnesium metal, ribbon technical grade</a>	7439-95-4	25 g
<a href="#">131402</a>	<a href="#">Magnesium Nitrate 6-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	13446-18-9	25 kg, 1 kg
<a href="#">141276</a>	<a href="#">Magnesium Oxide light (BP, Ph. Eur.) pure, pharma grade</a>	1309-48-4	500 g, 1 kg
<a href="#">313184</a>	<a href="#">Magnesium standard solution Mg=1.000 g/l for AAS</a>		100 mL, 500 mL
<a href="#">786346</a>	<a href="#">Magnesium standard solution Mg=1.000 g/l for IC</a>		500 mL
<a href="#">187098</a>	<a href="#">Magnesium Sulfate 0.01 mol/l (0.02N) volumetric solution</a>		1 L
<a href="#">141673</a>	<a href="#">Magnesium Sulfate 65% dry, powder (BP) pure, pharma grade</a>	7487-88-9	25 kg
<a href="#">201404</a>	<a href="#">Magnesium Sulfate 7-hydrate (F.C.C.) food grade</a>	10034-99-8	25 kg
<a href="#">141404</a>	<a href="#">Magnesium Sulfate 7-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	10034-99-8	25 kg, 5 kg, 1 kg
<a href="#">131404</a>	<a href="#">Magnesium Sulfate 7-hydrate for analysis, ACS</a>	10034-99-8	500 g, 1 kg, 25 kg, 5 kg
<a href="#">212486</a>	<a href="#">Magnesium Sulfate anhydrous technical grade</a>	7487-88-9	1 kg, 5 kg
<a href="#">142486</a>	<a href="#">Magnesium Sulphate anhydrous pure</a>	7487-88-9	1 kg
<a href="#">251761</a>	<a href="#">Malachite Oxalate Green (C.I. 42000) for clinical diagnosis</a>	2437-29-8	100 g
<a href="#">141882</a>	<a href="#">Maleic Acid (BP, Ph. Eur.) pure, pharma grade</a>	110-16-7	1 kg, 25 kg
<a href="#">167082</a>	<a href="#">Malonic Acid for synthesis</a>	141-82-2	1 kg
<a href="#">403690</a>	<a href="#">Malt Extract (Ingredient) for microbiology</a>		500 g
<a href="#">413781</a>	<a href="#">Malt Extract Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">313185</a>	<a href="#">Manganese standard solution Mn=1.000 g/l for AAS</a>		100 mL, 500 mL
<a href="#">766052</a>	<a href="#">Manganese standard solution Mn=1.000 g/l for ICP</a>		100 mL
<a href="#">191410</a>	<a href="#">Manganese(II) Chloride 4-hydrate (USP) pharma grade</a>	13446-34-9	25 kg

Product number	Product name	CAS number	Pack sizes
<a href="#">131410</a>	<a href="#">Manganese(II) Chloride 4-hydrate for analysis, ACS</a>	13446-34-9	500 g
<a href="#">123224</a>	<a href="#">Manganese(II) Nitrate 4-hydrate for analysis</a>	20694-39-7	25 kg
<a href="#">201413</a>	<a href="#">Manganese(II) Sulfate 1-hydrate (F.C.C.) food grade</a>	10034-96-5	5 kg
<a href="#">131413</a>	<a href="#">Manganese(II) Sulfate 1-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	10034-96-5	500 g, 1 kg
<a href="#">413783</a>	<a href="#">Mannitol Salt Agar (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">414680</a>	<a href="#">Marine Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">414698</a>	<a href="#">Marine Broth (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">256692</a>	<a href="#">Masson's Trichrome Kit for clinical diagnosis</a>		Kit
<a href="#">416265</a>	<a href="#">Maximum Recovery Diluent (MRD) (ISO 6887) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">251416</a>	<a href="#">May Grünwald's Eosin-Methylene Blue solution for clinical diagnosis</a>		500 mL, 1 L, 2.5 L
<a href="#">254766</a>	<a href="#">Mayer's Hematoxylin solution for clinical diagnosis</a>		1 L, 500 mL
<a href="#">445463</a>	<a href="#">m-CP Agar (Prepared Plate (@ 55 mm)) for microbiology</a>		12 plates, 30 plates
<a href="#">403692</a>	<a href="#">Meat Extract (Ingredient) for microbiology</a>		500 g
<a href="#">A1325</a>	<a href="#">Medium 199 with Earle's salts</a>		50 L
<a href="#">A1386</a>	<a href="#">MEGA-8</a>	85316-98-9	500 g
<a href="#">ME-04547MC</a>	<a href="#">MEMBRANAS ME 0.45UM/47MM CULTIMED</a>		100 units
<a href="#">141421</a>	<a href="#">Mercury metal pure</a>	7439-97-6	1 kg
<a href="#">313186</a>	<a href="#">Mercury standard solution Hg=1.000 g/l for AAS</a>		500 mL
<a href="#">766060</a>	<a href="#">Mercury standard solution Hg=1.000 g/l for ICP</a>		100 mL
<a href="#">131417</a>	<a href="#">Mercury(II) Acetate (Reag. Ph. Eur.) for analysis, ACS</a>	1600-27-7	100 g
<a href="#">131419</a>	<a href="#">Mercury(II) Chloride (Reag. USP) for analysis, ACS</a>	7487-94-7	250 g, 100 g
<a href="#">121428</a>	<a href="#">Mercury(II) Iodide red for analysis</a>	7774-29-0	100 g
<a href="#">181424</a>	<a href="#">Mercury(II) Nitrate 0.05 mol/l (0.1N) volumetric solution</a>	10045-94-0	1 L
<a href="#">132166</a>	<a href="#">Mercury(II) Sulfate for analysis, ACS</a>	7783-35-9	100 g, 250 g
<a href="#">142166</a>	<a href="#">Mercury(II) Sulfate pure</a>	7783-35-9	1 kg, 100 g, 250 g
<a href="#">A1074</a>	<a href="#">MES 1-hydrate for buffer solutions</a>	145224-94-8	100 g, 250 g, 500 g, 1 kg
<a href="#">A0689</a>	<a href="#">MES anhydrous BioChemica</a>	4432-31-9	1 kg, 250 g, 500 g
<a href="#">135324</a>	<a href="#">meta-Phosphoric Acid stabilized with NaPO3 (Reag. Ph. Eur.) for analysis, ACS</a>	37267-86-0	100 g, 250 g
<a href="#">131091</a>	<a href="#">Methanol (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	67-56-1	2.5 L, 200 L, 5 L, 25 L, 1 L, 1 L, 2.5 L
<a href="#">221091</a>	<a href="#">Methanol (Reag. Ph. Eur.) for UHPLC Supergradient, ACS</a>	67-56-1	10 L, 200 L, 4 L, 30 L, 25 L, 1 L, 5 L, 200 L, 2.5 L
<a href="#">141091</a>	<a href="#">Methanol (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	67-56-1	2.5 L, 5 L, 25 L, 1 L
<a href="#">A3493</a>	<a href="#">Methanol BioChemica</a>	67-56-1	1 L, 5 L
<a href="#">481091</a>	<a href="#">Methanol dry (max. 0.005% water) - Karl Fischer's Reagent (Reag. Ph. Eur.), ACS, ISO</a>	67-56-1	1 L, 2.5 L
<a href="#">701091</a>	<a href="#">Methanol for LC-MS</a>	67-56-1	1 L, 2.5 L
<a href="#">321091</a>	<a href="#">Methanol for pesticide analysis</a>	67-56-1	2.5 L, 1 L
<a href="#">721091</a>	<a href="#">Methanol for UHPLC Hypergradient</a>	67-56-1	2.5 L
<a href="#">361091</a>	<a href="#">Methanol for UV, IR, HPLC, ACS</a>	67-56-1	4 L, 1 L, 2.5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">161091</a>	<a href="#">Methanol, 99.5% for synthesis</a>	67-56-1	25 L, 1 L, 5 L
<a href="#">176400</a>	<a href="#">Methanol/2-Propanol 4:1 v/v pure</a>		5 L
<a href="#">143332</a>	<a href="#">Methyl 4-Hydroxybenzoate (USP-NF, BP, Ph. Eur., JP) pure, pharma grade</a>	99-76-3	500 g
<a href="#">191704</a>	<a href="#">Methyl Green (C.I. 42585) (Ph. Fr.) pharma grade</a>	14855-76-6	5 kg
<a href="#">251704</a>	<a href="#">Methyl Green (C.I. 42585) for clinical diagnosis</a>	14855-76-6	5 g
<a href="#">131431</a>	<a href="#">Methyl Orange (C.I. 13025)(Reag. Ph. Eur.) for analysis, ACS</a>	547-58-0	25 g
<a href="#">281432</a>	<a href="#">Methyl Orange solution 0.1% (Reag. Ph. Eur.) for volumetric analysis</a>	547-58-0	100 mL, 250 mL
<a href="#">131617</a>	<a href="#">Methyl Red (C.I. 13020)(Reag. USP, Ph. Eur.) for analysis, ACS</a>	493-52-7	100 g, 10 g, 25 g
<a href="#">213234</a>	<a href="#">Methyl Red Sodium Salt (C.I. 13020) technical grade</a>	845-10-3	1 kg
<a href="#">281618</a>	<a href="#">Methyl Red solution 0.1% for volumetric analysis</a>		100 mL
<a href="#">A1402</a>	<a href="#">Methylene Blue (C.I. 52015) BioChemica</a>	61-73-4	25 g, 100 g
<a href="#">251170</a>	<a href="#">Methylene Blue (C.I. 52015) for clinical diagnosis</a>	61-73-4	250 g, 5 kg, 25 g, 100 g
<a href="#">121170</a>	<a href="#">Methylene Blue (C.I. 52015)(Reag. Ph. Eur.) for analysis</a>	61-73-4	100 g, 25 g
<a href="#">416895</a>	<a href="#">Minerals (modified) Glutamated Broth (MMGB) (ISO16649-3) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A2190</a>	<a href="#">Mitomycin C</a>	50-07-7	2 mg
<a href="#">177002</a>	<a href="#">Mixture 2-Propanol/Ethyl Acetate 89:11</a>		25 L
<a href="#">326165</a>	<a href="#">Mixture Cyclohexane/Ethyl Acetate 1:1 v/v for pesticide analysis</a>		25 L
<a href="#">175349</a>	<a href="#">Molecular Sieve 3A (0.3 nm)</a>	308080-99-1	1 kg
<a href="#">175350</a>	<a href="#">Molecular Sieve 4A (0.4 nm)</a>	308080-99-1	1 kg
<a href="#">766053</a>	<a href="#">Molybdenum standard solution Mo=1.000 g/l for ICP</a>		100 mL
<a href="#">A1076</a>	<a href="#">MOPS for buffer solutions</a>	1132-61-2	250 g, 5 kg, 500 g, 1 kg
<a href="#">A2947</a>	<a href="#">MOPS for molecular biology</a>	1132-61-2	1 kg, 100 g, 500 g
<a href="#">A4517</a>	<a href="#">MOPS Hemisodium Salt for buffer solutions</a>	117961-20-3	25 kg
<a href="#">15A828</a>	<a href="#">Morpholinium Iodide, 99% for synthesis</a>	58464-45-2	5 kg
<a href="#">255811</a>	<a href="#">Mounting Medium for substitutes of xylene for clinical diagnosis</a>		100 mL
<a href="#">413784</a>	<a href="#">MRS Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">413785</a>	<a href="#">MRS Broth (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">413787</a>	<a href="#">Mueller-Hinton Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">413788</a>	<a href="#">Mueller-Hinton Broth (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">766333</a>	<a href="#">Multielement standard solution 100 mg/l : Al, B,Ba, Be,Bi,Ca, Cd, Co, Cr, Cu, Fe, Ga, K, Li, Mg, Mn, Na, Ni, Pb, Se, Sr, Te, Tl, Zn for ICP</a>		100 mL
<a href="#">766335</a>	<a href="#">Multielement standard solution 100 mg/l: As, Be,Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Sb, Se, Sr, Ti, Tl, V, Zn for ICP</a>		100 mL
<a href="#">766332</a>	<a href="#">Multielement standard solution 1000 mg/l : Ag, Al, B, Ba, Bi, Ca ,Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Sr, Tl, Zn for ICP</a>		100 mL
<a href="#">786938</a>	<a href="#">Multielement standard solution, anionic IV for IC</a>		500 mL
<a href="#">786939</a>	<a href="#">Multielement standard solution, anionic V for IC</a>		100 mL
<a href="#">786941</a>	<a href="#">Multielement standard solution, cationic II for IC</a>		100 mL
<a href="#">A4718</a>	<a href="#">Mupirocin (USP) pure, pharma grade</a>	12650-69-0	5 g, 25 g
<a href="#">131436</a>	<a href="#">Murexide (C.I. 56085) (Reag. Ph. Eur.) for analysis, ACS</a>	3051-09-0	5 g
<a href="#">281437</a>	<a href="#">Murexide 1% in Sodium Chloride for volumetric analysis</a>		50 g
<a href="#">A5222</a>	<a href="#">Myco-1</a>		10 mL
<a href="#">A8360</a>	<a href="#">Myco-1 &amp; 2 Set</a>		1 Set
<a href="#">A5233</a>	<a href="#">Myco-2</a>		10 mL

Product number	Product name	CAS number	Pack sizes
<a href="#">A5240</a>	<a href="#">Myco-3</a>		20 mL, 100 mL, 10 mL
<a href="#">A8366</a>	<a href="#">Myco-4</a>		2 Kit
<a href="#">A1716</a>	<a href="#">myo-Inositol BioChemica</a>	87-89-8	100 g, 250 g, 10 kg
<a href="#">132751</a>	<a href="#">N-(1-Naphthyl) Ethylenediamine Dihydrochloride for analysis, ACS</a>	1465-25-4	25 g, 5 g
<a href="#">143145</a>	<a href="#">N,N-Dimethylacetamide (BP, Ph. Eur.) pure, pharma grade</a>	127-19-5	25 L, 200 L, 2.5 L
<a href="#">123145</a>	<a href="#">N,N-Dimethylacetamide (Reag. Ph. Eur.) for analysis</a>	127-19-5	1 L, 25 L
<a href="#">753145</a>	<a href="#">N,N-Dimethylacetamide for Headspace GC</a>	127-19-5	1 L
<a href="#">363145</a>	<a href="#">N,N-Dimethylacetamide for UV, IR, HPLC</a>	127-19-5	1 L, 2.5 L
<a href="#">131785</a>	<a href="#">N,N-Dimethylformamide (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	68-12-2	5 L, 1 L, 2.5 L, 25 L
<a href="#">481785</a>	<a href="#">N,N-Dimethylformamide dry (max. 0.005% water) over molecular sieves</a>	68-12-2	1 L, 2.5 L
<a href="#">751785</a>	<a href="#">N,N-Dimethylformamide for Headspace GC</a>	68-12-2	2.5 L, 1 L
<a href="#">361785</a>	<a href="#">N,N-Dimethylformamide for UV, IR, HPLC, GPC, ACS</a>	68-12-2	1 L, 2.5 L
<a href="#">161785</a>	<a href="#">N,N-Dimethylformamide, 99.8% for synthesis</a>	68-12-2	1 L, 2.5 L
<a href="#">355588</a>	<a href="#">N,O-Bis-(Trimethylsilyl)-Trifluoroacetamide for GC</a>	25561-30-2	25 mL, 10 mL
<a href="#">A0455</a>	<a href="#">N6-2'-O-Dibutryl-Adenosine 3',5'-Cyclophosphate Sodium Salt 1-hydrate BioChemica</a>	16980-89-5	250 mg, 1 g
<a href="#">A8174</a>	<a href="#">N-Acetyl-L-Cysteine BioChemica (non animal origin)</a>	616-91-1	5 kg
<a href="#">A1124</a>	<a href="#">NAD</a>	53-84-9	5 g, 10 g, 25 g, 1 g
<a href="#">A1393</a>	<a href="#">NADH Disodium Salt</a>	606-68-8	1 g, 5 g, 10 g
<a href="#">A1394</a>	<a href="#">NADP Sodium Salt</a>	1184-16-3	5 g, 250 mg, 50 g, 1 g
<a href="#">A1395</a>	<a href="#">NADPH Tetrasodium Salt</a>	2646-71-1	100 mg, 500 mg, 1 g
<a href="#">A1894</a>	<a href="#">Nalidixic acid BioChemica</a>	389-08-2	10 g, 100 g
<a href="#">A4454</a>	<a href="#">Naphthol AS-D Chloroacetate BioChemica</a>	35245-26-2	1 g
<a href="#">A1243</a>	<a href="#">NBT BioChemica</a>	298-83-9	1 g, 5 g
<a href="#">131202</a>	<a href="#">n-Butyl Acetate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	123-86-4	200 L, 1 L
<a href="#">15A689</a>	<a href="#">n-Butyric Acid, 99% for synthesis</a>	107-92-6	1 L
<a href="#">A6769</a>	<a href="#">n-Decyl-β-D-Maltoside for crystallography</a>	82494-09-5	5 g
<a href="#">A0819</a>	<a href="#">n-Dodecyl-β-D-Maltoside BioChemica</a>	69227-93-6	1 g, 5 g
<a href="#">171581</a>	<a href="#">Nessler's Reagent</a>		250 mL
<a href="#">122062</a>	<a href="#">n-Heptane (Reag. Ph. Eur.) for analysis</a>	142-82-5	2.5 L, 5 L, 200 L, 1 L
<a href="#">322062</a>	<a href="#">n-Heptane for pesticide analysis</a>	142-82-5	2.5 L
<a href="#">362062</a>	<a href="#">n-Heptane for UV, IR, HPLC</a>	142-82-5	2.5 L, 5 L, 30 L, 1 L
<a href="#">142062</a>	<a href="#">n-Heptane pure</a>	142-82-5	25 L, 30 L
<a href="#">162062</a>	<a href="#">n-Heptane, 99% for synthesis</a>	142-82-5	5 L, 30 L, 25 L, 1 L
<a href="#">132063</a>	<a href="#">n-Hexane (Reag. USP, Ph. Eur.) for analysis, ACS</a>	110-54-3	2.5 L, 1 L
<a href="#">133242</a>	<a href="#">n-Hexane 95% for analysis, ACS</a>	110-54-3	1 L, 2.5 L
<a href="#">173242</a>	<a href="#">n-Hexane 95% for EOX analysis</a>	110-54-3	2.5 L
<a href="#">323242</a>	<a href="#">n-Hexane 95% for pesticide analysis</a>	110-54-3	30 L, 1 L, 10 L, 2.5 L, 25 L

Product number	Product name	CAS number	Pack sizes
<a href="#">363242</a>	<a href="#">n-Hexane 95% for UV, IR, HPLC, ACS</a>	110-54-3	2.5 L, 10 L, 30 L, 1 L
<a href="#">143242</a>	<a href="#">n-Hexane 95% pure</a>	110-54-3	25 L, 200 L
<a href="#">362063</a>	<a href="#">n-Hexane for UV, IR, HPLC</a>	110-54-3	1 L, 2.5 L
<a href="#">313187</a>	<a href="#">Nickel standard solution Ni=1.000 g/l for AAS</a>		500 mL, 100 mL
<a href="#">766054</a>	<a href="#">Nickel standard solution Ni=1.000 g/l for ICP</a>		100 mL
<a href="#">141443</a>	<a href="#">Nickel(II) Chloride 6-hydrate pure</a>	7791-20-0	1 kg
<a href="#">A0959</a>	<a href="#">Nicotinamide (Ph. Eur., USP) pure, pharma grade</a>	98-92-0	250 g
<a href="#">A0963</a>	<a href="#">Nicotinic Acid (Ph. Eur., USP) pure, pharma grade</a>	59-67-6	100 g, 250 g
<a href="#">A0902</a>	<a href="#">Ninhydrin for analysis</a>	485-47-2	500 g, 10 g, 100 g
<a href="#">132362</a>	<a href="#">Ninhydrin for analysis, ACS</a>	485-47-2	100 g, 10 g
<a href="#">784237</a>	<a href="#">Nitrate standard solution NO<sub>3</sub>=1.000 g/l for IC</a>		500 mL
<a href="#">181040</a>	<a href="#">Nitric Acid 0.1 mol/l (0.1N) volumetric solution</a>	7697-37-2	1 L
<a href="#">181039</a>	<a href="#">Nitric Acid 1 mol/l (1N) volumetric solution</a>	7697-37-2	1 L
<a href="#">182112</a>	<a href="#">Nitric Acid 2 mol/l (2N) volumetric solution</a>	7697-37-2	1 L
<a href="#">127084</a>	<a href="#">Nitric Acid 20 % for analysis</a>	7697-37-2	2.5 L, 1 L
<a href="#">121737</a>	<a href="#">Nitric Acid 53% for analysis</a>	7697-37-2	1 L
<a href="#">471037</a>	<a href="#">Nitric Acid 69% (max. 0.0000005% Hg) for analysis</a>	7697-37-2	1 L, 2.5 L
<a href="#">131037</a>	<a href="#">Nitric Acid 69% (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	7697-37-2	5 L, 1 L, 2.5 L
<a href="#">141037</a>	<a href="#">Nitric Acid 69% (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	7697-37-2	1 L, 2.5 L, 25 L, 5 L
<a href="#">721037</a>	<a href="#">Nitric Acid 69% for trace metal analysis (ppb)</a>	7697-37-2	500 mL, 1 L, 2.5 L
<a href="#">381037</a>	<a href="#">Nitric Acid 69% for trace metal analysis (ppm)</a>	7697-37-2	250 mL, 1 L
<a href="#">711037</a>	<a href="#">Nitric Acid 69% for trace metal analysis (ppt)</a>	7697-37-2	250 mL, 500 mL
<a href="#">211037</a>	<a href="#">Nitric Acid 69% technical grade</a>	7697-37-2	5 L
<a href="#">121038</a>	<a href="#">Nitric Acid fuming (Reag. Ph. Eur.) for analysis</a>	7697-37-2	1 L
<a href="#">141038</a>	<a href="#">Nitric Acid fuming pure</a>	7697-37-2	1 L
<a href="#">786327</a>	<a href="#">Nitrite standard solution NO<sub>2</sub>=1.000 g/l for IC</a>		500 mL
<a href="#">161447</a>	<a href="#">Nitrobenzene, 99% for synthesis</a>	98-95-3	1 L
<a href="#">786325</a>	<a href="#">Nitrogen standard solution N=1.000 g/l for IC</a>		500 mL
<a href="#">765920</a>	<a href="#">Nitrogen standard solution N=1.000 g/l for ICP</a>	7783-20-2	100 mL
<a href="#">A3457</a>	<a href="#">N-Lauroylsarcosinate solution 30 % pure</a>		500 mL
<a href="#">A1163</a>	<a href="#">N-Lauroylsarcosine Sodium Salt ultrapure</a>	137-16-6	25 g
<a href="#">355587</a>	<a href="#">N-Methyl-N-(Trimethylsilyl) Trifluoroacetamide for GC</a>	24589-78-4	5 mL, 10 x 10 mL
<a href="#">A1010</a>	<a href="#">n-Octyl-β-D-Glucopyranoside BioChemica</a>	29836-26-8	25 g, 100 g, 10 g
<a href="#">Z46373</a>	<a href="#">n-Octyl-β-D-Glucopyranoside pure</a>	29836-26-8	1 kg
<a href="#">524167</a>	<a href="#">Non bleeding sticks pH 0.0-6.0 (gradation 0.5)</a>		100 Strips
<a href="#">524164</a>	<a href="#">Non bleeding sticks pH 0-14 (gradation 1.0)</a>		100 Strips
<a href="#">524165</a>	<a href="#">Non bleeding sticks pH 4.5-10.0 (gradation 0.5)</a>		100 Strips
<a href="#">524168</a>	<a href="#">Non bleeding sticks pH 7.0-14.0 (gradation 0.5)</a>		100 Strips
<a href="#">A0830</a>	<a href="#">Nonfat dried milk powder</a>		1 kg, 5 kg, 500 g
<a href="#">A1694</a>	<a href="#">Nonidet® P40 (Substitute) BioChemica</a>	127087-87-0	250 mL, 500 mL
<a href="#">A1944</a>	<a href="#">Novobiocin Sodium Salt BioChemica</a>	1476-53-5	10 g, 500 g
<a href="#">122006</a>	<a href="#">n-Pentane (Reag. USP, Ph. Eur.) for analysis</a>	109-66-0	1 L, 2.5 L, 25 L
<a href="#">362006</a>	<a href="#">n-Pentane for UV, IR, HPLC</a>	109-66-0	1 L, 2.5 L
<a href="#">142006</a>	<a href="#">n-Pentane pure</a>	109-66-0	1 L, 2.5 L, 5 L
<a href="#">141962</a>	<a href="#">n-Propyl Gallate (Ph. Eur., USP-NF) pure, pharma grade</a>	121-79-9	1 kg



Product number	Product name	CAS number	Pack sizes
<a href="#">413792</a>	<a href="#">Nutrient Agar (ISO 6579, ISO 10273, ISO 19250)(Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">443792</a>	<a href="#">Nutrient Agar (ISO 6579, ISO 10273, ISO 19250)(Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">453792</a>	<a href="#">Nutrient Agar (ISO 6579, ISO 10273, ISO 19250)(Prepared Plate (@ 90 mm)) for microbiology</a>		20 plates
<a href="#">413793</a>	<a href="#">Nutrient Broth (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A3811</a>	<a href="#">Nystatin 2-hydrate BioChemica</a>	1400-61-9	25 g, 5 g
<a href="#">A5030</a>	<a href="#">N-<math>\alpha</math>-Benzoyl-DL-Arginine p-Nitroanilide Hydrochloride BioChemica</a>	911-77-3	5 g
<a href="#">15A843</a>	<a href="#">o-Cresol, 99% for synthesis</a>	95-48-7	1 kg
<a href="#">192786</a>	<a href="#">Octanoic Acid (BP, Ph. Eur.) pharma grade</a>	124-07-2	10 L
<a href="#">414958</a>	<a href="#">OGYE Agar Base (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">142659</a>	<a href="#">Oleic Acid (Ph. Eur.) pure, pharma grade</a>	112-80-1	2.5 L, 25 L, 1 L
<a href="#">416276</a>	<a href="#">Orange Serum Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">251324</a>	<a href="#">Orcein for clinical diagnosis</a>	1400-62-0	25 g, 5 g
<a href="#">251993</a>	<a href="#">Orcein solution A hydroacetic-hydrochloric solution for clinical diagnosis</a>		100 mL
<a href="#">251994</a>	<a href="#">Orcein solution B hydroacetic solution for clinical diagnosis</a>		100 mL
<a href="#">147143</a>	<a href="#">ortho-Phosphoric Acid 10 % (Ph. Eur., USP-NF) pure, pharma grade</a>	7664-38-2	5 L
<a href="#">127143</a>	<a href="#">ortho-Phosphoric Acid 10 % for analysis</a>	7664-38-2	1 L
<a href="#">147067</a>	<a href="#">ortho-Phosphoric Acid 25 % pure</a>	7664-38-2	2.5 L, 1 L
<a href="#">147146</a>	<a href="#">ortho-Phosphoric Acid 5 % pure</a>	7664-38-2	10 L
<a href="#">141032</a>	<a href="#">ortho-Phosphoric Acid 85% (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	7664-38-2	2.5 L, 5 L, 25 L, 1 L
<a href="#">131032</a>	<a href="#">ortho-Phosphoric Acid 85% for analysis, ACS, ISO</a>	7664-38-2	5 L, 25 L, 1 L, 2.5 L
<a href="#">121744</a>	<a href="#">o-Tolidine (Reag. USP, Ph. Eur.) for analysis</a>	119-93-7	50 g
<a href="#">172417</a>	<a href="#">o-Tolidine solution 0.1%</a>	119-93-7	250 mL, 1 L
<a href="#">181043</a>	<a href="#">Oxalic Acid 0.05 mol/l (0.1N) (Reag. USP) volumetric solution</a>	6153-56-6	1 L
<a href="#">181042</a>	<a href="#">Oxalic Acid 0.5 mol/l (1N) volumetric solution</a>	6153-56-6	1 L
<a href="#">131041</a>	<a href="#">Oxalic Acid 2-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	6153-56-6	25 kg, 500 g, 1 kg
<a href="#">141041</a>	<a href="#">Oxalic Acid 2-hydrate pure</a>	6153-56-6	1 kg, 500 g
<a href="#">416444</a>	<a href="#">Oxidase Sticks for microbiology</a>		50 strips
<a href="#">175145</a>	<a href="#">OXI-OLEO-TEST</a>		pack
<a href="#">A0585</a>	<a href="#">Pancreatin</a>	8049-47-6	100 g, 500 g
<a href="#">A3824</a>	<a href="#">Papain</a>	9001-73-4	25 g
<a href="#">253594</a>	<a href="#">Papanicolaou's Solution EA 50 for clinical diagnosis</a>		500 mL, 1 L, 2.5 L
<a href="#">253892</a>	<a href="#">Papanicolaou's Solution OG 6 for clinical diagnosis</a>		2.5 L, 500 mL, 1 L
<a href="#">256876</a>	<a href="#">Paraffin Cleaner for clinical diagnosis</a>		6X100mL
<a href="#">213206</a>	<a href="#">Paraffin M.P. ~ 42-44°C pieces technical grade</a>	8002-74-2	1 kg, 5 kg
<a href="#">143209</a>	<a href="#">Paraffin M.P. 51-53°C pellets (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	8002-74-2	1 kg
<a href="#">253209</a>	<a href="#">Paraffin M.P. 51-53°C pellets for clinical diagnosis</a>	8002-74-2	1 kg
<a href="#">256993</a>	<a href="#">Paraffin M.P. 55-58°C plasticized + DMSO pellets for clinical diagnosis</a>	8002-74-2	6x1 kg, 10 kg
<a href="#">253211</a>	<a href="#">Paraffin M.P. 56-58°C pellets for clinical diagnosis</a>	8002-74-2	5 kg
<a href="#">A2135</a>	<a href="#">Paraffin Oil light for molecular biology</a>	8042-47-5	100 mL, 500 mL
<a href="#">141451</a>	<a href="#">Paraformaldehyde (DAC) pure, pharma grade</a>	30525-89-4	1 kg
<a href="#">A3813</a>	<a href="#">Paraformaldehyde BioChemica</a>	30525-89-4	1 kg

Product number	Product name	CAS number	Pack sizes
<a href="#">211511</a>	<a href="#">Paraformaldehyde tablets ~ 1g technical grade</a>	30525-89-4	25 kg, 250 g, 1 kg
<a href="#">A8187</a>	<a href="#">Patent Blue V Calcium salt (C.I. 42051)</a>	3536-49-0	25 g
<a href="#">A0965</a>	<a href="#">PBS buffer (10X Dulbecco's) - Powder</a>		100 L, 10 L, 50 L
<a href="#">A0964</a>	<a href="#">PBS buffer (1X, Dulbecco's) - Powder</a>		5 L, 1000 L, 10 L, 50 L, 1 L, 100 L
<a href="#">A9202</a>	<a href="#">PBS tablets pH 7.2 (for 1 L)</a>		10 Tabs, 100 Tabs
<a href="#">A9201</a>	<a href="#">PBS tablets pH 7.4 (for 1 L)</a>		10 Tabs, 100 Tabs
<a href="#">A9162</a>	<a href="#">PBS tablets pH 7.4 (for 100 ml)</a>		100 Tabs
<a href="#">A9177</a>	<a href="#">PBS tablets pH 7.4 (for 200 ml)</a>		100 Tabs
<a href="#">A9191</a>	<a href="#">PBS tablets pH 7.4 (for 500 ml)</a>		100 Tabs
<a href="#">A9742</a>	<a href="#">PCR Cycler Validation Kit</a>		2 Tests
<a href="#">A3744</a>	<a href="#">PCR Mycoplasma Test Kit</a>		20 Tests
<a href="#">A8994</a>	<a href="#">PCR Mycoplasma Test Kit II</a>		25 Tests, 50 Tests, 4 x 25 Tests
<a href="#">A8943</a>	<a href="#">Penicillin - Streptomycin (100X) for cell culture</a>		100 mL
<a href="#">A1837</a>	<a href="#">Penicillin G Potassium Salt BioChemica</a>	113-98-4	100 g, 1 kg
<a href="#">A4289</a>	<a href="#">Pepsin</a>	9001-75-6	100 g, 25 g
<a href="#">175208</a>	<a href="#">Pepsin 1:10.000 NF</a>	9001-75-6	1 kg
<a href="#">175748</a>	<a href="#">Pepsin Pack</a>		pack
<a href="#">A2205</a>	<a href="#">Pepstatin A</a>	26305-03-3	25 mg, 100 mg, 10 mg
<a href="#">A5841</a>	<a href="#">Pepton Water, Buffered</a>		500 g, 5 kg
<a href="#">A2208</a>	<a href="#">Peptone from casein (enzymatic digest)</a>	91079-40-2	500 g
<a href="#">A2210</a>	<a href="#">Peptone from Casein (pancreatic digest)</a>	91079-40-2	500 g
<a href="#">A2206</a>	<a href="#">Peptone from soybean (enzymatic digest) BioChemica</a>	100209-45-8	1 kg
<a href="#">413794</a>	<a href="#">Peptone Water (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">403695</a>	<a href="#">Peptone, Bacteriological (Ingredient) for microbiology</a>		500 g
<a href="#">143495</a>	<a href="#">Peracetic Acid 15 % pure</a>	79-21-0	5 L, 1 L
<a href="#">181047</a>	<a href="#">Perchloric Acid 0.1 mol/l (0.1N) in 1,4-dioxan (Reag. USP) volumetric solution</a>		1 L
<a href="#">181046</a>	<a href="#">Perchloric Acid 0.1 mol/l (0.1N) in acetic acid (Reag. USP, Ph. Eur.) volumetric solution</a>		1 L, 2.5 L
<a href="#">131054</a>	<a href="#">Perchloric Acid 60% for analysis, ACS, ISO</a>	7601-90-3	25 L, 1 L, 2.5 L
<a href="#">132175</a>	<a href="#">Perchloric Acid 70% for analysis, ACS, ISO</a>	7601-90-3	200 L, 1 L, 2.5 L
<a href="#">722175</a>	<a href="#">Perchloric Acid 70% for trace metal analysis (ppb)</a>	7601-90-3	500 mL, 1 L
<a href="#">142175</a>	<a href="#">Perchloric Acid 70% pure</a>	7601-90-3	2.5 L, 1 L
<a href="#">132320</a>	<a href="#">Periodic Acid (Reag. USP, Ph. Eur.) for analysis, ACS</a>	10450-60-9	100 g
<a href="#">142320</a>	<a href="#">Periodic Acid pure</a>	10450-60-9	100 g
<a href="#">A3791</a>	<a href="#">Peroxidase from horseradish Practical Grade I</a>	9003-99-0	25 KU
<a href="#">124809</a>	<a href="#">Petroleum Ether 100-120°C (Reag. Ph. Eur.) for analysis</a>	64742-49-0	1 L
<a href="#">125286</a>	<a href="#">Petroleum Ether 190-250°C-Kerosene for analysis</a>	64742-49-0	2.5 L, 5 L
<a href="#">191315</a>	<a href="#">Petroleum Ether 40-60°C (DAB) pharma grade</a>		5 L
<a href="#">131315</a>	<a href="#">Petroleum Ether 40-60°C for analysis, ACS, ISO</a>		25 L, 200 L, 10 L, 1 L, 2.5 L, 5 L, 30 L, 5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">321315</a>	<a href="#">Petroleum Ether 40-60°C for pesticide analysis</a>		10 L, 2.5 L
<a href="#">161315</a>	<a href="#">Petroleum Ether 40-60°C for synthesis</a>		5 L, 25 L, 25 L
<a href="#">121862</a>	<a href="#">Petroleum Ether 50-70°C (Reag. Ph. Eur.) for analysis</a>	64742-49-0	1 L
<a href="#">122701</a>	<a href="#">Petroleum Ether 60-80°C for analysis</a>	64742-49-0	5 L, 1 L
<a href="#">142701</a>	<a href="#">Petroleum Ether 60-80°C pure</a>	64742-49-0	25 L
<a href="#">141323</a>	<a href="#">Phenol 90% aqueous solution (USP) pure, pharma grade</a>	108-95-2	25 L, 1 L
<a href="#">144852</a>	<a href="#">Phenol crystalline (USP, BP, Ph. Eur.) pure, pharma grade</a>	108-95-2	5 kg, 1 kg
<a href="#">134852</a>	<a href="#">Phenol crystalline for analysis, ACS</a>	108-95-2	250 g, 1 kg
<a href="#">164852</a>	<a href="#">Phenol crystalline, 99 % for synthesis</a>	108-95-2	500 g
<a href="#">A1153</a>	<a href="#">Phenol equilibrated, stabilized</a>	108-95-2	100 mL, 250 mL, 500 mL
<a href="#">A0889</a>	<a href="#">Phenol equilibrated, stabilized : Chloroform : Isoamyl Alcohol 25 : 24 : 1</a>		100 mL, 250 mL, 500 mL
<a href="#">131322</a>	<a href="#">Phenol for analysis, ACS</a>	108-95-2	1 kg
<a href="#">A3276</a>	<a href="#">Phenol liquid non water-saturated, non stabilized BioChemica</a>	108-95-2	100 mL, 1 L
<a href="#">A0944</a>	<a href="#">Phenol non stabilized : Chloroform : Isoamyl Alcohol 25 : 24 : 1</a>		100 mL, 500 mL
<a href="#">A2489</a>	<a href="#">Phenol non-stabilized : Chloroform : Isoamyl Alcohol 25 : 24 : 1 + separate Tris solution</a>		500 mL
<a href="#">131615</a>	<a href="#">Phenol Red (Reag. USP) for analysis, ACS</a>	143-74-8	50 g, 5 g
<a href="#">A4233</a>	<a href="#">Phenol red sodium salt</a>	34487-61-1	100 g
<a href="#">A2279</a>	<a href="#">Phenol stabilized : Chloroform : Isoamyl Alcohol 25 : 24 : 1</a>		100 mL, 500 mL
<a href="#">A1578</a>	<a href="#">Phenol water-saturated, non-stabilized</a>	108-95-2	500 mL
<a href="#">A0444</a>	<a href="#">Phenol water-saturated, non-stabilized + separate Tris - Solution</a>	108-95-2	500 mL
<a href="#">A1624</a>	<a href="#">Phenol water-saturated, stabilized</a>	108-95-2	500 mL
<a href="#">A0447</a>	<a href="#">Phenol water-saturated, stabilized + separate Tris - Solution</a>	108-95-2	500 mL
<a href="#">125396</a>	<a href="#">Phenol-1,1,2,2-Tetrachloroethane 60:40 w/w for analysis</a>		2.5 L
<a href="#">131325</a>	<a href="#">Phenolphthalein (Reag. USP, Ph. Eur.) for analysis, ACS</a>	77-09-8	500 g, 100 g
<a href="#">A1826</a>	<a href="#">Phenolphthalein Diphosphate Tetrasodium Salt</a>	68807-90-9	200 g
<a href="#">283090</a>	<a href="#">Phenolphthalein solution 0.1 % for volumetric analysis</a>		100 mL
<a href="#">281326</a>	<a href="#">Phenolphthalein solution 0.2% for volumetric analysis</a>		100 mL
<a href="#">281327</a>	<a href="#">Phenolphthalein solution 1% (Reag. USP, Ph. Eur.) for volumetric analysis</a>		1 L, 250 mL
<a href="#">172866</a>	<a href="#">Phenolphthalein solution 2%</a>		500 mL, 2.5 L
<a href="#">784236</a>	<a href="#">Phosphate standard solution PO4=1.000 g/l for IC</a>		500 mL
<a href="#">A2271</a>	<a href="#">Phosphoenolpyruvate monopotassium salt BioChemica</a>	4265-07-0	5 g, 250 mg
<a href="#">131031</a>	<a href="#">Phosphomolybdic Acid x-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	51429-74-4	100 g
<a href="#">123573</a>	<a href="#">Phosphorous Acid 98 % for analysis</a>	13598-36-2	1 kg
<a href="#">766384</a>	<a href="#">Phosphorus standard solution P=1.000 g/l for ICP</a>		100 mL
<a href="#">141048</a>	<a href="#">Picric Acid moistened with ~ 33% of H2O (Reag. Ph. Eur.) pure</a>	88-89-1	5 kg, 500 g
<a href="#">251049</a>	<a href="#">Picric Acid saturated solution for clinical diagnosis</a>	88-89-1	500 mL
<a href="#">A2520</a>	<a href="#">Pikric Acid solution 1.2 % BioChemica</a>	88-89-1	1 L, 2.5 L
<a href="#">A1079</a>	<a href="#">PIPES for buffer solutions</a>	5625-37-6	100 g, 500 g
<a href="#">433799</a>	<a href="#">Plate Count Agar (PCA)(Contact Plate) for microbiology</a>		30 plates
<a href="#">453799</a>	<a href="#">Plate Count Agar (Prepared Plate(@ 90 mm)) for microbiology</a>		20 plates
<a href="#">A1288</a>	<a href="#">Pluronic® F-68 BioChemica</a>	9003-11-6	100 g, 500 g, 10 kg
<a href="#">A0999</a>	<a href="#">PMSF BioChemica</a>	329-98-6	1 kg, 5 g, 25 g, 100 g

Product number	Product name	CAS number	Pack sizes
<a href="#">A9727</a>	<a href="#">Polyanetholesulphonic Acid Sodium Salt BioChemica</a>	55963-78-5	1 kg, 25 g
<a href="#">A0445</a>	<a href="#">Polyethylene Glycol 200 BioChemica</a>	25322-68-3	5 L
<a href="#">142436</a>	<a href="#">Polyethylene Glycol 400 (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	25322-68-3	5 L, 1 L, 25 L
<a href="#">A2203</a>	<a href="#">Polyethylene Glycol 400 BioChemica</a>	25322-68-3	500 mL, 1 L
<a href="#">162436</a>	<a href="#">Polyethylene Glycol 400 for synthesis</a>	25322-68-3	5 L
<a href="#">163925</a>	<a href="#">Polyethylene Glycol 600 for synthesis</a>	25322-68-3	195 L
<a href="#">A1387</a>	<a href="#">Polyethylene Glycol 6000 BioChemica</a>	25322-68-3	1 kg, 5 kg
<a href="#">162439</a>	<a href="#">Polyethylene Glycol 6000 flakes for synthesis</a>	25322-68-3	1 kg
<a href="#">146224</a>	<a href="#">Polyethylene Glycol 8000 (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	25322-68-3	25 kg
<a href="#">A2204</a>	<a href="#">Polyethylene glycol 8000 BioChemica</a>	25322-68-3	500 g
<a href="#">A0890</a>	<a href="#">Polymyxin B Sulfate BioChemica</a>	1405-20-5	5 g, 10 g, 1 g
<a href="#">A2255</a>	<a href="#">Polyvinyl Alcohol 72000 BioChemica</a>	9002-89-5	250 g, 1 kg
<a href="#">A2258</a>	<a href="#">Polyvinylpyrrolidone (K15) BioChemica</a>	9003-39-8	1 kg, 250 g
<a href="#">A2259</a>	<a href="#">Polyvinylpyrrolidone (K30) BioChemica</a>	9003-39-8	250 g, 1 kg, 5 kg
<a href="#">A2260</a>	<a href="#">Polyvinylpyrrolidone (K90) for molecular biology</a>	9003-39-8	250 g, 1 kg
<a href="#">A2935</a>	<a href="#">Ponceau S solution</a>		500 mL
<a href="#">141479</a>	<a href="#">Potassium Acetate (BP, Ph. Eur.) pure, pharma grade</a>	127-08-2	1 kg
<a href="#">121479</a>	<a href="#">Potassium Acetate for analysis</a>	127-08-2	25 kg
<a href="#">A4279</a>	<a href="#">Potassium Acetate for molecular biology</a>	127-08-2	500 g, 1 kg
<a href="#">131159</a>	<a href="#">Potassium Antimony(III) Tartrate 3-hydrate for analysis, ACS</a>	28300-74-5	500 g
<a href="#">131487</a>	<a href="#">Potassium Bromate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	7758-01-2	25 kg, 500 g
<a href="#">141489</a>	<a href="#">Potassium Bromide (BP, USP, Ph. Eur.) pure, pharma grade</a>	7758-02-3	500 g, 5 kg
<a href="#">131489</a>	<a href="#">Potassium Bromide for analysis, ACS</a>	7758-02-3	500 g
<a href="#">331489</a>	<a href="#">Potassium Bromide for IR</a>	7758-02-3	250 g, 100 g
<a href="#">131490</a>	<a href="#">Potassium Carbonate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	584-08-7	500 g, 1 kg
<a href="#">191490</a>	<a href="#">Potassium Carbonate (USP, BP, Ph. Eur.) pharma grade</a>	584-08-7	25 kg
<a href="#">141490</a>	<a href="#">Potassium Carbonate pure</a>	584-08-7	25 kg, 1 kg
<a href="#">131493</a>	<a href="#">Potassium Chlorate (Reag. Ph. Eur.) for analysis, ACS</a>	3811-04-9	500 g
<a href="#">201494</a>	<a href="#">Potassium Chloride (E-508, F.C.C.) food grade</a>	7447-40-7	25 kg
<a href="#">131494</a>	<a href="#">Potassium Chloride (Reag. USP) for analysis, ACS, ISO</a>	7447-40-7	25 kg, 500 g, 1 kg, 5 kg
<a href="#">191494</a>	<a href="#">Potassium Chloride (USP, BP, Ph. Eur.) pharma grade</a>	7447-40-7	5 kg, 25 kg, 1 kg
<a href="#">282923</a>	<a href="#">Potassium Chloride 3 mol/l + Silver Chloride for volumetric analysis</a>		250 mL, 1 L
<a href="#">282775</a>	<a href="#">Potassium Chloride 3 mol/l for volumetric analysis</a>	7447-40-7	5 L, 250 mL, 1 L
<a href="#">A2939</a>	<a href="#">Potassium Chloride for molecular biology</a>	7447-40-7	500 g
<a href="#">131491</a>	<a href="#">Potassium Cyanide (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	151-50-8	250 g, 1 kg, 25 kg
<a href="#">201509</a>	<a href="#">Potassium di-Hydrogen Phosphate (E-340i, F.C.C.) food grade</a>	7778-77-0	25 kg
<a href="#">141509</a>	<a href="#">Potassium di-Hydrogen Phosphate (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	7778-77-0	1 kg, 5 kg, 25 kg, 500 g
<a href="#">A1043</a>	<a href="#">Potassium di-Hydrogen Phosphate BioChemica</a>	7778-77-0	500 g, 1 kg, 5 kg
<a href="#">131509</a>	<a href="#">Potassium di-Hydrogen Phosphate for analysis, ACS</a>	7778-77-0	500 g, 1 kg, 25 kg, 5 kg
<a href="#">121522</a>	<a href="#">Potassium Disulfite for analysis</a>	16731-55-8	500 g, 5 kg
<a href="#">121976</a>	<a href="#">Potassium Fluoride for analysis</a>	7789-23-3	500 g, 1 kg
<a href="#">141976</a>	<a href="#">Potassium Fluoride pure</a>	7789-23-3	5 kg
<a href="#">147058</a>	<a href="#">Potassium Fluoride solution 33 % pure</a>	7789-23-3	1 L
<a href="#">125507</a>	<a href="#">Potassium Hexachloroplatinate(IV) (Reag. USP) for analysis</a>	16921-30-5	1 g

Product number	Product name	CAS number	Pack sizes
<a href="#">131505</a>	<a href="#">Potassium Hexacyanoferrate(II) 3-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS, ISO</a>	14459-95-1	500 g, 1 kg, 25 kg
<a href="#">131503</a>	<a href="#">Potassium Hexacyanoferrate(III) (Reag. USP, Ph. Eur.) for analysis, ACS</a>	13746-66-2	500 g, 1 kg
<a href="#">121480</a>	<a href="#">Potassium Hydrogen Carbonate for analysis</a>	298-14-6	1 kg
<a href="#">131481</a>	<a href="#">Potassium Hydrogen Phthalate for analysis, ISO</a>	877-24-7	500 g, 1 kg, 25 kg
<a href="#">141481</a>	<a href="#">Potassium Hydrogen Phthalate pure</a>	877-24-7	500 g, 1 kg
<a href="#">241481</a>	<a href="#">Potassium Hydrogen Phthalate standard for volumetry, ACS, ISO</a>	877-24-7	10x1, 5 g, 100 g
<a href="#">121485</a>	<a href="#">Potassium Hydrogen Sulfate for analysis</a>	7646-93-7	25 kg, 1 kg
<a href="#">183336</a>	<a href="#">Potassium Hydroxide 0.1 mol/l (0.1N) in 2-propanol volumetric solution</a>		1 L
<a href="#">182146</a>	<a href="#">Potassium Hydroxide 0.1 mol/l (0.1N) in ethanol (Reag. USP, Ph.Eur.) volumetric solution</a>		1 L
<a href="#">182147</a>	<a href="#">Potassium Hydroxide 0.1 mol/l (0.1N) in methanol (Reag. USP) volumetric solution</a>		1 L
<a href="#">181521</a>	<a href="#">Potassium Hydroxide 0.1 mol/l (0.1N) volumetric solution</a>	1310-58-3	1 L
<a href="#">183354</a>	<a href="#">Potassium Hydroxide 0.23 mol/l (0.23N) volumetric solution</a>	1310-58-3	5 L, 10 L
<a href="#">181519</a>	<a href="#">Potassium Hydroxide 0.5 mol/l (0.5N) in ethanol (Reag. USP, Ph.Eur.) volumetric solution</a>		1 L
<a href="#">181520</a>	<a href="#">Potassium Hydroxide 0.5 mol/l (0.5N) in methanol volumetric solution</a>		1 L
<a href="#">181518</a>	<a href="#">Potassium Hydroxide 0.5 mol/l (0.5N) volumetric solution</a>	1310-58-3	1 L
<a href="#">621517</a>	<a href="#">Potassium Hydroxide 1 mol/l (1N) VINIKIT, for wine analysis</a>	1310-58-3	500 mL
<a href="#">181517</a>	<a href="#">Potassium Hydroxide 1 mol/l (1N) volumetric solution</a>	1310-58-3	1 L, 5 L
<a href="#">201515</a>	<a href="#">Potassium Hydroxide 85% pellets (E-525, F.C.C.) food grade</a>	1310-58-3	25 kg
<a href="#">141515</a>	<a href="#">Potassium Hydroxide 85% pellets (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	1310-58-3	5 kg, 25 kg, 1 kg
<a href="#">121515</a>	<a href="#">Potassium Hydroxide 85% pellets for analysis</a>	1310-58-3	1 kg, 5 kg, 500 g
<a href="#">131515</a>	<a href="#">Potassium Hydroxide 85% pellets for analysis, ACS</a>	1310-58-3	500 g, 1 kg
<a href="#">211514</a>	<a href="#">Potassium Hydroxide 90% flakes technical grade</a>	1310-58-3	10 Kg, 5 kg
<a href="#">142403</a>	<a href="#">Potassium Hydroxide solution 50 % pure</a>	1310-58-3	2.5 L, 5 L
<a href="#">131540</a>	<a href="#">Potassium Iodate (Reag. Ph. Eur.) for analysis, ACS</a>	7758-05-6	500 g, 100 g
<a href="#">241540</a>	<a href="#">Potassium Iodate standard for volumetry, ACS, ISO</a>	7758-05-6	100 g
<a href="#">201542</a>	<a href="#">Potassium Iodide (F.C.C.) food grade</a>	7681-11-0	5 kg
<a href="#">141542</a>	<a href="#">Potassium Iodide (USP, BP, Ph. Eur.) pure, pharma grade</a>	7681-11-0	100 g, 5 kg, 250 g, 500 g, 1 kg
<a href="#">182256</a>	<a href="#">Potassium Iodide 1 mol/l (1N) volumetric solution</a>	7681-11-0	1 L
<a href="#">183425</a>	<a href="#">Potassium Iodide 2 mol/l (2M) (pH 7.0) volumetric solution</a>	7681-11-0	5 L
<a href="#">A3872</a>	<a href="#">Potassium Iodide BioChemica</a>	7681-11-0	500 g
<a href="#">131542</a>	<a href="#">Potassium Iodide for analysis, ACS, ISO</a>	7681-11-0	500 g, 1 kg, 100 g, 5 kg, 250 g
<a href="#">171543</a>	<a href="#">Potassium Iodide solution 10% w/v</a>	7681-11-0	1 L, 250 mL
<a href="#">624572</a>	<a href="#">Potassium Iodide solution 30% w/v VINIKIT, for wine analysis</a>	7681-11-0	500 mL
<a href="#">141524</a>	<a href="#">Potassium Nitrate without anticaking (BP, Ph. Eur.) pure, pharma grade</a>	7757-79-1	25 kg, 5 kg
<a href="#">131524</a>	<a href="#">Potassium Nitrate without anticaking (Reag. Ph. Eur.) for analysis, ISO</a>	7757-79-1	25 kg, 500 g, 1 kg, 5 kg
<a href="#">131527</a>	<a href="#">Potassium Permanganate (Reag. USP) for analysis, ACS</a>	7722-64-7	1 kg, 10 Kg, 5 kg, 25 kg, 250 g
<a href="#">141527</a>	<a href="#">Potassium Permanganate (USP, BP, Ph. Eur.) pure, pharma grade</a>	7722-64-7	25 kg, 500 g, 1 kg



Product number	Product name	CAS number	Pack sizes
<a href="#">181790</a>	<a href="#">Potassium Permanganate 0.002 mol/l (0.01N) volumetric solution</a>	7722-64-7	1 L
<a href="#">303124</a>	<a href="#">Potassium Permanganate 0.02 mol (3.161g KMnO4) to prepare 1l of 0.1N solution</a>	7722-64-7	amp69mL
<a href="#">181529</a>	<a href="#">Potassium Permanganate 0.02 mol/l (0.1N) (Reag. USP) volumetric solution</a>	7722-64-7	1 L, 2.5 L
<a href="#">182651</a>	<a href="#">Potassium Permanganate 0.1 mol/l (0.5N) volumetric solution</a>	7722-64-7	25 L, 1 L
<a href="#">181528</a>	<a href="#">Potassium Permanganate 0.2 mol/l (1N) volumetric solution</a>	7722-64-7	1 L
<a href="#">121525</a>	<a href="#">Potassium Peroxodisulphate (Reag. Ph. Eur.) for analysis</a>	7727-21-1	500 g
<a href="#">131729</a>	<a href="#">Potassium Sodium Tartrate 4-hydrate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	6381-59-5	1 kg, 5 kg, 25 kg, 500 g
<a href="#">141531</a>	<a href="#">Potassium Sorbate (BP, Ph. Eur.) pure, pharma grade</a>	24634-61-5	1 kg
<a href="#">313190</a>	<a href="#">Potassium standard solution K=1.000 g/l for AAS</a>		100 mL, 500 mL
<a href="#">784242</a>	<a href="#">Potassium standard solution K=1.000 g/l for IC</a>		500 mL
<a href="#">131532</a>	<a href="#">Potassium Sulfate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	7778-80-5	5 kg, 500 g, 1 kg
<a href="#">141532</a>	<a href="#">Potassium Sulfate pure</a>	7778-80-5	500 g, 1 kg, 5 kg
<a href="#">414724</a>	<a href="#">Potassium Tellurite solution 3.5% (Supplement) for microbiology</a>		100 mL
<a href="#">131534</a>	<a href="#">Potassium Thiocyanate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	333-20-0	500 g, 1 kg
<a href="#">181535</a>	<a href="#">Potassium Thiocyanate 0.1 mol/l (0.1N) (Reag. USP) volumetric solution</a>	333-20-0	1 L
<a href="#">141534</a>	<a href="#">Potassium Thiocyanate pure</a>	333-20-0	25 kg, 500 g, 1 kg
<a href="#">413758</a>	<a href="#">Potato Glucose Agar (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A2261</a>	<a href="#">Propidium Iodide BioChemica</a>	25535-16-4	100 mg, 25 mg
<a href="#">161810</a>	<a href="#">Propionic Acid, 99% for synthesis</a>	79-09-4	1 L
<a href="#">15A983</a>	<a href="#">Propionic Anhydride for synthesis</a>	123-62-6	197 L
<a href="#">365732</a>	<a href="#">Propionitrile for UV, HPLC</a>	107-12-0	1 L
<a href="#">A3459</a>	<a href="#">Protease from Streptomyces griseus</a>	9036-06-0	1 g, 5 g
<a href="#">A7779</a>	<a href="#">Protease Inhibitor Cocktail 5 MammCell/Tissue</a>		1 mL
<a href="#">A4402</a>	<a href="#">Protein Marker III (6.5 - 200)</a>		1 mL
<a href="#">A8889</a>	<a href="#">Protein Marker VI (10 - 245) prestained</a>		500 µL
<a href="#">A3830</a>	<a href="#">Proteinase K</a>	39450-01-6	500 mg, 25 mg, 100 mg
<a href="#">A4392</a>	<a href="#">Proteinase K solution</a>		10 mL, 1 mL, 5 mL
<a href="#">A7932</a>	<a href="#">Proteinase K, recombinant</a>	39450-01-6	500 mg, 100 mg
<a href="#">443752</a>	<a href="#">Pseudomonas CN (EN ISO 16266) (Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">413752</a>	<a href="#">Pseudomonas CN Agar Base (EN ISO 16266)(Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">211835</a>	<a href="#">Pumice Stone granules technical grade</a>		5 kg, 500 g
<a href="#">A5239</a>	<a href="#">Pure Nitrocellulose unsupported 0.45 µm Transfer Membrane</a>		1 roll
<a href="#">141074</a>	<a href="#">Purified Water (BP, Ph. Eur.) pure, pharma grade</a>	7732-18-5	10 L
<a href="#">A2856</a>	<a href="#">Puromycin dihydrochloride BioChemica</a>	58-58-2	25 mg, 100 mg, 10 mg
<a href="#">131457</a>	<a href="#">Pyridine (Reag. USP, Ph. Eur.) for analysis, ACS</a>	110-86-1	2.5 L, 25 L, 1 L
<a href="#">481457</a>	<a href="#">Pyridine dry (max. 0.01% water) (Reag. Ph. Eur.), ACS</a>	110-86-1	1 L
<a href="#">161457</a>	<a href="#">Pyridine, 99% for synthesis</a>	110-86-1	1 L, 2.5 L
<a href="#">A0960</a>	<a href="#">Pyridoxal Hydrochloride BioChemica</a>	65-22-5	25 g, 1 kg

Product number	Product name	CAS number	Pack sizes
<a href="#">A8093</a>	<a href="#">Pyridoxine Hydrochloride (Ph. Eur., USP) pure, pharma grade</a>	58-56-0	100 g
<a href="#">131050</a>	<a href="#">Pyrogalllic Acid (Reag. Ph. Eur.) for analysis, ACS</a>	87-66-1	5 kg, 100 g
<a href="#">15A915</a>	<a href="#">Pyruvic Acid, 98% for synthesis</a>	127-17-3	5 L
<a href="#">A9801</a>	<a href="#">qPCR Cyler Validation Kit</a>		2 Tests
<a href="#">A9019</a>	<a href="#">qPCR Mycoplasma Test Kit</a>		25 Tests
<a href="#">176969</a>	<a href="#">QuEChERS dispersive EN15662 Method</a>		50x1, 05g
<a href="#">176967</a>	<a href="#">QuEChERS extraction EN15662 Method</a>		1 kg, 50x6, 5g
<a href="#">416197</a>	<a href="#">R2A Agar (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">414959</a>	<a href="#">Rappaport-Vassiliadis (RVS) Broth (ISO 6579, ISO 19250)(Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">624901</a>	<a href="#">Rebelein's Kit VINIKIT, for wine analysis</a>		Kit
<a href="#">125416</a>	<a href="#">Red Primary Solution (BP, Ph. Eur.) for analysis</a>		100 mL
<a href="#">395443</a>	<a href="#">Redox Standard 220 mV (25°C)</a>		250 mL
<a href="#">395442</a>	<a href="#">Redox Standard 468 mV (25°C)</a>		250 mL
<a href="#">141603</a>	<a href="#">Resorcinol (USP, BP, Ph. Eur.) pure, pharma grade</a>	108-46-3	25 kg, 100 g
<a href="#">255115</a>	<a href="#">Reticulin Kit for clinical diagnosis</a>		Kit
<a href="#">A3930</a>	<a href="#">Rhodamine B (C.I. 45170)</a>	81-88-9	100 g
<a href="#">251604</a>	<a href="#">Rhodamine B (C.I. 45170) for clinical diagnosis</a>	81-88-9	100 g
<a href="#">A6279</a>	<a href="#">Riboflavin (Ph. Eur., USP) pure, pharma grade</a>	83-88-5	100 g, 250 g
<a href="#">A2220</a>	<a href="#">Rifampicin</a>	13292-46-1	1 g, 5 g
<a href="#">A2760</a>	<a href="#">RNase A</a>	9001-99-4	500 mg, 1 g, 100 mg
<a href="#">A3832</a>	<a href="#">RNase A (DNase-free)</a>	9001-99-4	50 mg, 250 mg, 500 mg
<a href="#">A7153</a>	<a href="#">RNase-ExitusPlus™</a>		500 mL, 1 L, 2.5 L
<a href="#">A4439</a>	<a href="#">Rose Bengal (C.I. 45440)</a>	632-69-9	50 g
<a href="#">414855</a>	<a href="#">Rose Bengal Chloramphenicol Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A1538</a>	<a href="#">RPMI 1640 - Powder Medium</a>		10 L
<a href="#">A3135</a>	<a href="#">RPMI 1640 - Powder Medium</a>		50 L
<a href="#">A4240</a>	<a href="#">Rubidium Chloride BioChemica</a>	7791-11-9	10 g, 50 g
<a href="#">413802</a>	<a href="#">Sabouraud Glucose Agar (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">433842</a>	<a href="#">Sabouraud Glucose Agar+Chloramphenicol (Ph. Eur.) (Contact Plate) for microbiology</a>		30 plates, 80 plates
<a href="#">413842</a>	<a href="#">Sabouraud Glucose Agar+Chloramphenicol (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">456213</a>	<a href="#">Sabouraud Glucose Agar+Chloramphenicol (Ph. Eur.) (irradiated) (Prepared Plate (@ 90 mm)) for microbiology</a>		20 plates
<a href="#">453842</a>	<a href="#">Sabouraud Glucose Agar+Chloramphenicol (Ph. Eur.) (Prepared Plate (@ 90 mm)) for microbiology</a>		20 plates
<a href="#">251622</a>	<a href="#">Safranin O (C.I. 50240) for clinical diagnosis</a>	477-73-6	50 g
<a href="#">A0427</a>	<a href="#">Safranin O (C.I. 50240) for microscopy</a>	477-73-6	100 g
<a href="#">141045</a>	<a href="#">Salicylic Acid (USP, BP, Ph. Eur.) pure, pharma grade</a>	69-72-7	500 g, 1 kg
<a href="#">A2159</a>	<a href="#">Salmon sperm DNA sodium salt (sonified)</a>	9007-49-2	1 g, 5 g
<a href="#">413805</a>	<a href="#">Salmonella Shigella Agar (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A4518</a>	<a href="#">Saponin from Quillaja Bark (DAB) pure, pharma grade</a>	8047-15-2	100 g
<a href="#">A2542</a>	<a href="#">Saponin from Quillaja Bark pure</a>	8047-15-2	1 kg, 100 g, 500 g

Product number	Product name	CAS number	Pack sizes
<a href="#">251588</a>	<a href="#">Schiff's Reagent for clinical diagnosis</a>		1 L
<a href="#">A0676</a>	<a href="#">SDS - solution 10 % for molecular biology</a>		1 L, 250 mL, 500 mL
<a href="#">A0675</a>	<a href="#">SDS - solution 20 % for molecular biology</a>		500 mL, 1 L, 250 mL
<a href="#">142363</a>	<a href="#">SDS (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	151-21-3	1 kg, 25 kg, 5 kg, 250 g
<a href="#">182792</a>	<a href="#">SDS 0.004 mol/l volumetric solution</a>	151-21-3	1 L
<a href="#">A2572</a>	<a href="#">SDS BioChemica</a>	151-21-3	250 g, 500 g, 1 kg, 25 kg
<a href="#">132363</a>	<a href="#">SDS for analysis, ACS</a>	151-21-3	250 g, 5 kg, 50 g
<a href="#">A2263</a>	<a href="#">SDS for molecular biology</a>	151-21-3	1 kg, 100 g, 500 g
<a href="#">A7249</a>	<a href="#">SDS grained pure</a>	151-21-3	500 g, 1 kg, 5 kg
<a href="#">A3950</a>	<a href="#">SDS solution 10 % pure</a>		1 L
<a href="#">146132</a>	<a href="#">SDS solution 10% w/v pure</a>	151-21-3	10 L
<a href="#">A3942</a>	<a href="#">SDS solution 20 % pure</a>		1 L
<a href="#">A1112</a>	<a href="#">SDS ultrapure</a>	151-21-3	100 g, 500 g, 1 kg
<a href="#">A1415</a>	<a href="#">SDS-Tris-Glycine buffer (10X) BioChemica</a>		1 L
<a href="#">121160</a>	<a href="#">Sea Sand for analysis</a>	14808-60-7	2.5 kg, 5 kg, 25 kg, 1 kg
<a href="#">211161</a>	<a href="#">Sea Sand washed, thick grain technical grade</a>	14808-60-7	1 kg, 5 kg
<a href="#">141625</a>	<a href="#">Selenium metal powder pure</a>	7782-49-2	50 g
<a href="#">313191</a>	<a href="#">Selenium standard solution Se=1.000 g/l for AAS</a>		100 mL
<a href="#">766055</a>	<a href="#">Selenium standard solution Se=1.000 g/l for ICP</a>		100 mL
<a href="#">355650</a>	<a href="#">Silan-Sterol-1 for GC</a>		20x1mL
<a href="#">135571</a>	<a href="#">Silica Gel 2,5-6 mm with indicator (without cobalt chloride) for analysis, ACS</a>	112926-00-8	5 kg, 1 kg, 25 kg
<a href="#">131335</a>	<a href="#">Silica Gel 3-5 mm with indicator (with cobalt chloride) for analysis, ACS</a>	112926-00-8	1 kg, 25 kg, 5 kg
<a href="#">176448</a>	<a href="#">Silica Gel 60, 40-63 microns</a>	112926-00-8	5 kg, 1 kg
<a href="#">174275</a>	<a href="#">Silica Gel 60, 63-200 microns</a>	112926-00-8	25 kg, 1 kg
<a href="#">142475</a>	<a href="#">Siliceous Earth purified and calcined (USP-NF) pure, pharma grade</a>	91053-39-3	1 kg
<a href="#">312683</a>	<a href="#">Silicon standard solution Si=1.00 g/l for AAS</a>		500 mL
<a href="#">765997</a>	<a href="#">Silicon standard solution Si=1.000 g/l for ICP</a>		100 mL
<a href="#">216241</a>	<a href="#">Silicone antifoaming liquid (AQ) technical grade</a>		500 mL
<a href="#">211628</a>	<a href="#">Silicone antifoaming liquid (ORG) technical grade</a>		500 mL, 100 mL, 250 mL
<a href="#">211630</a>	<a href="#">Silicone paste A technical grade</a>		100 g
<a href="#">211631</a>	<a href="#">Silicone paste B technical grade</a>		100 g, 50 g
<a href="#">141459</a>	<a href="#">Silver Nitrate (BP, Ph. Eur.) pure, pharma grade</a>	7761-88-8	250 g, 1 kg, 25 g, 100 g
<a href="#">131459</a>	<a href="#">Silver Nitrate (Reag. USP) for analysis, ACS, ISO</a>	7761-88-8	25 g, 100 g, 250 g
<a href="#">182564</a>	<a href="#">Silver Nitrate 0.01 mol/l (0.01N) volumetric solution</a>	7761-88-8	2.5 L, 1 L
<a href="#">181465</a>	<a href="#">Silver Nitrate 0.02 mol/l (0.02N) volumetric solution</a>	7761-88-8	1 L
<a href="#">182115</a>	<a href="#">Silver Nitrate 0.05 mol/l (0.05N) volumetric solution</a>	7761-88-8	1 L
<a href="#">303117</a>	<a href="#">Silver Nitrate 0.1 mol (16.987g AgNO3) to prepare 1l of 0.1N solution</a>	7761-88-8	amp61mL
<a href="#">186983</a>	<a href="#">Silver Nitrate 0.1 mol/l (0.1N) (Reag. USP) volumetric solution</a>	7761-88-8	1 L
<a href="#">181464</a>	<a href="#">Silver Nitrate 0.1 mol/l (0.1N) volumetric solution</a>	7761-88-8	1 L, 2.5 L, 10 L
<a href="#">185560</a>	<a href="#">Silver Nitrate 0.5 mol/l (0.5N) volumetric solution</a>	7761-88-8	1 L, 2.5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">182116</a>	<a href="#">Silver Nitrate 1 mol/l (1N) volumetric solution</a>	7761-88-8	1 L
<a href="#">131801</a>	<a href="#">Silver Sulfate for analysis, ACS</a>	10294-26-5	25 g, 100 g, 250 g
<a href="#">283098</a>	<a href="#">Silver Sulfate solution 10 g/l in sulfuric acid for volumetric analysis</a>		1 L, 2.5 L
<a href="#">282922</a>	<a href="#">Silver Sulfate solution 6.6 g/l in sulfuric acid for volumetric analysis</a>		1 L
<a href="#">A5316</a>	<a href="#">Sinigrin 1-hydrate pure</a>	3952-98-5	1 g
<a href="#">413812</a>	<a href="#">Slanetz Bartley Medium (ISO 7899-2:2000) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">443812</a>	<a href="#">Slanetz Bartley Medium (ISO 7899-2:2000) (Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">435895</a>	<a href="#">Slide PCA/PCA for microbiology</a>		20 units
<a href="#">435896</a>	<a href="#">Slide PCA/RB for microbiology</a>		20 units
<a href="#">435897</a>	<a href="#">Slide PCA/VRBG for microbiology</a>		20 units
<a href="#">212778</a>	<a href="#">Soda Lime with indicator technical grade</a>	8006-28-8	1 kg
<a href="#">131632</a>	<a href="#">Sodium Acetate 3-hydrate (Reag. USP) for analysis, ACS, ISO</a>	6131-90-4	1 kg, 25 kg, 500 g
<a href="#">191632</a>	<a href="#">Sodium Acetate 3-hydrate (USP, BP, Ph. Eur.) pharma grade</a>	6131-90-4	25 kg
<a href="#">141632</a>	<a href="#">Sodium Acetate 3-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	6131-90-4	1 kg, 5 kg, 25 kg
<a href="#">131633</a>	<a href="#">Sodium Acetate anhydrous (Reag. Ph. Eur.) for analysis, ACS</a>	127-09-3	500 g, 1 kg, 25 kg, 5 kg
<a href="#">A4555</a>	<a href="#">Sodium Acetate anhydrous for molecular biology</a>	127-09-3	1 kg
<a href="#">A3249</a>	<a href="#">Sodium alginate BioChemica</a>	9005-38-3	100 g, 250 g, 1 kg, 25 kg
<a href="#">122712</a>	<a href="#">Sodium Azide (Reag. USP, Ph. Eur.) for analysis</a>	26628-22-8	100 g, 1 kg
<a href="#">A1430</a>	<a href="#">Sodium Azide pure</a>	26628-22-8	500 g, 1 kg, 100 g
<a href="#">162712</a>	<a href="#">Sodium Azide, 99% for synthesis</a>	26628-22-8	100 g, 5 kg
<a href="#">141637</a>	<a href="#">Sodium Benzoate (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	532-32-1	5 kg, 1 kg
<a href="#">123314</a>	<a href="#">Sodium Borohydride for analysis</a>	16940-66-2	100 g, 25 g
<a href="#">163314</a>	<a href="#">Sodium Borohydride, 96% for synthesis</a>	16940-66-2	100 g
<a href="#">141646</a>	<a href="#">Sodium Bromide (BP, Ph. Eur.) pure, pharma grade</a>	7647-15-6	500 g
<a href="#">131647</a>	<a href="#">Sodium Carbonate 10-hydrate for analysis, ISO</a>	6132-02-1	1 kg
<a href="#">141647</a>	<a href="#">Sodium Carbonate 10-hydrate pure</a>	6132-02-1	25 kg
<a href="#">131648</a>	<a href="#">Sodium Carbonate anhydrous (Reag. USP, Ph. Eur.) for analysis, ACS</a>	497-19-8	1 kg, 25 kg, 5 kg, 500 g
<a href="#">141648</a>	<a href="#">Sodium Carbonate anhydrous (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	497-19-8	25 kg, 5 kg, 1 kg
<a href="#">241648</a>	<a href="#">Sodium Carbonate anhydrous standard for volumetry, ACS, ISO</a>	497-19-8	100 g
<a href="#">631659</a>	<a href="#">Sodium Chloride (Ph. Eur, BP, USP) low in endotoxins, GMP - IPEC grade</a>	7647-14-5	25 kg
<a href="#">141659</a>	<a href="#">Sodium Chloride (USP, BP, Ph. Eur., JP) pure, pharma grade</a>	7647-14-5	1 kg, 5 kg, 25 kg, 500 g
<a href="#">A7006</a>	<a href="#">Sodium Chloride 5 mol/l (5 M) for molecular biology</a>		1 L
<a href="#">381659</a>	<a href="#">Sodium Chloride 99.9 %</a>	7647-14-5	5 kg, 25 kg, 1 kg
<a href="#">171659</a>	<a href="#">Sodium Chloride ASTM B117, ISO 9227</a>	7647-14-5	10 kg, 25 kg, 1 kg
<a href="#">A1149</a>	<a href="#">Sodium Chloride BioChemica</a>	7647-14-5	25 kg
<a href="#">131659</a>	<a href="#">Sodium Chloride for analysis, ACS, ISO</a>	7647-14-5	1 kg, 5 kg, 25 kg, 500 g
<a href="#">A2942</a>	<a href="#">Sodium Chloride for molecular biology</a>	7647-14-5	5 kg, 1 kg
<a href="#">146994</a>	<a href="#">Sodium Chloride pure, free-flowing</a>	7647-14-5	25 kg, 5 kg

Product number	Product name	CAS number	Pack sizes
A1671	Sodium Chloride solution 0.9 %, sterile		1 L, 100 mL, 250 mL, 500 mL
175305	Sodium Chloride solution ASTM B117, ISO 9227	7647-14-5	25 L
241659	Sodium Chloride standard for volumetry, ACS, ISO	7647-14-5	100 g
206994	Sodium Chloride with anticaking (F.C.C.) food grade	7647-14-5	25 kg
161977	Sodium Chlorite solution 25% w/w for synthesis	7758-19-2	1 L
A0979	Sodium Cholate BioChemica	361-09-1	100 g
141652	Sodium Cyanide pure	143-33-9	250 g, 5 kg
A1531	Sodium Deoxycholate BioChemica	302-95-4	5 kg, 25 g, 100 g
131965	Sodium di-Hydrogen Phosphate 1-hydrate (Reag. Ph. Eur.) for analysis, ACS	10049-21-5	1 kg, 500 g
141965	Sodium di-Hydrogen Phosphate 1-hydrate (USP, BP) pure, pharma grade	10049-21-5	25 kg
141677	Sodium di-Hydrogen Phosphate 2-hydrate (USP, BP, Ph. Eur.) pure, pharma grade	13472-35-0	5 kg, 25 kg, 1 kg
121677	Sodium di-Hydrogen Phosphate 2-hydrate for analysis	13472-35-0	25 kg, 1 kg, 5 kg
122018	Sodium di-Hydrogen Phosphate anhydrous for analysis	7558-80-7	500 g
141698	Sodium Disulfite (USP-NF, BP, Ph. Eur.) pure, pharma grade	7681-57-4	25 kg, 1 kg, 5 kg
131698	Sodium Disulfite for analysis, ACS	7681-57-4	500 g
211685	Sodium Dithionite technical grade	7775-14-6	1 kg
141675	Sodium Fluoride (USP) pure, pharma grade	7681-49-4	5 kg, 1 kg, 25 kg
131675	Sodium Fluoride for analysis, ACS, ISO	7681-49-4	500 g, 1 kg, 25 kg
143289	Sodium Formaldehyde Sulfoxylate x-hydrate (USP-NF) pure, pharma grade	149-44-0	5 kg
131663	Sodium Hexanitrocobaltate(III) (Reag. Ph. Eur.) for analysis, ACS	13600-98-1	5 kg, 100 g
631638	Sodium Hydrogen Carbonate (Ph. Eur, BP, USP) GMP - IPEC grade	144-55-8	25 kg
141638	Sodium Hydrogen Carbonate (USP, BP, Ph. Eur.) pure, pharma grade	144-55-8	25 kg, 1 kg, 5 kg
131638	Sodium Hydrogen Carbonate for analysis, ACS, ISO	144-55-8	1 kg, 25 kg, 500 g
211642	Sodium Hydrogen Sulfite solution 40% w/v technical grade	7631-90-5	1 L
181845	Sodium Hydroxide 0.01 mol/l (0.01N) volumetric Solution		1 L
621845	Sodium Hydroxide 0.01 mol/l VINIKIT, for wine analysis	1310-73-2	500 mL
183397	Sodium Hydroxide 0.02 mol/l (0.02N) standard volumetric solution	1310-73-2	1 L
182153	Sodium Hydroxide 0.05 mol/l (0.05N) standard volumetric solution	1310-73-2	1 L
303125	Sodium Hydroxide 0.1 mol (4.000g NaOH) to prepare 1l of 0.1N solution	1310-73-2	amp54mL
181694	Sodium Hydroxide 0.1 mol/l (0.1N) (Reag. USP, Ph.Eur.) volumetric solution	1310-73-2	10 L, 1 L
182284	Sodium Hydroxide 0.1 mol/l (0.1N) in ethanol volumetric solution	1310-73-2	1 L
181693	Sodium Hydroxide 0.1 mol/l (0.1N) volumetric solution	1310-73-2	5 L, 10 L, 1 L
183154	Sodium Hydroxide 0.111 mol/l (0.111N) according to Dornic standard volumetric solution	1310-73-2	10 L, 1 L
182971	Sodium Hydroxide 0.2 mol/l (0.2N) standard volumetric solution	1310-73-2	1 L
182155	Sodium Hydroxide 0.25 mol/l (0.25N) standard volumetric solution	1310-73-2	1 L, 5 L
183337	Sodium Hydroxide 0.313 mol/l (0.313N) standard volumetric solution	1310-73-2	5 L
182156	Sodium Hydroxide 0.3546 mol/l (N/2.82) standard volumetric solution	1310-73-2	1 L, 10 L
181692	Sodium Hydroxide 0.5 mol/l (0.5N) volumetric solution	1310-73-2	1 L, 10 L
303126	Sodium Hydroxide 1 mol (40.00g NaOH) to prepare 1l of 1N solution	1310-73-2	amp112mL
186982	Sodium Hydroxide 1 mol/l (1N) (Reag. Ph.Eur.) volumetric solution	1310-73-2	10 L, 1 L



Product number	Product name	CAS number	Pack sizes
<a href="#">182415</a>	<a href="#">Sodium Hydroxide 1 mol/l (1N) (Reag. USP, Ph.Eur.) volumetric solution</a>	1310-73-2	1 L, 10 L
<a href="#">192415</a>	<a href="#">Sodium Hydroxide 1 mol/l (1N) pharma grade</a>	1310-73-2	2.5 L
<a href="#">181691</a>	<a href="#">Sodium Hydroxide 1 mol/l (1N) volumetric solution</a>	1310-73-2	10 L, 1 L, 2.5 L, 5 L
<a href="#">185528</a>	<a href="#">Sodium Hydroxide 1.02 mol/l (1.02N) volumetric solution</a>	1310-73-2	10 L
<a href="#">193508</a>	<a href="#">Sodium Hydroxide 10 mol/l (10N) pharma grade</a>	1310-73-2	10 L
<a href="#">183508</a>	<a href="#">Sodium Hydroxide 10 mol/l (10N) volumetric solution</a>	1310-73-2	5 L, 1 L
<a href="#">182158</a>	<a href="#">Sodium Hydroxide 2 mol/l (2N) volumetric solution</a>	1310-73-2	1 L
<a href="#">183466</a>	<a href="#">Sodium Hydroxide 4 mol/l (4N) volumetric solution</a>	1310-73-2	1 L
<a href="#">192159</a>	<a href="#">Sodium Hydroxide 5 mol/l (5N) pharma grade</a>	1310-73-2	10 L
<a href="#">182159</a>	<a href="#">Sodium Hydroxide 5 mol/l (5N) volumetric solution</a>	1310-73-2	5 L, 1 L
<a href="#">AL6406</a>	<a href="#">Sodium Hydroxide 6 mol/l (6N) pharma grade</a>	1310-73-2	1 L
<a href="#">145881</a>	<a href="#">Sodium Hydroxide micropearls pure</a>	1310-73-2	25 kg
<a href="#">624782</a>	<a href="#">Sodium Hydroxide N/4.9 VINIKIT, for wine analysis</a>	1310-73-2	500 mL, 1 L
<a href="#">624785</a>	<a href="#">Sodium Hydroxide N/49 VINIKIT, for wine analysis</a>	1310-73-2	500 mL
<a href="#">141929</a>	<a href="#">Sodium Hydroxide pearls (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	1310-73-2	25 kg, 1 kg, 5 kg
<a href="#">211929</a>	<a href="#">Sodium Hydroxide pearls technical grade</a>	1310-73-2	5 kg
<a href="#">201687</a>	<a href="#">Sodium Hydroxide pellets (E-524, F.C.C.) food grade</a>	1310-73-2	25 kg
<a href="#">631687</a>	<a href="#">Sodium Hydroxide pellets (Ph. Eur, BP, USP, JP) GMP - IPEC grade</a>	1310-73-2	25 kg, 5 kg
<a href="#">131687</a>	<a href="#">Sodium Hydroxide pellets (Reag. USP) for analysis, ACS, ISO</a>	1310-73-2	1 kg, 5 kg, 25 kg, 500 g
<a href="#">141687</a>	<a href="#">Sodium Hydroxide pellets (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	1310-73-2	500 g, 1 kg, 5 kg
<a href="#">211687</a>	<a href="#">Sodium Hydroxide pellets technical grade</a>	1310-73-2	25 kg, 1 kg, 5 kg
<a href="#">A6579</a>	<a href="#">Sodium Hydroxide solution (1 M) for molecular biology</a>	1310-73-2	1 L
<a href="#">143402</a>	<a href="#">Sodium Hydroxide solution 25 % w/w pure</a>	1310-73-2	10 L
<a href="#">171690</a>	<a href="#">Sodium Hydroxide solution 30% w/v</a>	1310-73-2	500 mL, 5 L
<a href="#">144320</a>	<a href="#">Sodium Hydroxide solution 30% w/w pure, pharma grade</a>	1310-73-2	25 L
<a href="#">126682</a>	<a href="#">Sodium Hydroxide solution 32 % w/w for analysis</a>	1310-73-2	10 L, 2.5 L
<a href="#">176682</a>	<a href="#">Sodium Hydroxide solution 32 % w/w for nitrogen determination</a>	1310-73-2	5 L, 10 L, 25 L, 2.5 L
<a href="#">146682</a>	<a href="#">Sodium Hydroxide solution 32 % w/w pure</a>	1310-73-2	25 L
<a href="#">216682</a>	<a href="#">Sodium Hydroxide solution 32 % w/w technical grade</a>	1310-73-2	5 L
<a href="#">122666</a>	<a href="#">Sodium Hydroxide solution 32% w/v for the determination of nitrogen</a>	1310-73-2	1 L, 5 L
<a href="#">141220</a>	<a href="#">Sodium Hydroxide solution 40 % w/w pure</a>	1310-73-2	5 L
<a href="#">121593</a>	<a href="#">Sodium Hydroxide solution 40% w/v for analysis</a>	1310-73-2	5 L
<a href="#">171220</a>	<a href="#">Sodium Hydroxide solution 40% w/w for the determination of nitrogen</a>	1310-73-2	25 L, 1 L, 5 L, 10 L, 10 L
<a href="#">141571</a>	<a href="#">Sodium Hydroxide solution 50% w/v pure</a>	1310-73-2	10 L, 5 L
<a href="#">142404</a>	<a href="#">Sodium Hydroxide solution 50% w/w pure</a>	1310-73-2	5 L
<a href="#">211921</a>	<a href="#">Sodium Hypochlorite solution 10% w/v technical grade</a>	7681-52-9	1 L, 5 L
<a href="#">213322</a>	<a href="#">Sodium Hypochlorite solution 13 % w/v technical grade</a>	7681-52-9	5 L, 10 L
<a href="#">212297</a>	<a href="#">Sodium Hypochlorite solution 5 % w/v technical grade</a>	7681-52-9	5 L, 1 L
<a href="#">131726</a>	<a href="#">Sodium Iodide for analysis, ACS</a>	7681-82-5	250 g, 1 kg, 5 kg
<a href="#">143307</a>	<a href="#">Sodium Lactate solution 50% w/w (USP, BP, Ph. Eur.) pure, pharma grade</a>	72-17-3	1 L
<a href="#">141683</a>	<a href="#">Sodium L-Glutamate 1-hydrate (USP-NF) pure, pharma grade</a>	6106-04-3	5 kg
<a href="#">141699</a>	<a href="#">Sodium metal, 99.8%, oiled sticks, wrapped in aluminium foil pure</a>	7440-23-5	500 g, 100 g

Product number	Product name	CAS number	Pack sizes
<a href="#">131700</a>	<a href="#">Sodium meta-Periodate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	7790-28-5	250 g, 5 kg, 100 g
<a href="#">131701</a>	<a href="#">Sodium Molybdate 2-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	10102-40-6	250 g, 1 kg
<a href="#">141701</a>	<a href="#">Sodium Molybdate 2-hydrate pure</a>	10102-40-6	250 g, 1 kg
<a href="#">131702</a>	<a href="#">Sodium Nitrate (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	7631-99-4	5 kg, 25 kg, 500 g, 1 kg
<a href="#">131703</a>	<a href="#">Sodium Nitrite (Reag. Ph. Eur.) for analysis, ACS</a>	7632-00-0	25 kg, 500 g, 1 kg
<a href="#">131705</a>	<a href="#">Sodium Pentacyanonitrosferrate(III) 2-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	13755-38-9	25 g, 100 g, 5 kg
<a href="#">144260</a>	<a href="#">Sodium Perborate 1-hydrate pure</a>	10332-33-9	25 kg
<a href="#">145642</a>	<a href="#">Sodium Perborate 4-hydrate (BP, Ph. Eur.) pure, pharma grade</a>	10486-00-7	1 kg
<a href="#">134387</a>	<a href="#">Sodium Perchlorate 1-hydrate (Reag. USP) for analysis, ACS</a>	7791-07-3	250 g, 500 g, 1 kg
<a href="#">131708</a>	<a href="#">Sodium Peroxide granulated for analysis, ACS</a>	1313-60-6	1 kg, 5 kg, 250 g
<a href="#">161708</a>	<a href="#">Sodium Peroxide, 95% granulated for synthesis</a>	1313-60-6	100 g
<a href="#">143396</a>	<a href="#">Sodium Peroxodisulfate pure</a>	7775-27-1	5 kg, 1 kg
<a href="#">175506</a>	<a href="#">Sodium Plumbite solution (Doctor solution)</a>		1 L
<a href="#">141684</a>	<a href="#">Sodium Polyphosphate pure</a>	50813-16-6	1 kg
<a href="#">A1530</a>	<a href="#">Sodium Pyruvate for analysis</a>	113-24-6	25 kg, 1 kg
<a href="#">A4859</a>	<a href="#">Sodium Pyruvate for cell culture</a>	113-24-6	1 kg, 100 g
<a href="#">141859</a>	<a href="#">Sodium Salicylate (BP, Ph. Eur.) pure, pharma grade</a>	54-21-7	5 kg, 1 kg
<a href="#">121859</a>	<a href="#">Sodium Salicylate for analysis</a>	54-21-7	250 g, 1 kg
<a href="#">145777</a>	<a href="#">Sodium Selenate pure</a>	13410-01-0	1 kg
<a href="#">192756</a>	<a href="#">Sodium Selenite anhydrous (Ph. Eur., BP) pharma grade</a>	10102-18-8	1 kg
<a href="#">142756</a>	<a href="#">Sodium Selenite anhydrous pure</a>	10102-18-8	1 kg
<a href="#">211714</a>	<a href="#">Sodium Silicate neutral solution technical grade</a>	1344-09-8	25 L, 1 L
<a href="#">313192</a>	<a href="#">Sodium standard solution Na=1.000 g/l for AAS</a>		500 mL, 100 mL
<a href="#">784243</a>	<a href="#">Sodium standard solution Na=1.000 g/l for IC</a>		500 mL
<a href="#">766056</a>	<a href="#">Sodium standard solution Na=1.000 g/l for ICP</a>		100 mL
<a href="#">775999</a>	<a href="#">Sodium standard solution Na=10.00 g/l for ICP</a>		100 mL
<a href="#">142970</a>	<a href="#">Sodium Stannate 3-hydrate pure</a>	12209-98-2	25 kg
<a href="#">131715</a>	<a href="#">Sodium Sulfate 10-hydrate (Reag. USP) for analysis, ACS</a>	7727-73-3	25 kg, 1 kg
<a href="#">201716</a>	<a href="#">Sodium Sulfate anhydrous (E-514i, F.C.C.) food grade</a>	7757-82-6	25 kg
<a href="#">131716</a>	<a href="#">Sodium Sulfate anhydrous (Reag. USP) for analysis, ACS, ISO</a>	7757-82-6	5 kg, 25 kg, 500 g, 1 kg
<a href="#">191716</a>	<a href="#">Sodium Sulfate anhydrous (USP, BP, Ph. Eur.) pharma grade</a>	7757-82-6	5 kg
<a href="#">325708</a>	<a href="#">Sodium Sulfate anhydrous, granulated for pesticide analysis</a>	7757-82-6	1 kg
<a href="#">211682</a>	<a href="#">Sodium Sulfide x-hydrate technical grade</a>	1313-84-4	500 g
<a href="#">191717</a>	<a href="#">Sodium Sulfite anhydrous (BP, Ph. Eur.) pharma grade</a>	7757-83-7	25 kg, 1 kg
<a href="#">131717</a>	<a href="#">Sodium Sulfite anhydrous for analysis, ACS</a>	7757-83-7	25 kg, 500 g, 1 kg
<a href="#">121719</a>	<a href="#">Sodium Tartrate 2-hydrate (Reag. Ph. Eur.) for analysis</a>	6106-24-7	1 kg, 25 kg, 5 kg
<a href="#">241719</a>	<a href="#">Sodium Tartrate 2-hydrate (Reag. Ph. Eur.) standard for volumetry, ACS</a>	6106-24-7	100 g
<a href="#">132440</a>	<a href="#">Sodium tetra-Phenylborate (Reag. Ph. Eur.) for analysis, ACS</a>	143-66-8	100 g
<a href="#">187057</a>	<a href="#">Sodium tetra-Phenylborate 0.01 mol/l volumetric solution</a>		1 L
<a href="#">182577</a>	<a href="#">Sodium Thiosulfate 0.01 mol/l (0.01N) standard volumetric solution</a>	7772-98-7	1 L
<a href="#">182914</a>	<a href="#">Sodium Thiosulfate 0.0394 mol/l (0.0394N) (ASTM D 1510) standard volumetric solution</a>	7772-98-7	5 L
<a href="#">182160</a>	<a href="#">Sodium Thiosulfate 0.05 mol/l (0.05N) standard volumetric solution</a>	7772-98-7	1 L

Product number	Product name	CAS number	Pack sizes
<a href="#">303127</a>	<a href="#">Sodium Thiosulfate 0.1 mol (24.818g Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>.5H<sub>2</sub>O) to prepare 1l of 0.1N solution</a>	10102-17-7	amp56mL
<a href="#">186987</a>	<a href="#">Sodium Thiosulfate 0.1 mol/l (0.1N) (Reag. Ph.Eur.) volumetric solution</a>	7772-98-7	1 L
<a href="#">181723</a>	<a href="#">Sodium Thiosulfate 0.1 mol/l (0.1N) (Reag. USP) standard volumetric solution</a>	7772-98-7	10 L, 1 L, 2.5 L
<a href="#">183489</a>	<a href="#">Sodium Thiosulfate 0.2 mol/l (0.2N) standard volumetric solution</a>	7772-98-7	2.5 L
<a href="#">181722</a>	<a href="#">Sodium Thiosulfate 1 mol/l (1N) standard volumetric solution</a>	7772-98-7	1 L
<a href="#">141721</a>	<a href="#">Sodium Thiosulfate 5-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	10102-17-7	25 kg, 1 kg, 5 kg
<a href="#">131721</a>	<a href="#">Sodium Thiosulfate 5-hydrate for analysis, ACS</a>	10102-17-7	25 kg, 1 kg
<a href="#">121879</a>	<a href="#">Sodium Thiosulfate anhydrous (Reag. Ph. Eur.) for analysis</a>	7772-98-7	5 kg, 250 g, 1 kg
<a href="#">395464</a>	<a href="#">Solution A for turbidity primary standard</a>		250 mL
<a href="#">395465</a>	<a href="#">Solution B for turbidity primary standard</a>		250 mL
<a href="#">201055</a>	<a href="#">Sorbic Acid (E-200, F.C.C.) food grade</a>	110-44-1	25 kg
<a href="#">141055</a>	<a href="#">Sorbic Acid (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	110-44-1	25 kg
<a href="#">146101</a>	<a href="#">Sorbitan Monolaurate (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	1338-39-2	25 L
<a href="#">A3834</a>	<a href="#">Spectinomycin Dihydrochloride 5-hydrate BioChemica</a>	22189-32-8	5 g, 10 g
<a href="#">A0672</a>	<a href="#">Spermine BioChemica</a>	71-44-3	1 kg
<a href="#">A7080</a>	<a href="#">Spermine Tetrahydrochloride BioChemica</a>	306-67-2	100 g, 250 g
<a href="#">414125</a>	<a href="#">SPS Agar (Selective Agar according to Angelotti)(Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">166999</a>	<a href="#">β - Propiolactone 97 % for synthesis</a>	57-57-8	1 L
<a href="#">A1396</a>	<a href="#">SSC buffer (20X) for molecular biology</a>		1 L
<a href="#">413799</a>	<a href="#">Standard Methods Agar (APHA) (ISO 4833:2003) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">121096</a>	<a href="#">Starch from Potato soluble (Reag. USP, Ph. Eur.) for analysis</a>	9005-84-9	1 kg, 25 kg, 500 g
<a href="#">283146</a>	<a href="#">Starch solution 1% (Reag. Ph. Eur.) for volumetric analysis</a>	9005-84-9	1 L, 100 mL, 250 mL
<a href="#">624567</a>	<a href="#">Starch solution 2% VINIKIT, for wine analysis</a>	9005-84-9	500 mL
<a href="#">162590</a>	<a href="#">Stearic Acid, 98% for synthesis</a>	57-11-4	500 g
<a href="#">A1495</a>	<a href="#">Streptavidin ultrapure</a>	9013-20-1	5 mg, 1000 mg, 1 mg
<a href="#">A1852</a>	<a href="#">Streptomycin Sulfate BioChemica</a>	3810-74-0	1 kg, 25 g, 5 kg, 50 g, 100 g
<a href="#">524159</a>	<a href="#">Strips pH 1-12 (gradation 1.0)</a>		200 Strips
<a href="#">524156</a>	<a href="#">Strips pH 3.8-5.5 (gradation 0.2/0.3)</a>		200 Strips
<a href="#">524157</a>	<a href="#">Strips pH 6.0-8.1 (gradation 0.3)</a>		200 Strips
<a href="#">131883</a>	<a href="#">Succinic Acid (Reag. USP) for analysis, ACS</a>	110-15-6	1 kg, 250 g
<a href="#">142823</a>	<a href="#">Sulfanilamide (Ph. Fr., DAB) pure, pharma grade</a>	63-74-1	1 kg, 500 g
<a href="#">122823</a>	<a href="#">Sulfanilamide (Reag. Ph. Eur.) for analysis</a>	63-74-1	250 g, 100 g
<a href="#">131057</a>	<a href="#">Sulfanilic Acid (Reag. Ph. Eur.) for analysis, ACS</a>	121-57-3	250 g, 1 kg
<a href="#">786329</a>	<a href="#">Sulfate standard solution SO<sub>4</sub>=1.000 g/l for IC</a>		500 mL
<a href="#">765898</a>	<a href="#">Sulfur standard solution S=1.000 g/l for ICP</a>	7664-93-9	100 mL
<a href="#">182102</a>	<a href="#">Sulfuric Acid 0.01 mol/l (0.02N) volumetric solution</a>	7664-93-9	1 L
<a href="#">182103</a>	<a href="#">Sulfuric Acid 0.025 mol/l (0.05N) volumetric solution</a>	7664-93-9	1 L
<a href="#">303114</a>	<a href="#">Sulfuric Acid 0.05 mol (4.904g H<sub>2</sub>SO<sub>4</sub>) to prepare 1l of 0.1N solution</a>	7664-93-9	amp53mL
<a href="#">181061</a>	<a href="#">Sulfuric Acid 0.05 mol/l (0.1N) volumetric solution</a>	7664-93-9	5 L, 10 L, 25 L, 1 L
<a href="#">182011</a>	<a href="#">Sulfuric Acid 0.1 mol/l (0.2N) volumetric solution</a>	7664-93-9	1 L

Product number	Product name	CAS number	Pack sizes
<a href="#">183335</a>	<a href="#">Sulfuric Acid 0.1275 mol/l (0.255N) volumetric solution</a>	7664-93-9	5 L, 10 L
<a href="#">176191</a>	<a href="#">Sulfuric Acid 0.13 mol/l (0.26N)</a>	7664-93-9	1 L
<a href="#">181060</a>	<a href="#">Sulfuric Acid 0.25 mol/l (0.5N) volumetric solution</a>	7664-93-9	2.5 L, 10 L, 1 L
<a href="#">181059</a>	<a href="#">Sulfuric Acid 0.5 mol/l (1N) volumetric solution</a>	7664-93-9	25 L, 5 L, 10 L, 1 L, 2.5 L
<a href="#">182105</a>	<a href="#">Sulfuric Acid 1 mol/l (2N) volumetric solution</a>	7664-93-9	100 mL, 1 L, 5 L
<a href="#">145882</a>	<a href="#">Sulfuric Acid 10% pure</a>	7664-93-9	2.5 L
<a href="#">183426</a>	<a href="#">Sulfuric Acid 2 mol/l (4N) volumetric solution</a>		1 L
<a href="#">182106</a>	<a href="#">Sulfuric Acid 2.5 mol/l (5N) volumetric solution</a>	7664-93-9	1 L
<a href="#">143323</a>	<a href="#">Sulfuric Acid 20 % pure</a>	7664-93-9	2.5 L
<a href="#">122448</a>	<a href="#">Sulfuric Acid 25% for analysis</a>	7664-93-9	1 L, 2.5 L
<a href="#">127102</a>	<a href="#">Sulfuric Acid 40 % for analysis</a>	7664-93-9	2.5 L
<a href="#">142934</a>	<a href="#">Sulfuric acid 50 % (w/w) pure</a>	7664-93-9	1 L
<a href="#">173253</a>	<a href="#">Sulfuric Acid 62% (d=1,522) according to Van Gulik for analysis</a>	7664-93-9	25 L, 5 L, 1 L
<a href="#">123863</a>	<a href="#">Sulfuric Acid 72% for analysis</a>	7664-93-9	2.5 L
<a href="#">123374</a>	<a href="#">Sulfuric Acid 75 % for analysis</a>	7664-93-9	2.5 L
<a href="#">121010</a>	<a href="#">Sulfuric Acid 90-91% according to Gerber for analysis</a>	7664-93-9	5 L, 1 L, 1 L, 2.5 L, 2.5 L
<a href="#">721058</a>	<a href="#">Sulfuric Acid 93-98% for trace metal analysis (ppb)</a>	7664-93-9	1 L, 500 mL
<a href="#">A0655</a>	<a href="#">Sulfuric acid 95 - 97 % p. A.</a>	7664-93-9	8 L
<a href="#">471058</a>	<a href="#">Sulfuric Acid 95-98% (max. 0.0000005% Hg) (Reag. USP) for analysis, ACS, ISO</a>	7664-93-9	25 L, 1 L, 2.5 L
<a href="#">141058</a>	<a href="#">Sulfuric Acid 95-98% (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	7664-93-9	1 L, 1 L, 2.5 L, 2.5 L, 800 L, 5 L, 10 L
<a href="#">131058</a>	<a href="#">Sulfuric Acid 96% (Reag. Ph. Eur.) for analysis, ISO</a>	7664-93-9	1 L, 1 L, 2.5 L, 2.5 L, 25 L, 5 L, 200 L
<a href="#">211058</a>	<a href="#">Sulfuric Acid 96% technical grade</a>	7664-93-9	25 L, 2.5 L, 5 L, 1 L
<a href="#">173163</a>	<a href="#">Sulfuric Acid 98% for the determination of nitrogen</a>	7664-93-9	2.5 L, 1 L, 2.5 L, 25 L
<a href="#">621062</a>	<a href="#">Sulfuric Acid solution 1/3 w/v VINIKIT, for wine analysis</a>	7664-93-9	1 L, 250 mL, 500 mL
<a href="#">185775</a>	<a href="#">Sulphuric Acid 0,9 mol/l (1,8N) volumetric solution</a>	7664-93-9	25 L
<a href="#">A5231</a>	<a href="#">SuperHot Taq DNA Polymerase</a>		200 U
<a href="#">212805</a>	<a href="#">Sweet Almonds Oil technical grade</a>		1 L
<a href="#">A8511</a>	<a href="#">SYBR Green® staining reagent, DNA free</a>		5 x 0, 625 mL, 10 x 0, 625 mL
<a href="#">A4227</a>	<a href="#">TAE buffer (10X) for molecular biology</a>		1 L, 5 L
<a href="#">A1691</a>	<a href="#">TAE buffer (50X)</a>		500 mL, 1 L
<a href="#">A4686</a>	<a href="#">TAE buffer (50X) for molecular biology</a>		1 L
<a href="#">TP-05GRF</a>	<a href="#">Tap (50 mm, PE) for 5 L PE canisters for sulfuric, hydrochloric and nitric concentrated acids. Also suitable for 10 L of Ethanol and Formaldehyde for clinical diagnosis</a>		1 un.
<a href="#">TP-51GRF</a>	<a href="#">Tap (51 mm, PE) for 5 L PE canisters except for sulfuric, hydrochloric and nitric concentrated acids. Also suitable for 10 L of concentrated sulfuric acid.</a>		1 un.

Product number	Product name	CAS number	Pack sizes
TP-30GRF	<u>Tap (60 mm, PE) for 10 L and 60 L PE canisters except for concentrated sulfuric acid in 10 L</u>		1 un.
TP-25GRF	<u>Tap (61 mm, PE) for 25 L PE canisters</u>		1 un.
A5186	<u>Taq DNA Polymerase</u>		500 U
A5434	<u>Taq DNA Polymerase DNA-free</u>		500 U
A0972	<u>TBE buffer (10X)</u>		1 L, 5 L, 10 L
A3945	<u>TBE buffer (10X) for molecular biology</u>		1 L
A4348	<u>TBE buffer (10X) powder</u>		10 L, 1 L, 5 L
A1417	<u>TBE buffer (5X)</u>		5 L
A4228	<u>TBE buffer (5X) for molecular biology</u>		5 L
A4394	<u>TBE buffer (5X) powder</u>		10 L
A0974	<u>TB-Medium - Powder (Terrific Broth)</u>		2.5 kg
A5001	<u>TBS (Tris-buffered saline) (20X) - Powder</u>		1 L
416220	<u>TBX Agar (ISO 16649-2,3:2001) (Dehydrated Culture Media) for microbiology</u>		500 g
A2017	<u>TC 100 - Insect medium</u>		10 L
413817	<u>TCBS Cholera Medium (Dehydrated Culture Media) for microbiology</u>		500 g
A3837	<u>TE buffer (1X) pH 7.5</u>		1 L
A2575	<u>TE buffer (1X) pH 8.0</u>		1 L
A0386	<u>TE buffer (1X) pH 8.0 for molecular biology</u>		1 L, 500 mL
A8569	<u>TE buffer (1X) pH 8.0 low EDTA for molecular biology</u>		500 mL, 1 L
A1148	<u>TEMED</u>	110-18-9	25 mL, 100 mL
444955	<u>Tergitol 7 Agar (Chapman TTC modified) (ISO 9308-1:2000) (Prepared Plate (@ 55 mm)) for microbiology</u>		30 plates
133312	<u>tert-Butyl Methyl Ether (Reag. USP, Ph. Eur.) for analysis, ACS</u>	1634-04-4	1 L, 2.5 L
363312	<u>tert-Butyl Methyl Ether for UV, IR, HPLC</u>	1634-04-4	1 L, 2.5 L
143312	<u>tert-Butyl Methyl Ether pure</u>	1634-04-4	2.5 L
A1084	<u>TES for buffer solutions</u>	7365-44-8	1 kg, 100 g
A1947	<u>Tetrabutylammonium di-Hydrogen Phosphate</u>	5574-97-0	25 g
367038	<u>Tetrabutylammonium di-Hydrogen Phosphate for HPLC</u>	5574-97-0	25 g
363622	<u>Tetrabutylammonium Hydrogen Sulfate for HPLC</u>	32503-27-8	25 g, 50 g, 500 g
153622	<u>Tetrabutylammonium Hydrogen Sulfate, 98% for synthesis</u>	32503-27-8	100 g
183669	<u>Tetrabutylammonium Hydroxide 0.1 mol/l (0.1N) in 2-propanol/methanol (11:1) volumetric solution</u>	2052-49-5	500 mL
185225	<u>Tetrabutylammonium Hydroxide 0.1 mol/l (0.1N) in toluene/methanol (9:1) volumetric solution</u>	2052-49-5	500 mL
187139	<u>Tetrabutylammonium Hydroxide 1 mol/l (1N) in methanol volumetric solution</u>		250 mL
15A876	<u>Tetrabutylammonium Hydroxide aqueous solution 20% w/w for synthesis</u>	2052-49-5	250 mL
157066	<u>Tetrabutylammonium Hydroxide solution 40 % aqueous solution for synthesis</u>	2052-49-5	100 mL, 500 mL
157141	<u>Tetrabutylammonium Hydroxide solution 40 % in methanol for synthesis</u>		250 mL
331455	<u>Tetrachloroethylene for IR</u>	127-18-4	2.5 L
361455	<u>Tetrachloroethylene for UV, IR, HPLC, GPC</u>	127-18-4	1 L, 2.5 L
141455	<u>Tetrachloroethylene pure</u>	127-18-4	2.5 L, 5 L, 1 L
A2228	<u>Tetracycline hydrochloride</u>	64-75-5	25 g



Product number	Product name	CAS number	Pack sizes
<a href="#">147070</a>	<a href="#">Tetrafluoroboric Acid solution 50 % pure</a>		1 L
<a href="#">483537</a>	<a href="#">Tetrahydrofuran dry (max. 0.0075% water) stabilized with ~ 300 ppm of BHT , ACS</a>	109-99-9	2.5 L
<a href="#">361736</a>	<a href="#">Tetrahydrofuran for UV, IR, HPLC, GPC</a>	109-99-9	2.5 L, 1 L
<a href="#">133537</a>	<a href="#">Tetrahydrofuran stabilized with ~ 300 ppm of BHT for analysis, ACS</a>	109-99-9	5 L, 1 L, 2.5 L
<a href="#">163537</a>	<a href="#">Tetrahydrofuran, 99.5% stabilized with ~ 300 ppm of BHT for synthesis</a>	109-99-9	5 L, 2.5 L
<a href="#">201710</a>	<a href="#">tetra-Sodium Pyrophosphate 10-hydrate (E-450iii, F.C.C.) food grade</a>	13472-36-1	25 kg
<a href="#">121710</a>	<a href="#">tetra-Sodium Pyrophosphate 10-hydrate for analysis</a>	13472-36-1	25 kg, 1 kg
<a href="#">141710</a>	<a href="#">tetra-Sodium Pyrophosphate 10-hydrate pure</a>	13472-36-1	25 kg
<a href="#">A6246</a>	<a href="#">Tetrazolium Red</a>	298-96-4	25 g, 10 g
<a href="#">A0955</a>	<a href="#">Thiamin Hydrochloride BioChemica</a>	67-03-8	50 g, 100 g, 250 g
<a href="#">A2231</a>	<a href="#">Thiazolyl Blue Tetrazolium Bromide (MTT) BioChemica</a>	298-93-1	5 g, 10 g, 1 g
<a href="#">143886</a>	<a href="#">Thimerosal (USP, BP, Ph. Eur.) pure, pharma grade</a>	54-64-8	100 g
<a href="#">A1278</a>	<a href="#">Thimerosal BioChemica</a>	54-64-8	10 g, 25 g, 100 g
<a href="#">134887</a>	<a href="#">Thioacetamide (Reag. Ph. Eur.) for analysis, ACS</a>	62-55-5	50 g
<a href="#">164887</a>	<a href="#">Thioacetamide, 98% for synthesis</a>	62-55-5	100 g
<a href="#">A4670</a>	<a href="#">Thiobarbituric Acid BioChemica</a>	504-17-6	25 g, 100 g
<a href="#">124142</a>	<a href="#">Thioglycolic Acid for analysis</a>	68-11-1	100 mL
<a href="#">413912</a>	<a href="#">Thioglycollate Liquid Medium (Ph. Eur. USP, ISO 7937)(Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">142041</a>	<a href="#">Thioglycollic Acid 80% pure</a>	68-11-1	1 L
<a href="#">A4867</a>	<a href="#">Thionicotinamide</a>	4621-66-3	5 kg
<a href="#">151743</a>	<a href="#">Thiourea, 98% for synthesis</a>	62-56-6	25 kg
<a href="#">191738</a>	<a href="#">Thymol (Ph. Eur.) pharma grade</a>	89-83-8	1 kg, 100 g
<a href="#">131739</a>	<a href="#">Thymolphthalein (Reag. Ph. Eur.) for analysis, ACS</a>	125-20-2	5 g
<a href="#">281740</a>	<a href="#">Thymolphthalein solution 0.1% for volumetric analysis</a>	125-20-2	1 L
<a href="#">313180</a>	<a href="#">Tin standard solution Sn=1.000 g/l for AAS</a>		500 mL
<a href="#">766047</a>	<a href="#">Tin standard solution Sn=1.000 g/l for ICP</a>		100 mL
<a href="#">471303</a>	<a href="#">Tin(II) Chloride 2-hydrate (max. 0.000005% Hg) (Reag. USP) for analysis, ACS</a>	10025-69-1	250 g
<a href="#">131303</a>	<a href="#">Tin(II) Chloride 2-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	10025-69-1	25 kg, 250 g, 1 kg
<a href="#">141303</a>	<a href="#">Tin(II) Chloride 2-hydrate pure</a>	10025-69-1	250 g, 5 kg
<a href="#">274765</a>	<a href="#">TISAB II (STANDARD METHODS/AOAC) for samples containing &lt;3 ppm in Fe and/or Al</a>		1 L, 10 L
<a href="#">273526</a>	<a href="#">TISAB III - Solution for detection of fluoride</a>		500 mL, 5 L
<a href="#">273531</a>	<a href="#">TISAB IV (ASTM D 1179) for samples containing &lt;100 ppm in Fe and/or Al</a>		500 mL
<a href="#">766057</a>	<a href="#">Titanium standard solution Ti=1.000 g/l for ICP</a>		100 mL
<a href="#">142101</a>	<a href="#">Titanium(IV) Oxide (USP, BP, Ph. Eur.) pure, pharma grade</a>	13463-67-7	5 kg
<a href="#">396906</a>	<a href="#">TOC Standard (100 mg/l)</a>		1 L
<a href="#">396908</a>	<a href="#">TOC Standard (1000 mg/l)</a>		1 L
<a href="#">396905</a>	<a href="#">TOC Standard (50 mg/l)</a>		1 L
<a href="#">131745</a>	<a href="#">Toluene (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	108-88-3	25 L, 1 L, 2.5 L, 5 L
<a href="#">124860</a>	<a href="#">Toluene / 2-Propanol / Water 100:99:1 v/v/v (Mixture TAN) (ASTM D 664) for analysis</a>		25 L, 2.5 L, 5 L
<a href="#">481745</a>	<a href="#">Toluene dry (max. 0.005% water) , ACS, ISO</a>	108-88-3	1 L
<a href="#">321745</a>	<a href="#">Toluene for pesticide analysis</a>	108-88-3	2.5 L

Product number	Product name	CAS number	Pack sizes
<a href="#">361745</a>	<a href="#">Toluene for UV, IR, HPLC, GPC, ACS</a>	108-88-3	1 L, 2.5 L
<a href="#">161745</a>	<a href="#">Toluene, 99.5% for synthesis</a>	108-88-3	25 L, 5 L, 1 L, 2.5 L, 5 L
<a href="#">A3842</a>	<a href="#">Toluidine Blue O (C.I. 52040)</a>	92-31-9	10 g
<a href="#">251176</a>	<a href="#">Toluidine Blue O (C.I. 52040) for clinical diagnosis</a>	6586-04-5	5 g
<a href="#">201213</a>	<a href="#">tri-Calcium di-Citrate 4-hydrate (E-333iii, F.C.C.) food grade</a>	5785-44-4	25 kg
<a href="#">141228</a>	<a href="#">tri-Calcium Phosphate (BP, Ph. Eur.) pure, pharma grade</a>	7758-87-4	500 g
<a href="#">201228</a>	<a href="#">tri-Calcium Phosphate (E-341iii, F.C.C.) food grade</a>	7758-87-4	25 kg
<a href="#">141067</a>	<a href="#">Trichloroacetic Acid (BP, Ph. Eur.) pure, pharma grade</a>	76-03-9	250 g, 25 kg, 1 kg, 5 kg, 100 g
<a href="#">131067</a>	<a href="#">Trichloroacetic Acid (Reag. USP, Ph. Eur.) for analysis, ACS</a>	76-03-9	100 g, 250 g, 1 kg, 5 kg
<a href="#">A1431</a>	<a href="#">Trichloroacetic Acid BioChemica</a>	76-03-9	1 kg, 250 g, 500 g
<a href="#">A0590</a>	<a href="#">Trichloroacetic Acid solution 20 % BioChemica</a>	76-03-9	1 L, 500 mL
<a href="#">252373</a>	<a href="#">Trichloroacetic Acid solution 20% w/v for clinical diagnosis</a>	76-03-9	1 L
<a href="#">A1085</a>	<a href="#">Tricine BioChemica</a>	5704-04-1	1 kg, 5 kg, 250 g, 500 g
<a href="#">524169</a>	<a href="#">Tricolor Paper Reel pH 1-11 (gradation 1.0)</a>		1 Reel
<a href="#">191750</a>	<a href="#">Triethanolamine (BP, Ph. Eur., USP-NF) pharma grade</a>	102-71-6	60 L, 5 L, 200 L, 25 L
<a href="#">Z91750</a>	<a href="#">Triethanolamine (BP, Ph. Eur., USP-NF) pharma grade</a>	102-71-6	25 L
<a href="#">141750</a>	<a href="#">Triethanolamine (USP-NF) pure, pharma grade</a>	102-71-6	5 L, 1 L
<a href="#">121750</a>	<a href="#">Triethanolamine for analysis</a>	102-71-6	1 L
<a href="#">147039</a>	<a href="#">Triethyl Citrate (Ph. Eur., USP-NF) pure, pharma grade</a>	77-93-0	1 L
<a href="#">123542</a>	<a href="#">Triethylamine (Reag. USP) for analysis</a>	121-44-8	4 L, 1 L
<a href="#">A3845</a>	<a href="#">Triethylamine BioChemica</a>	121-44-8	190 L
<a href="#">163542</a>	<a href="#">Triethylamine, 99.5% for synthesis</a>	121-44-8	1 L
<a href="#">A3846</a>	<a href="#">Triethylammonium acetate buffer pH 7.0 (1 M)</a>	5204-74-0	500 mL, 1 L
<a href="#">A0697</a>	<a href="#">Trifluoroacetic acid BioChemica</a>	76-05-1	100 mL
<a href="#">363317</a>	<a href="#">Trifluoroacetic Acid for UV</a>	76-05-1	100 mL, 250 mL, 25 mL
<a href="#">163317</a>	<a href="#">Trifluoroacetic Acid, 99% for synthesis</a>	76-05-1	100 mL, 250 mL, 500 mL
<a href="#">141940</a>	<a href="#">Tris (USP, BP, Ph. Eur.) pure, pharma grade</a>	77-86-1	25 kg, 5 kg, 250 g, 1 kg
<a href="#">A4263</a>	<a href="#">Tris buffer pH 7.5 (1 M) for molecular biology</a>		500 mL
<a href="#">A4577</a>	<a href="#">Tris buffer pH 8.0 (1 M) for molecular biology</a>		1 L, 500 mL
<a href="#">131940</a>	<a href="#">Tris for analysis, ACS</a>	77-86-1	1 kg
<a href="#">A1379</a>	<a href="#">Tris for buffer solutions</a>	77-86-1	5 kg, 10 kg, 500 g, 1 kg
<a href="#">A2264</a>	<a href="#">Tris for molecular biology</a>	77-86-1	500 g, 1 kg, 5 kg
<a href="#">A1087</a>	<a href="#">Tris Hydrochloride for buffer solutions</a>	1185-53-1	250 g, 500 g, 1 kg, 5 kg
<a href="#">A3452</a>	<a href="#">Tris Hydrochloride for molecular biology</a>	1185-53-1	1 kg, 25 kg, 250 g, 500 g
<a href="#">241940</a>	<a href="#">Tris standard for volumetry, ACS</a>	77-86-1	100 g
<a href="#">A1086</a>	<a href="#">Tris ultrapure</a>	77-86-1	5 kg, 10 kg, 500 g, 25 kg, 1 kg

Product number	Product name	CAS number	Pack sizes
<a href="#">201655</a>	<a href="#">tri-Sodium Citrate 2-hydrate (E-331iii, F.C.C) food grade</a>	6132-04-3	25 kg
<a href="#">631655</a>	<a href="#">tri-Sodium Citrate 2-hydrate (Ph. Eur, BP, USP) GMP - IPEC grade</a>	6132-04-3	25 kg
<a href="#">141655</a>	<a href="#">tri-Sodium Citrate 2-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	6132-04-3	1 kg, 5 kg, 25 kg
<a href="#">131655</a>	<a href="#">tri-Sodium Citrate 2-hydrate for analysis, ACS</a>	6132-04-3	5 kg, 25 kg, 500 g, 1 kg
<a href="#">121656</a>	<a href="#">tri-Sodium Citrate 5.5-hydrate for analysis</a>	6858-44-2	1 kg
<a href="#">131680</a>	<a href="#">tri-Sodium Phosphate 12-hydrate (Reag. Ph. Eur.) for analysis, ACS</a>	10101-89-0	1 kg, 25 kg, 5 kg
<a href="#">141681</a>	<a href="#">tri-Sodium Phosphate 1-hydrate pure</a>		5 kg
<a href="#">A4051</a>	<a href="#">TRItidy G™</a>		100 mL, 200 mL
<a href="#">142314</a>	<a href="#">Triton® X 100 pure</a>	9002-93-1	1 L, 5 L
<a href="#">A4975</a>	<a href="#">Triton® X-100 Molecular Biology grade</a>	9036-19-5	100 mL, 500 mL, 1 L
<a href="#">A1287</a>	<a href="#">Triton® X-100 solution 10 % peroxide-free</a>		100 mL
<a href="#">A4148</a>	<a href="#">Trypsin 1 : 250 from porcine pancreas</a>	9002-07-7	25 g, 100 g
<a href="#">A3964</a>	<a href="#">Trypsin from bovine pancreas</a>	9002-07-7	5 g
<a href="#">A1828</a>	<a href="#">Trypsin inhibitor from soybean &gt; 7000 BAEE</a>	9035-81-8	5 g
<a href="#">A4532</a>	<a href="#">Trypsinogen</a>	9002-08-8	5 g
<a href="#">403682</a>	<a href="#">Tryptone (Ingredient) for microbiology</a>		500 g
<a href="#">A1553</a>	<a href="#">Tryptone BioChemica</a>	91079-40-2	500 g, 1 kg
<a href="#">433819</a>	<a href="#">Tryptone Soy Agar (TSA) (Ph. Eur.) (Contact Plate) for microbiology</a>		30 plates
<a href="#">413819</a>	<a href="#">Tryptone Soy Agar (TSA) (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">453819</a>	<a href="#">Tryptone Soy Agar (TSA) (Ph. Eur.) (Prepared Plate (Ø 90 mm)) for microbiology</a>		20 plates
<a href="#">413820</a>	<a href="#">Tryptone Soy Broth (TSB) (Ph. Eur.) (Dehydrated Culture Media) for microbiology</a>		5 kg, 500 g
<a href="#">416106</a>	<a href="#">Tryptone Yeast Extract Agar (ISO 6222:1999) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">496106</a>	<a href="#">Tryptone Yeast Extract Agar (ISO 6222:1999) (Prepared Bottles) for microbiology</a>		10 x 100 mL
<a href="#">446106</a>	<a href="#">Tryptone Yeast Extract Agar (ISO 6222:1999) (Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">466106</a>	<a href="#">Tryptone Yeast Extract Agar (ISO 6222:1999) (Prepared Tubes) for microbiology</a>		20 tubes
<a href="#">435095</a>	<a href="#">TSA-Tween-Lecithin-Agar (Ph. Eur.) (Contact Plate) for microbiology</a>		80 plates, 30 plates
<a href="#">455095</a>	<a href="#">TSA-Tween-Lecithin-Agar (Ph. Eur.) (Prepared Plate (@ 90 mm)) for microbiology</a>		20 plates
<a href="#">445576</a>	<a href="#">TSC Agar (ISO 14189, 7937) (Prepared Plate (@ 55 mm)) for microbiology</a>		30 plates
<a href="#">415576</a>	<a href="#">TSC Agar Base (ISO 14189, 7937) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">495576</a>	<a href="#">TSC Agar Base (ISO 14189, 7937) (Prepared Bottles) for microbiology</a>		10 x 100 mL
<a href="#">211302</a>	<a href="#">Turpentine Oil stabilized with 100 ppm of DL-alpha-Tocopherol technical grade</a>	8006-64-2	25 L
<a href="#">142312</a>	<a href="#">Tween® 20 (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	9005-64-5	5 L, 1 L
<a href="#">162312</a>	<a href="#">Tween® 20 for synthesis</a>	9005-64-5	5 L
<a href="#">142050</a>	<a href="#">Tween® 80 (USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	9005-65-6	5 L, 1 L

Product number	Product name	CAS number	Pack sizes
<a href="#">162050</a>	<a href="#">Tween® 80 for synthesis</a>	9005-65-6	1 L
<a href="#">Z42312</a>	<a href="#">Tween® 20 (RFE, USP-NF, BP, Ph. Eur.) pure, pharma grade</a>	9005-64-5	25 L
<a href="#">A4974</a>	<a href="#">Tween® 20 for molecular biology</a>	9005-64-5	100 mL, 250 mL, 500 mL, 1 L
<a href="#">A1284</a>	<a href="#">Tween® 20 solution 10 % peroxide-free</a>		100 mL
<a href="#">A1390</a>	<a href="#">Tween® 80 BioChemica</a>	9005-65-6	500 mL, 1 L
<a href="#">281370</a>	<a href="#">Universal Indicator of pH, solution for volumetric analysis</a>		100 mL
<a href="#">524150</a>	<a href="#">Universal Paper Reel pH 1-11 (gradation 1.0)</a>		1 Reel
<a href="#">524151</a>	<a href="#">Universal Paper Reel pH 1-14 (gradation 1.0/2.0)</a>		1 Reel
<a href="#">A1360</a>	<a href="#">Urea BioChemica</a>	57-13-6	5 kg, 10 kg
<a href="#">191754</a>	<a href="#">Urea crystalline (USP, BP, Ph. Eur.) pharma grade</a>	57-13-6	25 kg
<a href="#">131754</a>	<a href="#">Urea crystalline for analysis, ACS</a>	57-13-6	25 kg, 1 kg
<a href="#">A1049</a>	<a href="#">Urea for molecular biology</a>	57-13-6	25 kg, 1 kg, 5 kg
<a href="#">146392</a>	<a href="#">Urea pearls pure</a>	57-13-6	1 kg
<a href="#">A0666</a>	<a href="#">Uridine BioChemica</a>	58-96-8	5 kg, 25 g
<a href="#">A1536</a>	<a href="#">Urobilinogen</a>	14684-37-8	4 mL, 40 mL, 25 g
<a href="#">396070</a>	<a href="#">UV-VIS Spectrophotometry Standard: solution for the wavelength control (Ph. Eur.)</a>		8 x 10 mL
<a href="#">395461</a>	<a href="#">UV-VISible Spectrophotometry Standard: solution for the control of the spectral resolution (Ph. Eur.)</a>		8 x 10 mL
<a href="#">395460</a>	<a href="#">UV-VISible Spectrophotometry Standard: solution for the stray light control (Ph. Eur.)</a>		8x10 mL
<a href="#">173333</a>	<a href="#">Vanadate-Molybdate Reagent</a>		1 L
<a href="#">765938</a>	<a href="#">Vanadium standard solution V=1.000 g/l for ICP</a>		100 mL
<a href="#">A1839</a>	<a href="#">Vancomycin hydrochloride BioChemica</a>	1404-93-9	5 g, 250 mg, 1 g
<a href="#">141003</a>	<a href="#">Vaseline Oil (USP, BP, Ph. Eur.) pure, pharma grade</a>	8012-95-1	1 L, 5 L, 25 L, 250 mL
<a href="#">211757</a>	<a href="#">Vaseline Soft technical grade</a>		250 g, 1 kg
<a href="#">413745</a>	<a href="#">Violet Red Bile Glucose Agar (VRBG) (Ph. Eur. ) (ISO21528) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">433745</a>	<a href="#">Violet Red Bile Glucose Agar (VRBG) (Ph. Eur.) (ISO 21528) (Contact Plate) for microbiology</a>		30 plates
<a href="#">413746</a>	<a href="#">Violet Red Bile Lactose Agar (VRBL) (ISO 4832) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A2090</a>	<a href="#">Vitamin B12</a>	68-19-9	5 g, 1 g
<a href="#">A8454</a>	<a href="#">Vitamin B12 (Ph. Eur.) pure, pharma grade</a>	68-19-9	500 g, 1 g, 25 g
<a href="#">A4042</a>	<a href="#">Water bidistilled, sterile</a>	7732-18-5	500 mL, 1 L
<a href="#">131074</a>	<a href="#">Water for analysis, ACS</a>	7732-18-5	25 L, 2.5 L, 60 L, 5 L, 200 L, 10 L, 1 L
<a href="#">701074</a>	<a href="#">Water for LC-MS</a>	7732-18-5	2.5 L, 1 L
<a href="#">711074</a>	<a href="#">Water for trace metal analysis (ppt)</a>	7732-18-5	1 L
<a href="#">221074</a>	<a href="#">Water for UHPLC Supergradient</a>	7732-18-5	1 L, 2.5 L
<a href="#">361074</a>	<a href="#">Water for UV, HPLC, ACS</a>	7732-18-5	2.5 L
<a href="#">A7398</a>	<a href="#">Water Molecular biology grade</a>	7732-18-5	1 L, 5 L, 500 mL
<a href="#">A8510</a>	<a href="#">Water PCR tested, DNA free, for molecular biology</a>	7732-18-5	10 x 1, 7 mL
<a href="#">211074</a>	<a href="#">Water technical grade</a>	7732-18-5	10 L, 5 L, 25 L, 1 L
<a href="#">367171</a>	<a href="#">Water with 0.1% (v/v) of Trifluoroacetic Acid for HPLC</a>		30 L

Product number	Product name	CAS number	Pack sizes
<a href="#">253453</a>	<a href="#">Weigert's Hematoxylin solution A for clinical diagnosis</a>		500 mL
<a href="#">253454</a>	<a href="#">Weigert's Hematoxylin solution B for clinical diagnosis</a>		500 mL
<a href="#">281590</a>	<a href="#">Wijs' Reagent 0.1 mol/l (0.2N) for volumetric analysis</a>		500 mL, 1 L
<a href="#">251767</a>	<a href="#">Wright's Eosin-Methylene Blue dye for clinical diagnosis</a>		25 g
<a href="#">A1007</a>	<a href="#">X-Gal BioChemica</a>	7240-90-6	1 g, 5 g
<a href="#">A4978</a>	<a href="#">X-Gal for molecular biology</a>	7240-90-6	1 g, 500 mg
<a href="#">A1113</a>	<a href="#">X-Glucuro CHA Salt BioChemica</a>	114162-64-0	250 mg, 1 g
<a href="#">416270</a>	<a href="#">XLD Agar (ISO 6579, ISO 19250, ISO 21567) (Dehydrated Culture Media) for microbiology</a>		500 g
<a href="#">A2240</a>	<a href="#">XTT Sodium Salt BioChemica</a>	111072-31-2	500 mg, 100 mg
<a href="#">131769</a>	<a href="#">Xylene, mixture of isomers (Reag. Ph. Eur.) for analysis, ACS, ISO</a>	1330-20-7	1 L, 200 L, 1 L, 5 L, 2.5 L, 25 L
<a href="#">251769</a>	<a href="#">Xylene, mixture of isomers for clinical diagnosis</a>	1330-20-7	5 L, 2.5 L, 1 L
<a href="#">141769</a>	<a href="#">Xylene, mixture of isomers pure</a>	1330-20-7	2.5 L, 1 L, 5 L, 5 L, 25 L
<a href="#">211769</a>	<a href="#">Xylene, mixture of isomers technical grade</a>	1330-20-7	5 L, 10 L, 5 L, 1 L
<a href="#">132617</a>	<a href="#">Xylenol Orange Tetrasodium Salt (Reag. Ph. Eur.) for analysis, ACS</a>	3618-43-7	5 g
<a href="#">403687</a>	<a href="#">Yeast Extract (Ingredient) for microbiology</a>		500 g
<a href="#">A1552</a>	<a href="#">Yeast extract BioChemica</a>		1 kg, 25 kg, 500 g
<a href="#">A3732</a>	<a href="#">Yeast extract for molecular biology</a>		500 g
<a href="#">125415</a>	<a href="#">Yellow Primary Solution (BP, Ph. Eur.) for analysis</a>		100 mL
<a href="#">A0981</a>	<a href="#">YT-Medium - Powder (2X)</a>		2.5 kg
<a href="#">765915</a>	<a href="#">Yttrium standard solution Y=1.000 g/l for ICP</a>		100 mL
<a href="#">286079</a>	<a href="#">Zeleny's Reagent for volumetric analysis</a>		1 L
<a href="#">251333</a>	<a href="#">Ziehl-Neelsen Carbol-Fuchsin Basic solution for clinical diagnosis</a>		250 mL, 1 L
<a href="#">131775</a>	<a href="#">Zinc Acetate 2-hydrate (Reag. USP, Ph. Eur.) for analysis, ACS</a>	5970-45-6	1 kg, 25 kg, 500 g
<a href="#">191779</a>	<a href="#">Zinc Chloride (Ph. Eur., USP) pharma grade</a>	7646-85-7	1 kg, 25 kg
<a href="#">131779</a>	<a href="#">Zinc Chloride for analysis, ACS</a>	7646-85-7	500 g, 1 kg
<a href="#">A6285</a>	<a href="#">Zinc Chloride for molecular biology</a>	7646-85-7	250 g
<a href="#">141779</a>	<a href="#">Zinc Chloride pure</a>	7646-85-7	1 kg, 5 kg
<a href="#">141783</a>	<a href="#">Zinc metal, powder pure</a>	7440-66-6	25 kg, 500 g
<a href="#">131786</a>	<a href="#">Zinc Oxide for analysis, ACS</a>	1314-13-2	1 kg
<a href="#">313193</a>	<a href="#">Zinc standard solution Zn=1.000 g/l for AAS</a>		100 mL, 500 mL
<a href="#">766058</a>	<a href="#">Zinc standard solution Zn=1.000 g/l for ICP</a>		100 mL
<a href="#">182163</a>	<a href="#">Zinc Sulfate 0.05 mol/l (0.05M) volumetric solution</a>	7446-20-0	1 L
<a href="#">181789</a>	<a href="#">Zinc Sulfate 0.1 mol/l (0.1M) volumetric solution</a>	7446-20-0	1 L
<a href="#">201788</a>	<a href="#">Zinc Sulfate 1-hydrate (F.C.C.) food grade</a>	7446-19-7	25 kg
<a href="#">141788</a>	<a href="#">Zinc Sulfate 1-hydrate (USP, Ph. Eur., BP) pure, pharma grade</a>	7446-19-7	1 kg
<a href="#">201787</a>	<a href="#">Zinc Sulfate 7-hydrate (F.C.C.) food grade</a>	7446-20-0	25 kg, 5 kg
<a href="#">141787</a>	<a href="#">Zinc Sulfate 7-hydrate (USP, BP, Ph. Eur.) pure, pharma grade</a>	7446-20-0	25 kg, 1 kg
<a href="#">131787</a>	<a href="#">Zinc Sulfate 7-hydrate for analysis, ACS</a>	7446-20-0	25 kg, 500 g, 1 kg
<a href="#">A1485</a>	<a href="#">α-Amanitine BioChemica</a>	23109-05-9	1 mg, 5 mg, 25 mg
<a href="#">A1138</a>	<a href="#">α-Ketoglutaric Acid BioChemica</a>	328-50-7	250 g
<a href="#">A2147</a>	<a href="#">β-Cyclodextrin BioChemica</a>	7585-39-9	100 g
<a href="#">A2253</a>	<a href="#">β-Glycerol Phosphate Disodium Salt 5-hydrate BioChemica</a>	819-83-0	500 g, 100 g
<a href="#">A1108</a>	<a href="#">β-Mercaptoethanol Molecular biology grade</a>	60-24-2	100 mL, 500 mL